Atlantic Salmon Fishery in Newfoundland and Labrador, Commercial and Recreational, 1983

E.G.M. Ash and M.F. O'Connell

Science Branch
Department of Fisheries and Oceans
P.O. Box 5667
St. John's, Newfoundland A1C 5X1

August 1986

Canadian Data Report of Fisheries and Aquatic Sciences No. 608

86-06211/

Canadian Data Report of Fisheries and Aquatic Sciences

Data reports provide a medium for filing and archiving data compilations where little or no analysis is included. Such compilations commonly will have been prepared in support of other journal publications or reports. The subject matter of data reports reflects the broad interests and policies of the Department of Fisheries and Oceans, namely, fisheries and aquatic sciences.

Data reports are not intended for general distribution and the contents must not be referred to in other publications without prior written authorization from the issuing establishment. The correct citation appears above the abstract of each report. Data reports are abstracted in *Aquatic Sciences and Fisheries Abstracts* and indexed in the Department's annual index to scientific and technical publications.

Numbers 1-25 in this series were issued as Fisheries and Marine Service Data Records. Numbers 26-160 were issued as Department of Fisheries and the Environment, Fisheries and Marine Service Data Reports. The current series name was introduced with the publication of report number 161.

Data reports are produced regionally but are numbered nationally. Requests for individual reports will be filled by the issuing establishment listed on the front cover and title page. Out-of-stock reports will be supplied for a fee by commercial agents.

Rapport statistique canadien des sciences halieutiques et aquatiques

Les rapports statistiques servent à classer et à archiver les compilations de données pour lesquelles il y a peu ou point d'analyse. Ces compilations auront d'ordinaire été préparées à l'appui d'autres publications ou rapports. Les sujets des rapports statistiques reflètent la vaste gamme des intérêts et des politiques du ministère des Pêches et des Océans, c'est-à-dire les sciences halieutiques et aquatiques.

Les rapports statistiques ne sont pas destinés à une vaste distribution et leur contenu ne doit pas être mentionné dans une publication sans autorisation écrite préalable de l'établissement auteur. Le titre exact parait au-dessus du résumé de chaque rapport. Les rapports statistiques sont résumés dans la revue *Résumés des sciences aquatiques et halieutiques*, et ils sont classés dans l'index annuel des publications scientifiques et techniques du Ministère.

Les numéros 1 à 25 de cette série ont été publiés à titre de relevés statistiques, Services des pêches et de la mer. Les numéros 26 à 160 ont été publiés à titre de rapports statistiques du Service des pêches et de la mer, ministère des Pêches et de l'Environnement. Le nom actuel de la série a été établi lors de la parution du numéro 161.

Les rapports statistiques sont produits à l'échelon régional, mais numérotés à l'échelon national. Les demandes de rapports seront satisfaites par l'établissement auteur dont le nom figure sur la couverture et la page du titre. Les rapports épuisés seront fournis contre rétribution par des agents commerciaux.

Canadian Data Report of
Fisheries and Aquatic Sciences 608

August 1986

ATLANTIC SALMON FISHERY IN NEWFOUNDLAND AND LABRADOR, COMMERCIAL AND RECREATIONAL, 1983

by

E.G.M. Ash and M. F. O'Connell

Science Branch
Department of Fisheries and Oceans
P.O. Box 5667
St. John's, Newfoundland A1C 5X1

(c)Minister of Supply and Services Canada 1986

Cat. No. Fs 97-13/608E ISSN 0706-6465

Correct citation for this publication:

Ash, E.G.M., and M. F. O'Connell. 1986. Atlantic salmon fishery in Newfoundland and Labrador, commercial and recreational, 1983. Can. Data Rep. Fish. Aquat. Sci. 608: v + 304 p.

CONTENTS

Page

Abstract/Résumé v

Part 1 - Commercial Fishery

Introduction 1

Methods 1
  Data collection 1
  Data processing 1
  Statistical codes 3

Summary 3

Acknowledgments 3

References 3

Appendix 1 -- Standardized weeks used for processing Atlantic salmon commercial catch statistics 19

Appendix 2 -- 1983 Atlantic salmon commercial catch - Statistical Section 23

Appendix 3 -- 1983 Atlantic Salmon commercial catch - Statistical Area 79

Appendix 4 -- 1983 Atlantic salmon commercial catch - Management Area 97

Appendix 5 -- 1983 Atlantic salmon commercial catch - insular Newfoundland 105

Appendix 6 -- 1983 Atlantic salmon commercial catch - Labrador 109

Appendix 7 -- 1983 Atlantic salmon commercial catch - provincial total 113

Appendix 8 -- 1983 Atlantic salmon commercial catch - NAFO Unit Area 117

Appendix 9 -- 1983 Atlantic salmon commercial catch - NAFO Division 141

Part 2 - Recreational Fishery

Introduction 153

Methods 153

Summary 157

CONTENTS

Page

Acknowledgments 157

References 158

Appendix 10 -- Geographical and alphabetical river index 163

Appendix 11 -- 1983 Atlantic salmon recreational catch and effort - rivers 177

Appendix 12 -- 1983 Atlantic salmon recreational catch and effort - Statistical Section 261

Appendix 13 -- 1983 Atlantic salmon recreational catch and effort - Statistical Area 285

Appendix 14 -- 1983 Atlantic salmon recreational catch and effort - regional totals 297

Appendix 15 -- 1983 Atlantic salmon recreational catch and effort - provincial totals 301

ABSTRACT

Ash, E.G.M., and M. F. O'Connell. 1986. Atlantic salmon fishery in Newfoundland and Labrador, commercial and recreational, 1983. Can. Data Rep. Fish. Aquat. Sci. 608: v + 304 p.

This report provides catch and effort data in the Atlantic salmon commercial and recreational fisheries in Newfoundland and Labrador in 1983. Data from the commercial fishery have been summarized weekly; catches are given by weight and by number for Statistical Sections, Areas, Management Areas, NAFO Unit Areas and Divisions, insular Newfoundland, Labrador, and the province. Historical, catch, effort, and mean weight data are also provided. Maps indicating the Sections, Areas and Management Areas into which the province is divided (Waldron 1974a) are provided. Catch and effort data collected from the recreational fishery are also summarized weekly; data are given by river as well as the same subdivisions (except NAFO) presented above for the commercial fishery. Scheduled rivers are listed alphabetically and geographically and have been assigned map numbers for quick location on the maps provided. Historical data, 1953-83, are presented for insular Newfoundland, Labrador, and the province.

RÉSUMÉ

Ash, E.G.M., and M. F. O'Connell. 1986. Atlantic salmon fishery in Newfoundland and Labrador, commercial and recreational, 1983. Can. Data Rep. Fish. Aquat. Sci. 608: v + 304 p.

Le présent rapport fournit les données sur les prises et l'effort de pêche pour la pêche commerciale et sportive du saumon de l'Atlantique à Terre-Neuve et au Labrador en 1983. Les données tirées de la pêche commerciale ont été résumées pour chaque semaine; les prises sont données par poids et par nombre pour les sections statistiques, les secteurs, les zones de gestion, les zones et les divisions de l'OPANO, l'île de Terre-Neuve, le Labrador et toute la province. On fournit également les données antérieures sur les prises, l'effort de pêche et le poids moyen. Des cartes indiquant les sections, secteurs et zones de gestion qui subdivisent la province (Waldron 1974a) sont fournies. Les données sur les prises et l'effort de pêche recueillies dans le cadre de la pêche sportive sont également résumées pour chaque semaine; les données sont présentées par rivière et suivant les mêmes subdivisions (sauf celles de l'OPANO) que celles indiquées ci-dessus pour la pêche commerciale. Les rivières inscrites sont énumérées par ordre alphabétique et par secteur géographique et on leur a attribué un numéro de carte afin de pouvoir les localiser rapidement sur les cartes fournies. Les données antérieures, de 1953 à 1983, sont présentées pour l'île de Terre-Neuve, le Labrador et l'ensemble de la province.

Part 1 - Commercial Fishery

INTRODUCTION

This publication continues a series of reports that give vital statistics from the Newfoundland and Labrador Atlantic salmon (Salmo salar L.) commercial fishery, 1952-82. Data for previous years are available in May and Lear (1971), Lear (1973), Waldron (1974b), Reddin and Waldron (1976), Reddin and Day (1980), Moores and Dawe (1980), Reddin and Short (1981), Short and Reddin (1981a, 1981b), Moores et al. (1984), and Ash (1984). Compilation of these data form an integral part in updating the database required to assess and examine the status of insular Newfoundland and Labrador Atlantic salmon populations.

METHODS

DATA COLLECTION

Data were obtained from three sources; sales slips, local sales estimates and commercial licence data. Sales slips or purchase slips were supplied to fish buyers by Fisheries Statistics and Systems Branch, Department of Fisheries and Oceans and designed to include such information as daily catch (lb) by species and size, price per unit weight, fisherman's name, buyer's name, community where fish were landed and type of fishing gear used. In addition, buyers were asked when purchasing salmon to record the number and size of the salmon and state of processing in which they were purchased.

Local sales represent those salmon landings not recorded on purchase slips. These include salmon eaten by the fishermen, given away, or sold directly to consumers. For each community this quantity was estimated monthly by the local fisheries officers and submitted to Fisheries Statistics and Systems Branch on a supplementary purchase slip. Local sales were based on an average obtained from selected fishermen of each community. The accuracy and precision of this estimate are unknown and it may not include all salmon caught in non-salmon gear.

License data were obtained from the Resource Management Division, Licensing Section. These include number of fishermen as well as length (fathoms) and numbers of nets they were licensed to fish.

DATA PROCESSING

Data from Purchase Slips were computer filed by day and by community, then summarized by standardized weeks (Appendix 1) by community, Statistical Section, Statistical Area, Fisheries Management Area, NAFO Unit Area, NAFO Division, insular Newfoundland, Labrador, and the province. Salmon catches were reported in different landed states of processing such as round, gutted head-on, or dressed gutted head-off fish. For consistency, all values were converted to round weights using conversion factors established in 1953 (Reddin and Short 1980). The conversion factors were: (1) gutted, head on (x 1.2) to round weight; (2) dressed gutted, head off (x 1.25) to round weight. All catches recorded in pounds were converted to kilograms. Local sales were reported by month and by community and were prorportioned over the month by day according to the daily percentage of monthly plant sales reported on purchase slips. Where local sales were reported for a particular month within which there were no daily catch data, they were divided by the number of days in the month. For the month of May, local sales were divided by 18, the number of days in which the fishing season was open. Weights and percentage of local sales by month appear at the bottom of each table in Appendices 2-7. They have been included in the catch statistics which are shown in the same tables.

In the tables of Appendices 2-7, the adjusted catch and estimated numbers were initially calculated at the community level and summed to the appropriate Statistical Section, Statistical Area, etc.

Landings were recorded in two size categories: small salmon (1SW - one-sea-winter), those less than 2.7 kg; large salmon (MSW - multi-sea-winter), those equal to or greater than 2.7 kg. Unfortunately, buyers often did not record size, usually when size did not affect market value. In these cases landings were recorded as unsized. Also, the proportions of large and small in local sales were not known and these were generally recorded as unsized. The unsized salmon were proportioned into large and small salmon (adjusted catch) by one of two methods. If the total weight of salmon reported as large and small in a week was equal to or greater than 10% of the unsized landings in that week, the unsized salmon were divided into large and small categories according to the proportions of large and small in the sized catch. Alternatively, if the total weight of sized salmon represented less than 10% of the unsized catch, predetermined default proportions of large and small salmon (based on the previous five year mean proportions) were applied to the unsized salmon to divide them into large and small categories.

Small and large mean weights by week were derived from sales slip data that included both weight and corresponding numbers of salmon. Calculations simply involved dividing the total weight by the numbers of salmon reported for each size category. Mean weights were calculated on a weekly basis at the community level, then the weights and numbers of salmon were totaled and redivided at the various other levels. Mean weights for the entire fishing season were calculated from total weight and numbers of fish, not by averaging weekly mean weights.

The estimated numbers of salmon in each size category were derived by dividing current catch data by either the calculated weekly mean weights or predetermined default weekly mean weights. The calculated weekly mean weights were used if in any given week the number of salmon in a size category (sample size) from which the mean weight was obtained was equal to or greater than 50 fish. Default mean weights were used to derive estimated numbers of salmon when the sample size was less than 50 fish in any given week. Default mean weights were the seasonal mean weights which were calculated for the Statistical Area in which the community is located, if the sample size over the entire season for that particular Area was equal to or exceeded 50 fish. Otherwise, the mean weights from total insular Newfoundland catch data were used. All estimated numbers of salmon were obtained from the community catch statistics by week and then added to produce both weekly and seasonal numbers of fish for Statistical Sections, Statistical Areas, etc.

Effort data were reported in total fathoms licensed for each fisherman, then added to produce total effort by community, Statistical Section, Statistical Area, etc. The total number of licensed gear units were derived by dividing total fathomage by 50 (1 gear unit = 50 fathoms).

STATISTICAL CODES

A description and rationale for the geographical regions by which data were broken down was published by Waldron (1974a). Briefly, Statistical Areas (A-0) and Statistical Sections (1-53) begin at the northern tip of the Great Northern Peninsula and proceed clockwise around the coast and northward to the tip of Labrador (Fig. 1 and 2). NAFO Divisions (1F-5Z) and unit areas (201-501) are also included to allow comparison with historical data (Fig. 3).

SUMMARY

In 1983 the total catch for the Atlantic salmon commercial fishery was 1,022 metric tonnes, which was comprised of 418 t of small and 604 t of large. This was a decline from 1982 by 28% and 18% respectively (Table 1). In comparison to the previous five-year mean of 1,500 t, the overall catch has dropped by 32%. Provincially there were an estimated 358,290 fish caught (Table 2). The number of licensed fishermen remained relatively unchanged this year at 5,063 (Table 5).

Insular Newfoundland accounted for 64% of the total catch or 659 t, which was 15% lower than the previous year. The catch was made up of 320 t of small and 339 t of large (Table 1). The only areas that saw some improvement in catch were A, E, F, K, and M (Table 1).

Fishermen in Labrador in 1983 harvested 273 t of large salmon and 97 t of grilse which was 36% of the provincial catch. However this was 33% less than in 1982 and in fact was the second lowest catch since 1969 (Table 1).

ACKNOWLEDGMENTS

For collecting the data, the authors acknowledge the staff of Fisheries Statistics and Systems Branch and Resource Management Division, Fisheries Operations Branch. Computer programs were developed by Eric Harvey and L. Feltham of Fisheries Statistics and Systems Branch. Neila Caines assisted with data tabulation and computation. Figures were prepared by Neil Hefford and typing by K. Harding. Thanks to T. R. Porter for editing.

REFERENCES

Ash, E.G.M. 1984. Atlantic salmon commercial catch statistics, Newfoundland and Labrador, 1982. Can. Data Rep. Fish. Aquat. Sci. 478: iv + 115 p.

Lear, W. H. 1973. Size and age composition of the Newfoundland and Labrador commercial salmon catch 1971. Fish. Res. Board Can. Tech. Rep. No. 392. 40 p.

May, A. W., and W. H. Lear. 1971. Digest of Canadian Atlantic salmon catch statistics. Fish. Res. Board Can. Tech. Rep., No. 270. 106 p.

Moores, R. B., and E. G. Dawe. 1980. Atlantic salmon commercial catch data, Newfoundland and Labrador, 1979. Can. Data Rep. Fish. Aquat. Sci. 221: iv + 95 p.

Moores, R. B., A. W. Veitch, and E.G.M. Ash. 1984. Atlantic salmon commercial catch data, Newfoundland and Labrador, 1980 and 1981. Can. Data Rep. Fish. Aquat. Sci. 466: iv + 213 p.

Reddin, D. G., and F. A. Day. 1980. Newfoundland and Labrador, Atlantic salmon (Salmo salar) commercial catch data, 1969-72. Fish. Mar. Serv. Data Rep. No. 5. 62 p.

Reddin, D. G., and P. B. Short. 1981. The 1976 Newfoundland and Labrador Atlantic salmon commercial landings. Can. Tech. Rep. Fish. Aquat. Sci. 1008: iv + 105 p.

Reddin, D. G., and D. E. Waldron. 1976. Newfoundland and Labrador Atlantic salmon commercial catch data, 1975. Fish. Mar. Serv. Tech. Rep. No. 684. 183 p.

Short, P. B., and D. G. Reddin. 1981a. Newfoundland and Labrador Atlantic salmon commercial catch data - 1977. Can. Data Rep. Fish. Aquat. Sci. 282: iv + 103 p.

1981b. Newfoundland and Labrador Atlantic salmon commercial catch data - 1978. Can. Data Rep. Fish. Aquat. Sci. 283: iv + 114 p.

Waldron, D. E. 1974a. Codes used in the Newfoundland commercial recreational fisheries. Fish. Mar. Serv. Data Record Series No. NEW/D-74-2. 128 p.

1974b. 1973 Newfoundland and Labrador Atlantic salmon commercial catch data. Fish. Mar. Serv. Data Record Series No. NEW/D-74-1. 127 p.

Table 1. Atlantic salmon commercial landings (t) by Statistical Area for the province of Newfoundland and Labrador, 1969-83.

	A			B			C			D		
Year	Wt (t) small	Wt (t) large	Wt (t) total	Wt (t) small	Wt (t) large	Wt (t) total	Wt (t) small	Wt (t) large	Wt (t) total	Wt (t) small	Wt (t) large	Wt (t) total
1969			190			105			66			59
1970			241			173			117			77
1971			262			160			96			71
1972			200			94			52			61
1973			332			116			157			93
1974	67	84	151	54	52	105	31	35	65	74	94	168
1975	121	122	242	142	103	246	48	112	160	40	67	106
1976	170	175	345	57	60	117	13	44	57	21	33	54
1977	123	242	365	85	96	181	38	90	128	34	57	90
1978	51	83	135	36	68	104	22	59	81	21	55	76
1979	206	66	272	45	33	78	11	18	28	20	9	29
1980	167	166	334	135	110	245	40	47	87	29	35	63
1981	175	177	351	87	128	215	28	65	93	23	50	73
1982	112	80	191	98	69	166	37	23	60	23	20	43
1983	101	95	196	74	56	130	27	30	57	12	18	30

	E			F			G			H		
Year	Wt (t) small	Wt (t) large	Wt (t) total	Wt (t) small	Wt (t) large	Wt (t) total	Wt (t) small	Wt (t) large	Wt (t) total	Wt (t) small	Wt (t) large	Wt (t) total
1969			46			56			14			52
1970			66			92			24			27
1971			52			89			9			21
1972			35			50			10			99
1973			136			83			22			100
1974	43	83	126	50	84	134	8	2	10	62	36	99
1975	19	56	75	28	83	111	6	3	9	15	16	31
1976	15	33	48	17	50	67	5	1	7	19	20	39
1977	23	56	78	15	55	70	4	1	6	19	17	36
1978	10	40	50	3	28	31	7	5	11	13	22	35
1979	5	7	11	5	9	14	21	6	26	5	14	20
1980	22	52	74	22	67	89	12	3	14	35	28	63
1981	18	55	73	13	38	51	13	4	17	8	11	19
1982	6	11	17	9	9	17	13	2	14	30	16	46
1983	7	13	20	9	14	23	7	2	9	10	12	22

	I			J			J1			J2		
Year	Wt (t) small	Wt (t) large	Wt (t) total	Wt (t) small	Wt (t) large	Wt (t) total	Wt (t) small	Wt (t) large	Wt (t) total	Wt (t) small	Wt (t) large	Wt (t) total
1969			26			295			57			238
1970			29			188			35			153
1971			20			113			31			82
1972			32			158			68			90
1973			42			206			53			153
1974	19	28	47	86	240	325	25	89	114	60	151	212
1975	15	6	21	65	217	281	34	74	107	31	143	174
1976	17	16	34	89	316	405	39	117	156	51	199	250
1977	5	7	13	15	158	173	7	32	39	9	126	135
1978	7	7	14	5	89	94	3	14	17	2	74	76
1979	7	5	12	14	84	99	11	29	39	4	56	59
1980	12	14	26	39	110	149	24	17	41	15	94	108
1981	7	10	17	13	97	109	8	20	29	5	76	81
1982	20	18	38	20	89	109	16	24	40	4	65	69
1983	6	6	12	19	65	84	12	19	31	7	47	53

Table 1 (cont'd)

Year	K Wt (t) small	K Wt (t) large	K Wt (t) total	L Wt (t) small	L Wt (t) large	L Wt (t) total	M Wt (t) small	M Wt (t) large	M Wt (t) total	N Wt (t) small	N Wt (t) large	N Wt (t) total
1969			35			14			16			6
1970			60			16			18			9
1971			28			3			7			5
1972			33			13			14			6
1973			45			12			9			20
1974	16	16	31	4	7	11	9	5	14	6	2	8
1975	8	11	20	5	4	9	10	7	17	7	4	11
1976	21	16	38	4	4	7	22	7	29	8	1	9
1977	19	22	41	5	7	12	8	10	18	7	7	14
1978	12	12	23	5	5	10	12	6	18	2	3	5
1979	17	7	23	6	2	8	22	4	26	12	2	14
1980	24	16	40	16	9	25	13	8	21	14	5	20
1981	19	7	26	8	4	12	13	6	19	14	6	20
1982	10	6	17	9	5	14	12	4	16	21	4	25
1983	12	9	21	8	3	11	24	7	30	5	2	6

Year	O Wt (t) small	O Wt (t) large	O Wt (t) total	Insular Nfld. (Provincial) Wt (t) small	Insular Nfld. (Provincial) Wt (t) large	Insular Nfld. (Provincial) Wt (t) total	Nfld. and Labrador (Provincial) Wt (t) small	Nfld. and Labrador (Provincial) Wt (t) large	Nfld. and Labrador (Provincial) Wt (t) total
1969			461			980			1,442
1970			458			1,137			1,596
1971			641			936			1,578
1972			537			857			1,396
1973			639			1,373			2,012
1974	113	602	714	529	768	1,294	642	1,370	2,008
1975	212	492	705	529	811	1,339	741	1,303	2,044
1976	164	592	756	478	776	1,256	642	1,368	2,012
1977	139	573	712	400	825	1,225	539	1,398	1,937
1978	64	430	494	206	482	687	270	912	1,181
1979	96	230	326	396	266	660	492	496	986
1980	228	625	853	580	670	1,250	808	1,295	2,103
1981	238	576	815	439	658	1,095	677	1,234	1,910
1982	158	389	548	420	356	773	578	745	1,321
1983	97	273	370	321	331	652	418	604	1,022

Table 2. Atlantic salmon commercial catch data by size and estimated numbers of fish for Newfoundland and Labrador, 1969-83.

	Small		Large		Total		
Year	kg x 10^3	Est. no. of fish	kg x 10^3	Est. no. of fish	kg x 10^3	Est. no. of fish	% large (kg)
1969	474.72	262,274	966.08	193,602	1,440.80	455,876	67
1970	636.55	351,685	958.40	192,065	1,594.95	543,750	60
1971	416.01	229,839	1,160.07	232,479	1,576.08	462,318	74
1972	460.42	254,376	934.91	187,356	1,395.33	441,732	67
1973	660.39	365,665	1,348.08	271,407	2,008.47	637,072	66
1974	839.44	413,032	1,171.48	235,117	2,010.92	648,149	58
1975	802.28	418,063	1,241.53	263,057	2,043.81	681,120	61
1976	646.97	333,690	1,365.46	301,757	2,012.43	635,447	68
1977	534.32	269,517	1,404.28	293,618	1,938.60	563,135	72
1978	238.36	125,772	871.82	182,115	1,110.18	307,887	79
1979	487.79	246,405	498.58	129,056	986.37	375,461	51
1980	807.58	384,418	1,295.11	266,203	2,102.67	650,621	62
1981	678.72	349,570	1,230.76	249,667	1,909.47	599,237	64
1982	577.30	299,911	742.45	164,374	1,319.73	464,285	56
1983	418.00	221,836	604.02	135,041	1,022.00	356,877	59

Table 3. Mean weights (kg) of Atlantic salmon taken in the Newfoundland and Labrador commercial fishery, 1974-82. Data presented by Statistical Areas.

	Area									
	A		B		C		D		E	
Year	Sm	Lg	Sm	Lg	Sm	Lg	Sm	Lg	Sm	Lg
1974	2.0	4.9	1.9	4.7	2.2	5.2	1.9	4.6	2.3	5.0
1975	2.0	4.6	1.9	3.9	2.1	4.8	1.8	4.9	-	5.9
1976	2.8	4.3	1.9	4.4	2.0	4.1	-	-	-	-
1977	2.0	4.7	2.0	4.8	2.1	4.8	2.3	4.9	2.3	4.8
1978	2.0	4.8	2.0	4.8	1.9	4.6	1.9	5.2	1.9	5.0
1979	2.0	4.2	2.1	4.5	2.4	4.0	1.7	-	-	4.4
1980	2.1	4.8	2.1	4.6	2.2	4.4	2.0	5.0	2.2	4.8
1981	1.9	4.9	2.0	4.8	2.0	4.5	1.8	4.8	1.9	4.9
1982	1.9	4.6	1.9	4.3	2.0	3.8	1.9	4.6	1.9	4.6
1983	1.8	4.6	2.0	4.4	2.0	4.3	1.8	4.5	1.9	4.4

Table 3 (Cont'd)

	Area									
	F		G		H		I		J	
Year	Sm	Lg	Sm	Lg	Sm	Lg	Sm	Lg	Sm	Lg
1974	-	-	-	-	-	-	-	-	2.0	5.2
1975	-	-	-	-	-	-	1.8	4.1	1.7	4.7
1976	-	-	-	-	-	-	-	-	1.7	4.6
1977	-	-	-	-	-	-	-	-	1.8	4.5
1978	-	-	-	-	-	-	-	-	2.0	4.8
1979	-	-	-	-	-	-	2.0	4.4	1.9	4.7
1980	2.1	4.8	1.9	4.8	1.8	4.8	2.1	4.8	2.0	4.9
1981	1.9	4.4	1.9	4.8	1.8	4.8	1.9	4.8	1.9	4.9
1982	2.5	3.8	1.9	4.6	1.8	4.6	1.9	4.6	1.9	4.4
1983	1.9	4.3	1.9	4.4	1.9	4.4	1.9	4.4	1.9	4.4

Table 3 (Cont'd)

	Area									
	K		L		M		N		O	
Year	Sm	Lg	Sm	Lg	Sm	Lg	Sm	Lg	Sm	Lg
1974	1.7	4.5	-	5.4	-	-	-	-	2.1	5.1
1975	-	-	2.0	4.6	-	-	-	-	2.0	4.7
1976	2.0	4.4	-	-	-	-	-	-	2.1	4.6
1977	1.8	4.7	2.2	4.8	-	-	-	-	2.0	4.9
1978	1.6	4.5	1.8	4.2	-	-	-	-	1.9	4.8
1979	-	-	1.9	4.5	1.8	5.0	1.8	-	2.0	4.4
1980	2.1	4.7	2.0	4.8	2.0	4.6	2.1	4.7	2.2	5.0
1981	1.7	4.4	2.0	5.2	1.6	4.8	1.9	4.9	2.1	5.1
1982	1.6	4.5	1.9	4.7	1.9	4.6	1.9	3.9	2.0	4.7
1983	1.5	4.0	1.9	4.8	1.8	4.5	1.9	4.2	2.0	4.6

Table 3 (Cont'd)

							Area					
	E. coast		S. coast		W.coast		Nfld.		Lab.		Prov.	
Year	Sm	Lg	Sm	Lg	Sm	Lg	Sm	Lg	Sm	Lg	Sm	Lg
1974	2.0	4.9	2.0	5.2	1.7	4.7	2.0	5.1	2.1	5.1	2.0	5.1
1975	2.0	4.7	1.7	4.7	2.0	4.6	1.8	4.7	2.0	4.7	1.9	4.7
1976	2.0	4.3	1.7	4.6	2.0	4.4	1.8	4.5	2.1	4.6	1.9	4.5
1977	2.0	4.8	1.8	4.5	-	4.8	2.0	4.6	2.0	4.9	2.0	4.7
1978	2.0	4.8	2.0	4.8	1.7	4.5	2.0	4.8	1.9	4.8	2.0	4.8
1979	2.0	4.3	1.9	4.7	1.8	4.5	2.0	4.6	2.0	4.4	2.0	4.5
1980							2.1	4.8	2.2	5.0	2.1	4.9
1981							1.9	4.8	2.1	5.1	2.0	5.0
1982							1.9	4.4	2.0	4.7	1.9	4.6
1983							1.9	4.4	2.0	4.6	1.9	4.5

Table 4. Number of licensed gear units (50 fathoms) by Statistical Area, 1975-83.

Statistical Area	Licensed salmon fishing effort (in 50 fathom units)								
	1975	1976	1977	1978	1979	1980	1981	1982	1983
A	2,818	2,639	2,473	2,516	2,515	2,480	2,411	2,198	2,457
B	3,962	3,547	3,327	3,371	3,349	3,485	3,390	3,002	3,729
C	2,565	2,354	2,163	2,172	2,169	2,320	1,944	1,551	1,661
D	2,074	2,074	1,876	1,901	1,853	1,834	1,709	1,536	1,499
E	2,567	2,276	1,973	2,066	1,971	2,024	1,954	1,548	1,402
F	1,875	1,823	1,582	1,588	1,617	1,536	1,524	1,395	1,089
G	432	347	292	287	283	268	252	222	235
H	1,330	1,207	1,063	1,069	1,051	1,003	979	837	934
I	594	577	554	576	588	593	598	472	570
J	1,974	1,823	1,691	1,661	1,619	1,556	1,528	1,361	1,143
K	574	501	467	456	455	426	403	338	416
L	412	301	270	264	247	254	253	196	258
M	411	350	322	288	312	314	309	285	455
N	439	372	314	344	345	324	328	308	425
O[a]	3,154	3,558	3,408	3,725	3,795	3,501	3,450	3,380	3,432
Total Nfld.	22,027	20,191	18,367	18,559	18,374	18,417	17,582	15,249	16,273
Prov.	25,181	23,749	21,775	22,284	22,169	21,918	21,032	18,629	19,705

[a] Includes salmon/charr licenses in Section 53.

Table 5. Number of licensed commercial salmon fishermen by Statistical Area, 1975-83.

Statistical Area	Licensed salmon fishermen								
	1975	1976	1977	1978	1979	1980	1981	1982	1983
A	769	696	655	664	663	651	636	605	614
B	1,399	1,234	1,154	1,148	1,148	1,163	1,126	1,047	1,033
C	765	685	622	621	617	591	550	493	479
D	596	525	469	473	457	446	412	394	383
E	635	518	446	459	445	449	429	375	356
F	314	308	264	261	266	246	246	239	239
G	103	103	86	87	85	81	75	71	68
H	388	335	303	284	296	279	269	255	250
I	226	194	188	186	186	182	179	159	149
J	393	353	324	316	308	294	288	279	267
K	181	157	142	139	140	130	124	117	113
L	140	111	97	100	93	95	94	86	82
M	185	157	144	141	138	137	134	128	122
N	158	130	112	118	116	109	109	105	107
O[a]	729	781	750	818	810	739	731	716	801
Total Nfld.	6,252	5,506	5,006	4,997	4,958	4,853	4,671	4,353	4,262
Prov.	6,981	6,287	5,756	5,815	5,768	5,592	5,402	5,069	5,063

[a] Includes salmon/charr licenses in Section 53.


59°
58°
57°
56°
55°
54°
53°
52°
51°
50°
49°
48°
47°
46°
N
M
L
K
J
I
H
G
F
E
D
C
B
A
01
02
03
04
05
06
07
08
09
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
0
50
100
SCALE OF MILES

Fig. 1. Boundaries of Statistical Section (numerically indicated) and Statistical Areas (alphabetical) in insular Newfoundland.



68°
66°
64°
62°
60°
58°
56°
54°
60°
58°
56°
54°
52°
50°
50
0
50
100
150
SCALE OF MILES
53
AREA
O
52
51
50
66°
64°
62°
60°
58°
56°

Fig. 2. Boundaries of Statistical Section (numerically indicated) and Statistical Areas (alphabetical) in Labrador.


Coastline
20 fath
30 fath
50 fath
100 fath
150 fath
200 fath
1000 fath
QUEBEC
LABRADOR
NEWFOUNDLAND
NOVA SCOTIA
2G
2H
2J
1F
3K
3L
3M
3N
3O
3Ps
3Pn
4R
4S
4T
4Vn
4Vs
4W
4X
5Y
5Zw
5Ze
223
224
221
222
218
219
220
215
216
217
212
213
214
209
210
211
208
207
206
205
202
203
204
342
343
347
341
344
345
346
340
339
338
331
330
325
324
323
332
329
326
334
333
328
327
310
314
315
320
321
322
316
319
313
311
312
317
318
301
302
303
307
304
306
305
308
309
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
501

Fig. 3. Boundaries of NAFO Unit Areas (numerically indicated) and NAFO Divisions (alpha-numeric).



Fig. 4. Atlantic salmon commercial catch and licensed effort data for Labrador, 1969-83.



Fig. 5. Atlantic salmon commercial catch and licensed effort data for insular Newfoundland, 1969-83.



Fig. 6. Atlantic salmon commercial catch and licensed effort data for Newfoundland and Labrador, 1969-83.



Fig. 7. The estimated number of salmon by size for 1969-83.

Appendix 1 -- Standardized Weeks Used for Processing Atlantic Salmon Commercial Catch Statistics

Appendix 1 -- Standardized Weeks Used for Processing Atlantic Salmon Commercial Catch Statistics

Week	Month	Days	
1	January	01-07	January
2	January	08-14	
3	January	15-21	
4	January	22-28	
5	February	29-04	February
6	February	05-11	
7	February	12-18	
8	February	19-25	
9	March	26-04	March
10	March	05-11	
11	March	18-18	
12	March	19-25	
13	March	26-01	
14	April	02-08	April
15	April	09-15	
16	April	16-22	
17	April	23-29	
18	May	30-06	May
19	May	07-13	
20	May	14-02	
21	May	21-27	
22	May	28-03	
23	June	04-10	June
24	June	11-17	
25	June	18-24	
26	June	25-01	
27	July	02-08	July
28	July	09-15	
29	July	16-22	
30	July	23-29	
31	August	30-05	August
32	August	06-12	
33	August	13-19	
34	August	20-26	
35	August	27-02	
36	September	03-09	September
37	September	10-16	
38	September	17-23	
39	September	24-30	

Appendix 1 (cont'd)

Week	Month	Days	
40	October	01-07	October
41	October	08-14	
42	October	15-21	
43	October	22-28	
44	November	29-04	November
45	November	05-11	
46	November	12-18	
47	November	19-25	
48	November	26-02	
49	December	03-09	December
50	December	10-16	
51	December	17-23	
52	December	24-31	

Appendix 2 -- 1983 Atlantic Salmon Commercial Catch - Statistical Section

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 01

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
23	0.0	0.0	52.8	52.8	2.7	50.2	0.0	0	0.0	0	1	11	12
24	0.0	0.0	61.6	61.6	1.9	59.7	0.0	0	0.0	0	1	13	14
25	4.0	9.0	73.0	86.0	19.4	66.6	0.0	0	4.5	2	11	15	26
26	159.0	182.0	290.1	631.1	287.2	343.9	1.8	86	4.1	44	155	75	230
27	52.0	15.0	379.6	446.6	357.5	89.1	2.0	5	4.0	1	200	19	219
28	0.0	0.0	152.6	152.6	107.4	45.2	0.0	0	0.0	0	60	10	70
29	0.0	0.0	152.6	152.6	126.0	26.6	0.0	0	0.0	0	71	5	76
30	0.0	0.0	152.6	152.6	122.2	30.4	0.0	0	0.0	0	68	7	75
31	0.0	0.0	43.6	43.6	35.0	8.6	0.0	0	0.0	0	20	1	21
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	215.0	206.0	1358.5	1779.5	1059.3	720.3	1.9	91	4.1	47	587	156	743

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	454.0	907.0	0.0	0.0	0.0	0.0	0.0	1361.0
PERCENT	0.0	56.2	93.1	0.0	0.0	0.0	0.0	0.0	76.4

SECTION : 02

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	17.0	51.0	0.0	68.0	17.0	51.0	1.9	9	4.6	11	9	11	20
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
24	0.0	23.0	3.2	26.2	0.0	26.2	0.0	0	4.6	5	0	6	6
25	942.0	4711.0	383.8	6036.8	999.7	5037.1	1.9	486	4.6	1022	526	1094	1620
26	2271.0	6339.0	699.6	9309.6	2453.8	6855.8	2.0	1150	4.6	1384	1260	1504	2764
27	2110.0	3450.0	617.4	6177.4	2270.2	3907.2	1.9	1007	4.5	605	1237	865	2102
28	1857.0	2090.0	104.8	4051.8	1903.3	2148.5	1.6	869	4.8	305	1160	453	1613
29	600.0	410.0	26.4	1036.4	614.9	421.5	1.6	257	5.5	51	378	80	458
30	208.0	301.0	10.5	519.5	212.3	307.2	2.0	105	4.6	65	106	67	173
31	0.0	0.0	17.5	17.5	4.7	12.8	0.0	0	0.0	0	2	2	4
32	0.0	0.0	24.5	24.5	3.5	21.0	0.0	0	0.0	0	2	4	6
33	0.0	0.0	24.5	24.5	7.4	17.1	0.0	0	0.0	0	4	4	8
34	0.0	0.0	24.5	24.5	8.4	16.1	0.0	0	0.0	0	4	4	8
35	0.0	0.0	17.5	17.5	6.2	11.4	0.0	0	0.0	0	4	2	6
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	8005.0	17375.0	1954.2	27334.2	8501.4	18832.9	1.8	3883	4.6	3448	4692	4096	8788

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)									
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	1051.0	796.0	111.0	0.0	0.0	0.0	0.0	1958.0
PERCENT	0.0	7.1	6.9	100.0	0.0	0.0	0.0	0.0	7.4

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 03

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
23	132.0	106.0	35.3	273.3	151.6	121.7	2.0	64	5.0	21	76	26	102
24	31.0	217.0	29.8	277.8	34.2	243.6	1.8	17	4.4	42	19	53	72
25	567.0	2125.0	333.7	3025.7	636.2	2389.5	1.9	280	4.3	484	329	555	884
26	3034.0	3649.0	777.6	7460.6	3378.3	4082.3	1.9	1570	4.5	717	1791	906	2697
27	3985.0	1254.0	271.9	5510.9	4180.0	1330.9	1.8	1935	4.8	255	2276	278	2554
28	5137.0	759.0	277.6	6173.6	5363.9	809.7	1.8	2575	4.7	154	2963	167	3130
29	1985.0	352.0	126.8	2463.8	2087.5	376.3	1.8	957	5.1	69	1141	81	1222
30	627.0	159.0	48.7	834.7	664.8	169.9	1.8	263	5.9	25	355	37	392
31	0.0	0.0	20.5	20.5	16.0	4.5	0.0	0	0.0	0	9	0	9
32	0.0	0.0	28.7	28.7	7.9	20.8	0.0	0	0.0	0	5	5	10
33	0.0	0.0	28.7	28.7	10.0	18.7	0.0	0	0.0	0	5	4	9
34	0.0	0.0	28.7	28.7	10.0	18.7	0.0	0	0.0	0	5	4	9
35	0.0	0.0	20.5	20.5	7.3	13.4	0.0	0	0.0	0	4	3	7
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	15498.0	8621.0	2028.5	26147.5	16547.7	9600.0	1.8	7661	4.5	1767	8978	2119	11097

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	1134.0	769.0	128.0	0.0	0.0	0.0	0.0	2031.0
PERCENT	0.0	10.8	4.9	100.0	0.0	0.0	0.0	0.0	7.8

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 04

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	13.3	13.3	0.0	13.3	0.0	0	0.0	0	0	3	3
21	0.0	0.0	13.3	13.3	0.0	13.3	0.0	0	0.0	0	0	3	3
22	12.0	20.0	62.4	94.4	32.8	61.6	0.0	0	0.0	0	18	13	31
23	28.0	1117.0	388.2	1533.2	71.9	1461.3	2.8	4	4.2	115	41	329	370
24	691.0	5597.0	742.6	7030.6	813.8	6216.8	2.1	78	4.3	413	451	1397	1848
25	4404.0	14269.0	1381.0	20054.0	4784.8	15269.2	1.9	404	4.3	678	2597	3433	6030
26	10430.0	10873.0	1387.7	22690.7	11155.9	11534.8	1.8	1051	4.5	366	6231	2521	8752
27	19032.0	7562.0	2177.2	28771.2	20581.1	8190.1	1.8	5717	4.8	570	11553	1761	13314
28	15213.0	4427.0	1422.4	21062.4	16296.3	4766.1	1.7	4473	4.7	245	9304	1013	10317
29	4572.0	1899.0	728.5	7199.5	5089.0	2110.5	1.8	1142	4.3	61	2899	459	3358
30	904.0	493.0	514.4	1911.4	1280.2	631.2	1.7	305	5.9	22	727	136	863
31	82.0	82.0	263.5	427.5	256.7	170.8	1.7	34	6.4	5	142	39	181
32	81.0	21.0	194.8	296.8	176.8	120.0	1.8	16	0.0	0	98	26	124
33	63.0	133.0	151.6	347.6	160.5	187.1	1.8	16	4.5	2	90	41	131
34	0.0	7.0	136.7	143.7	77.8	65.9	0.0	0	7.0	1	43	14	57
35	0.0	0.0	96.5	96.5	25.7	70.8	0.0	0	0.0	0	15	16	31
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	10.5	10.5	0.0	10.5	0.0	0	0.0	0	0	0	0
41	0.0	0.0	10.5	10.5	0.0	10.5	0.0	0	0.0	0	0	2	2
42	0.0	0.0	10.5	10.5	0.0	10.5	0.0	0	0.0	0	0	2	2
43	0.0	0.0	10.5	10.5	0.0	10.5	0.0	0	0.0	0	0	2	2
44	0.0	0.0	77.7	77.7	0.0	77.7	0.0	0	0.0	0	0	2	2
45	0.0	0.0	128.1	128.1	0.0	128.1	0.0	0	0.0	0	0	18	18
46	0.0	0.0	128.1	128.1	0.0	128.1	0.0	0	0.0	0	0	29	29
47	0.0	0.0	128.1	128.1	0.0	128.1	0.0	0	0.0	0	0	29	29
48	0.0	0.0	91.5	91.5	0.0	91.5	0.0	0	0.0	0	0	29	29
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	19	19
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	55512.0	46500.0	10269.6	112281.6	60803.3	51478.3	1.8	13240	4.5	2478	34209	11336	45545

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

-- LOCAL SALES (KG) --

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	112.0	3737.0	5142.0	706.0	0.0	45.0	553.0	0.0	10295.0
PERCENT	90.3	10.3	8.9	71.2	0.0	100.0	100.0	0.0	10.7

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 05

	------------ CATCH (KG)	------------			ADJUSTED CATCH (KG) *		--------- MEAN WEIGHT (KG) SMALL		LARGE ---------		ESTIMATED NUMBERS +		
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
23	0.0	48.0	51.3	99.3	4.5	94.8	0.0	0	4.4	11	2	20	22
24	732.0	2755.0	327.7	3814.7	801.6	3013.1	2.0	329	4.6	487	415	660	1075
25	4406.0	5338.0	852.3	10596.3	4753.2	5843.1	2.0	1940	4.5	939	2488	1298	3786
26	3616.0	2428.0	494.6	6538.6	3888.1	2650.5	1.9	1652	4.6	441	2021	580	2601
27	1595.0	551.0	297.6	2443.6	1793.1	650.5	2.0	666	4.7	90	895	142	1037
28	1540.0	479.0	295.1	2314.1	1743.1	571.0	2.1	585	4.1	84	862	124	986
29	734.0	260.0	128.0	1122.0	834.9	287.1	2.1	349	4.0	62	411	62	473
30	251.0	168.0	63.1	482.1	287.9	194.2	2.1	112	4.3	39	150	42	192
31	14.0	11.0	32.9	57.9	33.2	24.7	2.3	4	5.5	2	18	5	23
32	2.0	0.0	31.5	33.5	19.1	14.4	2.0	1	0.0	0	10	3	13
33	0.0	0.0	31.5	31.5	8.1	23.4	0.0	0	0.0	0	6	6	12
34	0.0	0.0	31.5	31.5	7.8	23.7	0.0	0	0.0	0	3	6	9
35	0.0	0.0	22.5	22.5	5.7	16.8	0.0	0	0.0	0	3	3	6
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	60.9	60.9	0.0	60.9	0.0	0	0.0	0	0	12	12
41	0.0	0.0	60.9	60.9	0.0	60.9	0.0	0	0.0	0	0	12	12
42	0.0	0.0	60.9	60.9	0.0	60.9	0.0	0	0.0	0	0	12	12
43	0.0	0.0	60.9	60.9	0.0	60.9	0.0	0	0.0	0	0	12	12
44	0.0	0.0	41.3	41.3	0.0	41.3	0.0	0	0.0	0	0	9	9
45	0.0	0.0	26.6	26.6	0.0	26.6	0.0	0	0.0	0	0	5	5
46	0.0	0.0	26.6	26.6	0.0	26.6	0.0	0	0.0	0	0	5	5
47	0.0	0.0	26.6	26.6	0.0	26.6	0.0	0	0.0	0	0	5	5
48	0.0	0.0	19.0	19.0	0.0	19.0	0.0	0	0.0	0	0	5	5
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	12890.0	12038.0	3043.3	27971.3	14180.3	13791.0	2.0	5638	4.5	2155	7284	3028	10312

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	------------------- LOCAL SALES (KG)								-------------------
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	1682.0	842.0	135.0	0.0	263.0	113.0	0.0	3040.0
PERCENT	0.0	8.2	12.2	100.0	0.0	100.0	100.0	0.0	10.9

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 06

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
23	6.0	140.0	1218.7	1364.7	117.7	1247.0	2.0	1	4.6	24	59	283	342
24	123.0	1726.0	1685.8	3534.8	455.3	3079.5	2.2	13	4.3	82	227	696	923
25	1597.0	3139.0	1943.0	6679.0	2387.3	4291.7	1.9	665	4.5	523	1225	961	2186
26	3407.0	2301.0	2070.9	7778.9	4665.6	3113.3	1.9	1651	4.2	479	2440	748	3188
27	4245.0	1323.0	1574.3	7142.3	5296.7	1845.6	2.0	2086	4.8	257	2657	398	3055
28	4506.0	1375.0	1305.3	7186.3	5467.2	1719.1	2.0	2166	4.7	280	2683	377	3060
29	1520.0	348.0	1063.5	2931.5	2209.1	722.4	2.0	738	4.9	69	1096	161	1257
30	650.0	98.0	1027.0	1775.0	1337.6	437.4	2.0	300	5.0	19	672	99	771
31	40.0	6.0	558.4	604.4	245.2	359.2	1.8	22	3.0	2	123	84	207
32	0.0	0.0	420.7	420.7	46.5	374.2	0.0	0	0.0	0	26	84	110
33	9.0	0.0	444.2	453.2	251.4	201.8	2.3	4	0.0	0	126	44	170
34	2.0	15.0	465.1	482.1	112.6	369.8	2.0	1	5.0	3	59	82	141
35	0.0	0.0	300.5	300.5	75.2	225.6	0.0	0	0.0	0	36	50	86
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	12.6	12.6	0.0	12.6	0.0	0	0.0	0	0	2	2
41	0.0	0.0	12.6	12.6	0.0	12.6	0.0	0	0.0	0	0	2	2
42	0.0	0.0	12.6	12.6	0.0	12.6	0.0	0	0.0	0	0	2	2
43	0.0	0.0	12.6	12.6	0.0	12.6	0.0	0	0.0	0	0	2	2
44	0.0	0.0	23.4	23.4	0.0	23.4	0.0	0	0.0	0	0	6	6
45	0.0	0.0	31.5	31.5	0.0	31.5	0.0	0	0.0	0	0	7	7
46	0.0	0.0	31.5	31.5	0.0	31.5	0.0	0	0.0	0	0	7	7
47	0.0	0.0	31.5	31.5	0.0	31.5	0.0	0	0.0	0	0	7	7
48	0.0	0.0	22.5	22.5	0.0	22.5	0.0	0	0.0	0	0	5	5
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	16105.0	10471.0	14268.2	40844.2	22667.4	18177.4	2.0	7647	4.5	1738	11429	4107	15536

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	6727.0	5430.0	1935.0	0.0	54.0	136.0	0.0	14282.0
PERCENT	0.0	36.5	26.8	98.7	0.0	100.0	100.0	0.0	35.0

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 07

WEEK	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG) SMALL		LARGE		ESTIMATED NUMBERS +		
	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	29.0	0.0	29.0	0.0	29.0	0.0	0	0.0	0	0	7	7
21	51.0	104.0	0.0	155.0	51.0	104.0	0.0	0	0.0	0	26	23	49
22	81.0	236.0	53.7	370.7	99.3	271.4	0.0	0	0.0	0	49	62	111
23	215.0	665.0	1334.3	2214.3	385.9	1828.4	1.8	10	2.6	35	195	418	613
24	1072.0	1740.0	2108.5	4920.5	1759.0	3161.5	0.8	79	3.5	6	1183	718	1901
25	2162.0	1771.0	1946.8	5879.8	3223.8	2656.0	0.0	0	0.0	0	1614	604	2218
26	1554.0	604.0	2766.1	4924.1	3190.4	1733.7	0.0	0	4.0	1	1594	398	1992
27	813.0	208.0	4249.6	5270.6	3994.5	1276.1	0.0	0	4.5	2	1999	287	2286
28	1011.0	512.0	1599.2	3122.2	2040.0	1082.2	2.1	35	4.4	21	1021	243	1264
29	761.0	149.0	1566.7	2476.7	1981.7	495.0	1.9	12	4.7	3	990	111	1101
30	964.0	180.0	1988.5	3132.5	2347.0	785.5	0.0	0	4.0	1	1172	173	1345
31	412.0	84.0	578.3	1074.3	517.4	556.9	0.0	0	0.0	0	257	126	383
32	21.0	5.0	167.3	193.3	126.1	67.2	0.0	0	0.0	0	66	15	81
33	141.0	62.0	167.3	370.3	255.0	115.3	0.0	0	0.0	0	127	27	154
34	161.0	96.0	167.3	424.3	202.9	221.5	0.0	0	0.0	0	103	50	153
35	114.0	0.0	119.5	233.5	143.9	89.7	0.0	0	0.0	0	71	20	91
36	60.0	74.0	0.0	134.0	60.0	74.0	0.0	0	0.0	0	30	17	47
37	19.0	0.0	0.0	19.0	19.0	0.0	0.0	0	0.0	0	10	0	10
38	214.0	43.0	0.0	257.0	214.0	43.0	0.0	0	0.0	0	107	10	117
39	60.0	0.0	0.0	60.0	60.0	0.0	0.0	0	0.0	0	30	0	30
40	14.0	88.0	102.9	204.9	23.9	181.0	0.0	0	0.0	0	12	42	54
41	14.0	0.0	40.7	54.7	23.9	30.8	0.0	0	0.0	0	12	8	20
42	0.0	0.0	30.8	30.8	0.0	30.8	0.0	0	0.0	0	0	8	8
43	0.0	0.0	30.8	30.8	0.0	30.8	0.0	0	0.0	0	0	8	8
44	0.0	0.0	87.6	87.6	0.0	87.6	0.0	0	0.0	0	0	19	19
45	0.0	0.0	130.2	130.2	0.0	130.2	0.0	0	0.0	0	0	30	30
46	0.0	0.0	130.2	130.2	0.0	130.2	0.0	0	0.0	0	0	30	30
47	0.0	0.0	130.2	130.2	0.0	130.2	0.0	0	0.0	0	0	30	30
48	0.0	0.0	99.0	99.0	0.0	99.0	0.0	0	0.0	0	0	23	23
49	0.0	0.0	21.0	21.0	0.0	21.0	0.0	0	0.0	0	0	5	5
50	0.0	0.0	21.0	21.0	0.0	21.0	0.0	0	0.0	0	0	5	5
51	0.0	0.0	21.0	21.0	0.0	21.0	0.0	0	0.0	0	0	5	5
52	0.0	0.0	24.0	24.0	0.0	24.0	0.0	0	0.0	0	0	5	5
TOTAL	9914.0	6650.0	19682.5	36246.5	20718.7	15528.0	1.3	136	3.4	69	10668	3527	14195

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	7527.0	10495.0	745.0	0.0	218.0	561.0	93.0	19639.0
PERCENT	0.0	46.7	63.2	100.0	0.0	65.3	100.0	100.0	57.0

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 08

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	224.0	70.0	10.1	304.1	224.0	80.1	0.0	0	3.8	13	112	19	131
23	263.0	193.0	186.8	642.8	351.3	291.5	1.9	38	3.8	26	177	67	244
24	49.0	260.0	170.3	479.3	86.5	392.8	2.0	1	3.8	25	43	88	131
25	622.0	653.0	781.6	2056.6	932.5	1124.1	1.9	78	4.5	64	466	255	721
26	862.0	538.0	811.6	2211.6	1351.8	859.8	1.9	271	4.4	45	695	196	891
27	1057.0	461.0	566.7	2084.7	1404.4	680.3	1.8	348	4.1	68	703	156	859
28	1613.0	594.0	637.9	2844.9	1982.8	862.1	2.0	423	3.8	112	982	216	1198
29	453.0	251.0	190.6	894.6	605.1	289.5	2.1	209	3.7	63	303	66	369
30	479.0	192.0	142.6	813.6	576.3	237.3	2.0	208	3.4	44	292	54	346
31	932.0	744.0	534.2	2210.2	1221.9	988.3	2.1	131	4.0	36	610	225	835
32	319.0	128.0	479.8	926.8	641.0	285.8	2.1	102	3.4	27	320	64	384
33	353.0	151.0	293.1	797.1	503.3	293.8	1.9	171	4.7	28	258	67	325
34	72.0	29.0	218.6	319.6	225.2	94.4	2.2	13	5.3	3	113	22	135
35	0.0	0.0	117.0	117.0	29.4	87.9	0.0	0	0.0	0	15	21	36
36	32.0	16.0	0.0	48.0	32.0	16.0	0.0	0	0.0	0	16	4	20
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	20.0	15.4	35.4	0.0	35.4	0.0	0	0.0	0	0	9	9
41	61.0	29.0	15.4	105.4	61.0	44.4	1.8	33	4.1	7	31	11	42
42	0.0	0.0	15.4	15.4	0.0	15.4	0.0	0	0.0	0	0	4	4
43	0.0	0.0	15.4	15.4	0.0	15.4	0.0	0	0.0	0	0	4	4
44	0.0	16.0	29.0	45.0	0.0	45.0	0.0	0	0.0	0	0	11	11
45	0.0	0.0	39.2	39.2	0.0	39.2	0.0	0	0.0	0	0	9	9
46	0.0	0.0	39.2	39.2	0.0	39.2	0.0	0	0.0	0	0	9	9
47	0.0	0.0	39.2	39.2	0.0	39.2	0.0	0	0.0	0	0	9	9
48	0.0	0.0	28.0	28.0	0.0	28.0	0.0	0	0.0	0	0	7	7
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	7391.0	4345.0	5377.1	17113.1	10228.5	6884.9	2.0	2026	4.0	561	5136	1593	6729

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	1930.0	1679.0	1535.0	0.0	68.0	167.0	0.0	5379.0
PERCENT	0.0	36.5	21.6	45.2	0.0	100.0	100.0	0.0	32.2

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 09

	CATCH (KG)				ADJUSTED CATCH (KG)*		MEAN WEIGHT (KG) SMALL		MEAN WEIGHT (KG) LARGE		ESTIMATED NUMBERS+		
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	35.7	35.7	1.4	34.3	0.0	0	0.0	0	1	9	10
21	0.0	0.0	35.7	35.7	0.0	35.7	0.0	0	0.0	0	0	9	9
22	77.0	74.0	24.4	175.4	92.4	83.0	0.0	0	0.0	0	47	19	66
23	55.0	36.0	193.8	284.8	82.1	202.7	0.0	0	0.0	0	43	45	88
24	262.0	136.0	354.7	752.7	406.6	346.1	0.0	0	0.0	0	203	79	282
25	170.0	89.0	712.7	971.7	594.8	376.9	0.0	0	0.0	0	297	85	382
26	1009.0	626.0	1396.4	3031.4	1797.0	1234.4	0.0	0	0.0	0	899	282	1181
27	1224.0	558.0	3933.8	5715.8	4048.7	1667.1	0.0	0	0.0	0	2023	378	2401
28	2135.0	611.0	3208.9	5954.9	4526.8	1428.1	0.0	0	0.0	0	2263	326	2589
29	2127.0	555.0	2639.7	5321.7	4134.4	1187.3	0.0	0	0.0	0	2068	269	2337
30	1498.0	380.0	2247.6	4125.6	2864.5	1261.1	0.0	0	0.0	0	1431	286	1717
31	152.0	48.0	1111.7	1311.7	601.6	710.1	0.0	0	0.0	0	301	163	464
32	0.0	0.0	630.0	630.0	157.7	472.6	0.0	0	0.0	0	79	107	186
33	0.0	0.0	4870.0	4870.0	1217.7	3652.6	0.0	0	0.0	0	609	830	1439
34	0.0	0.0	630.0	630.0	157.7	472.6	0.0	0	0.0	0	79	107	186
35	0.0	0.0	576.4	576.4	144.2	432.5	0.0	0	0.0	0	72	99	171
36	0.0	0.0	442.4	442.4	110.9	332.1	0.0	0	0.0	0	55	77	132
37	0.0	0.0	442.4	442.4	0.0	442.4	0.0	0	0.0	0	0	102	102
38	0.0	0.0	442.4	442.4	0.0	442.4	0.0	0	0.0	0	0	102	102
39	0.0	0.0	442.4	442.4	0.0	442.4	0.0	0	0.0	0	0	102	102
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	8709.0	3113.0	24371.1	36193.1	20938.5	15256.4	0.0	0	0.0	0	10470	3476	13946

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	154.0	1730.0	11407.0	3343.0	1895.0	0.0	0.0	0.0	18529.0
PERCENT	100.0	42.8	52.8	47.6	100.0	0.0	0.0	0.0	53.3

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 10

WEEK	CATCH (KG) SMALL	CATCH (KG) LARGE	CATCH (KG) UNSIZED	CATCH (KG) TOTAL	ADJUSTED CATCH (KG)* SMALL	ADJUSTED CATCH (KG)* LARGE	MEAN WEIGHT (KG) SMALL WEIGHT	MEAN WEIGHT (KG) SMALL SMPL SIZE	MEAN WEIGHT (KG) LARGE WEIGHT	MEAN WEIGHT (KG) LARGE SMPL SIZE	ESTIMATED NUMBERS+ SMALL	ESTIMATED NUMBERS+ LARGE	ESTIMATED NUMBERS+ TOTAL
20	0.0	0.0	615.3	615.3	0.0	615.3	0.0	0	0.0	0	0	144	144
21	0.0	0.0	615.3	615.3	0.0	615.3	0.0	0	0.0	0	0	144	144
22	0.0	0.0	351.6	351.6	8.4	343.2	0.0	0	0.0	0	6	81	87
23	2.0	13.0	158.4	173.4	23.3	150.1	2.0	1	4.3	3	12	34	46
24	3.0	0.0	130.9	133.9	43.7	90.2	3.0	1	0.0	0	22	21	43
25	2.0	10.0	173.7	185.7	64.7	121.0	0.0	0	0.0	0	33	29	62
26	0.0	0.0	136.5	136.5	78.0	58.5	0.0	0	0.0	0	40	12	52
27	0.0	0.0	237.3	237.3	172.4	64.9	0.0	0	0.0	0	86	15	101
28	0.0	0.0	237.3	237.3	196.9	40.4	0.0	0	0.0	0	99	9	108
29	0.0	0.0	237.3	237.3	148.2	89.2	0.0	0	0.0	0	75	20	95
30	0.0	0.0	237.3	237.3	196.6	40.7	0.0	0	0.0	0	99	9	108
31	0.0	0.0	67.8	67.8	50.1	17.7	0.0	0	0.0	0	25	3	28
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	7.0	23.0	3198.7	3228.7	982.3	2246.5	2.5	2	4.3	3	497	521	1018

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	2727.0	566.0	1050.0	0.0	0.0	0.0	0.0	0.0	4343.0
PERCENT	100.0	95.0	100.0	0.0	0.0	0.0	0.0	0.0	99.3

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 11

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	8.0	98.5	106.5	0.0	106.5	0.0	0	4.0	2	0	26	26
21	0.0	3.0	88.1	91.1	2.7	88.4	0.0	0	3.0	1	0	22	22
22	8.0	153.0	83.1	244.1	11.7	232.4	2.0	1	4.0	37	5	52	57
23	62.0	297.0	203.4	562.4	71.6	490.8	2.3	26	3.4	79	36	134	170
24	788.0	705.0	289.8	1782.8	854.2	928.6	2.1	366	4.2	162	409	221	630
25	879.0	582.0	370.0	1831.0	1000.5	830.5	2.0	351	4.4	81	500	190	690
26	1307.0	550.0	492.7	2349.7	1539.9	809.8	1.9	620	3.7	85	802	202	1004
27	698.0	220.0	275.3	1193.3	897.9	295.4	1.9	218	5.1	8	464	69	533
28	1595.0	386.0	376.6	2357.6	1887.3	470.3	1.9	531	5.2	10	996	113	1109
29	1316.0	171.0	333.2	1820.2	1556.2	264.0	2.1	329	4.5	4	760	61	821
30	928.0	79.0	204.1	1211.1	1049.0	162.1	2.1	422	4.4	13	503	39	542
31	562.0	60.0	59.7	681.7	584.7	97.0	1.6	348	3.5	17	359	24	383
32	190.0	14.0	0.0	204.0	190.0	14.0	2.2	74	4.7	3	86	3	89
33	22.0	0.0	0.0	22.0	22.0	0.0	1.6	14	0.0	0	11	0	11
34	29.0	0.0	0.0	29.0	29.0	0.0	1.5	6	0.0	0	15	0	15
35	94.0	0.0	0.0	94.0	94.0	0.0	2.0	27	0.0	0	47	0	47
36	8.0	0.0	0.0	8.0	8.0	0.0	0.0	0	0.0	0	4	0	4
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	8486.0	3228.0	2874.5	14588.5	9798.7	4789.8	2.0	3333	4.0	502	4997	1156	6153

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	416.0	1285.0	1275.0	0.0	0.0	0.0	0.0	0.0	2976.0
PERCENT	94.1	20.2	20.4	0.0	0.0	0.0	0.0	0.0	22.8

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 12

	CATCH (KG)				ADJUSTED CATCH (KG)*		MEAN WEIGHT (KG)				ESTIMATED NUMBERS+		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	49.0	82.9	131.9	5.9	126.0	0.0	0	0.0	0	0	30	30
21	2.0	79.0	116.6	197.6	15.7	181.9	0.0	0	4.0	1	6	44	50
22	13.0	165.0	95.6	273.6	15.7	257.9	0.0	0	4.0	2	8	56	64
23	111.0	772.0	379.8	1262.8	140.2	1122.6	2.6	20	4.4	53	68	262	330
24	887.0	1250.0	620.5	2757.5	1003.2	1754.3	1.8	54	4.6	54	504	408	912
25	1262.0	1048.0	982.1	3292.1	1717.9	1574.2	2.2	187	4.7	89	838	366	1204
26	519.0	268.0	718.5	1505.5	1086.3	419.2	2.0	81	4.3	35	544	96	640
27	276.0	81.0	847.2	1204.2	889.8	314.4	2.2	88	5.1	11	439	71	510
28	197.0	63.0	363.8	623.8	473.6	150.2	2.2	46	3.9	14	236	31	267
29	195.0	19.0	480.1	694.1	465.9	228.2	2.2	83	3.2	5	224	53	277
30	276.0	79.0	367.2	722.2	468.9	253.3	2.1	130	3.6	21	228	60	288
31	82.0	32.0	182.6	296.6	208.4	88.2	2.3	14	3.0	3	105	20	125
32	6.0	0.0	41.3	47.3	16.5	30.9	2.0	3	0.0	0	6	6	12
33	5.0	0.0	41.3	46.3	15.5	30.9	1.7	3	0.0	0	6	6	12
34	0.0	0.0	41.3	41.3	10.5	30.9	0.0	0	0.0	0	3	6	9
35	0.0	0.0	29.5	29.5	7.3	22.3	0.0	0	0.0	0	2	3	5
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	6.0	0.0	0.0	6.0	6.0	0.0	2.0	3	0.0	0	3	0	3
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	16.8	16.8	0.0	16.8	0.0	0	0.0	0	0	4	4
45	0.0	0.0	29.4	29.4	0.0	29.4	0.0	0	0.0	0	0	7	7
46	0.0	0.0	29.4	29.4	0.0	29.4	0.0	0	0.0	0	0	7	7
47	0.0	0.0	29.4	29.4	0.0	29.4	0.0	0	0.0	0	0	7	7
48	0.0	0.0	21.0	21.0	0.0	21.0	0.0	0	0.0	0	0	5	5
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	3837.0	3905.0	5516.3	13258.3	6547.3	6711.4	2.1	712	4.4	288	3220	1548	4768

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	398.0	2264.0	2576.0	172.0	0.0	0.0	127.0	0.0	5537.0
PERCENT	61.8	27.2	64.2	100.0	0.0	0.0	100.0	0.0	41.7

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 13

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	114.0	38.0	152.0	0.0	152.0	0.0	0	4.8	17	0	34	34
21	77.0	502.0	143.7	722.7	98.2	624.5	1.9	41	4.6	43	49	144	193
22	0.0	199.0	29.1	228.1	0.1	228.0	0.0	0	5.0	40	0	53	53
23	56.0	4094.0	924.1	5074.1	75.8	4998.3	1.9	14	4.2	720	37	1171	1208
24	1481.0	3851.0	826.0	6158.0	1618.4	4539.6	1.9	623	4.2	549	860	1080	1940
25	3438.0	2630.0	847.8	6915.8	3891.1	3024.7	1.9	1463	4.7	375	2081	685	2766
26	1260.0	700.0	585.7	2545.7	1572.9	972.8	2.0	483	4.8	84	775	227	1002
27	467.0	281.0	658.1	1406.1	782.5	623.6	2.1	186	4.9	24	381	145	526
28	229.0	33.0	125.5	387.5	326.2	61.3	2.0	80	4.8	5	162	14	176
29	253.0	125.0	362.0	740.0	450.2	289.8	1.9	112	4.0	30	226	66	292
30	182.0	27.0	945.5	1154.5	936.9	217.6	2.0	46	3.0	5	469	50	519
31	18.0	18.0	42.0	78.0	27.3	51.1	0.0	0	15.0	1	13	11	24
32	0.0	0.0	7.0	7.0	1.8	5.2	0.0	0	0.0	0	0	2	2
33	0.0	0.0	7.0	7.0	1.8	5.2	0.0	0	0.0	0	0	2	2
34	0.0	0.0	7.0	7.0	1.8	5.2	0.0	0	0.0	0	0	2	2
35	0.0	0.0	5.0	5.0	1.2	3.8	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	16.1	16.1	0.0	16.1	0.0	0	0.0	0	0	4	4
41	0.0	0.0	16.1	16.1	0.0	16.1	0.0	0	0.0	0	0	4	4
42	0.0	0.0	16.1	16.1	0.0	16.1	0.0	0	0.0	0	0	4	4
43	0.0	0.0	16.1	16.1	0.0	16.1	0.0	0	0.0	0	0	4	4
44	0.0	0.0	11.3	11.3	0.0	11.3	0.0	0	0.0	0	0	3	3
45	0.0	0.0	7.7	7.7	0.0	7.7	0.0	0	0.0	0	0	2	2
46	0.0	0.0	7.7	7.7	0.0	7.7	0.0	0	0.0	0	0	2	2
47	0.0	0.0	7.7	7.7	0.0	7.7	0.0	0	0.0	0	0	2	2
48	0.0	0.0	5.5	5.5	0.0	5.5	0.0	0	0.0	0	0	1	1
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	7461.0	12574.0	5657.8	25692.8	9786.2	15907.0	1.9	3048	4.3	1893	5053	3712	8765

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	226.0	2994.0	2329.0	30.0	0.0	71.0	33.0	0.0	5683.0
PERCENT	23.1	14.8	63.1	100.0	0.0	100.0	100.0	0.0	22.7

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 14

	CATCH (KG)*				ADJUSTED CATCH (KG)*		MEAN WEIGHT (KG) SMALL		MEAN WEIGHT (KG) LARGE		ESTIMATED NUMBERS+		
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	3.5	3.5	0.0	3.5	0.0	0	0.0	0	0	1	1
21	0.0	0.0	3.5	3.5	0.0	3.5	0.0	0	0.0	0	0	1	1
22	0.0	0.0	2.0	2.0	0.0	2.0	0.0	0	0.0	0	0	0	0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
24	0.0	24.0	91.0	115.0	0.0	115.0	0.0	0	4.0	6	0	26	26
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
26	0.0	0.0	16.9	16.9	8.7	8.2	0.0	0	0.0	0	6	0	6
27	0.0	0.0	118.3	118.3	36.1	82.2	0.0	0	0.0	0	19	18	37
28	0.0	0.0	118.3	118.3	30.1	88.2	0.0	0	0.0	0	18	19	37
29	0.0	0.0	118.3	118.3	29.7	88.7	0.0	0	0.0	0	18	19	37
30	0.0	0.0	118.3	118.3	29.7	88.7	0.0	0	0.0	0	18	19	37
31	0.0	0.0	52.3	52.3	13.3	39.4	0.0	0	0.0	0	8	10	18
32	0.0	0.0	25.9	25.9	6.5	19.4	0.0	0	0.0	0	4	4	8
33	0.0	0.0	25.9	25.9	6.5	19.4	0.0	0	0.0	0	4	4	8
34	0.0	0.0	25.9	25.9	6.5	19.4	0.0	0	0.0	0	4	4	8
35	0.0	0.0	18.5	18.5	4.6	13.9	0.0	0	0.0	0	3	3	6
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	0.0	24.0	738.6	762.6	171.7	591.5	0.0	0	4.0	6	102	128	230

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	14.0	91.0	531.0	114.0	0.0	0.0	0.0	0.0	750.0
PERCENT	100.0	79.1	100.0	100.0	0.0	0.0	0.0	0.0	96.9

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 15

	------------ CATCH (KG) ------------				ADJUSTED CATCH (KG) *		--------- MEAN WEIGHT (KG) ---------				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	176.0	0.0	176.0	0.0	176.0	0.0	0	0.0	0	0	39	39
22	0.0	43.0	0.0	43.0	0.0	43.0	0.0	0	0.0	0	0	10	10
23	0.0	153.0	0.0	153.0	0.0	153.0	0.0	0	0.0	0	0	34	34
24	0.0	155.0	0.0	155.0	0.0	155.0	0.0	0	0.0	0	0	34	34
25	139.0	286.0	0.0	425.0	139.0	286.0	1.9	31	4.9	8	77	63	140
26	228.0	228.0	12.5	468.5	237.2	231.3	1.9	53	4.8	9	128	51	179
27	209.0	185.0	86.0	480.0	274.6	205.4	2.3	24	5.0	1	151	45	196
28	338.0	157.0	92.5	587.5	411.5	176.0	2.2	49	0.0	0	228	38	266
29	193.0	152.0	83.1	428.1	255.9	172.2	1.9	15	0.0	0	141	38	179
30	141.0	159.0	124.6	424.6	243.2	181.4	2.1	16	0.0	0	135	40	175
31	77.0	6.0	94.5	177.5	166.0	11.5	0.0	0	0.0	0	93	2	95
32	5.0	0.0	39.7	44.7	37.9	6.8	0.0	0	0.0	0	21	1	22
33	0.0	0.0	36.4	36.4	17.5	18.9	0.0	0	0.0	0	10	4	14
34	0.0	152.0	90.4	242.4	9.2	233.3	0.0	0	0.0	0	6	52	58
35	0.0	0.0	26.0	26.0	6.5	19.6	0.0	0	0.0	0	4	4	8
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	1330.0	1852.0	685.7	3867.7	1798.5	2069.4	2.0	188	4.8	18	994	455	1449

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

-- LOCAL SALES (KG) --

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	0.0	420.0	272.0	0.0	0.0	0.0	0.0	692.0
PERCENT	0.0	0.0	20.8	53.6	0.0	0.0	0.0	0.0	27.4

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 16

	CATCH (KG)				ADJUSTED CATCH * (KG)		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	8.0	111.3	119.3	5.6	113.7	0.0	0	0.0	0	1	26	27
21	0.0	15.0	111.3	126.3	3.5	122.8	0.0	0	0.0	0	1	27	28
22	2.0	117.0	63.6	182.6	13.2	169.5	0.0	0	3.0	1	8	38	46
23	4.0	16.0	294.6	314.6	51.7	262.9	0.0	0	0.0	0	30	58	88
24	40.0	94.0	371.7	505.7	181.3	324.4	1.6	12	4.5	14	101	72	173
25	153.0	187.0	343.7	683.7	412.8	270.9	1.9	17	3.8	12	229	60	289
26	176.0	31.0	356.7	563.7	486.9	76.8	1.7	12	0.0	0	271	17	288
27	278.0	39.0	311.0	628.0	550.0	78.0	1.7	31	5.0	2	306	18	324
28	256.0	46.0	362.8	664.8	551.8	113.0	2.1	36	0.0	0	306	24	330
29	400.0	29.0	255.8	684.8	628.9	55.9	0.0	0	0.0	0	349	11	360
30	470.0	32.0	345.8	847.8	765.7	82.1	2.5	12	0.0	0	427	19	446
31	314.0	33.0	593.0	940.0	820.1	119.9	0.0	0	0.0	0	452	27	479
32	175.0	9.0	476.7	660.7	409.8	250.9	0.0	0	0.0	0	226	56	282
33	9.0	3.0	476.7	488.7	215.9	272.8	0.0	0	0.0	0	120	60	180
34	0.0	0.0	476.7	476.7	119.3	357.7	0.0	0	0.0	0	66	78	144
35	0.0	0.0	340.5	340.5	85.3	255.5	0.0	0	0.0	0	47	58	105
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	2277.0	659.0	5291.9	8227.9	5301.8	2926.8	1.9	120	4.2	29	2940	649	3589

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	488.0	1329.0	1387.0	2297.0	0.0	0.0	0.0	0.0	5501.0
PERCENT	100.0	97.5	46.1	99.9	0.0	0.0	0.0	0.0	76.8

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 17

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	33.0	91.1	124.1	0.6	123.5	0.0	0	0.0	0	0	28	28
21	0.0	59.0	123.3	182.3	2.0	180.3	0.0	0	3.3	3	1	41	42
22	13.0	915.0	796.8	1724.8	38.2	1686.6	2.6	5	4.1	129	21	388	409
23	5.0	571.0	278.2	854.2	18.2	836.0	2.5	2	3.9	20	11	184	195
24	11.0	1673.0	225.4	1909.4	36.9	1872.5	2.8	4	4.2	21	20	416	436
25	171.0	135.0	157.7	463.7	258.0	205.7	1.6	94	3.8	16	160	46	206
26	420.0	267.0	1306.4	1993.4	816.6	1176.8	1.6	248	4.6	10	484	260	744
27	444.0	156.0	441.5	1041.5	811.0	230.5	1.7	207	4.7	13	462	51	513
28	341.0	170.0	255.1	766.1	452.1	314.0	1.8	189	3.8	12	262	69	331
29	64.0	429.0	228.0	721.0	112.0	609.0	1.8	33	0.0	0	63	135	198
30	211.0	0.0	140.2	351.2	351.2	0.0	1.9	109	0.0	0	190	0	190
31	134.0	9.0	1230.6	1373.6	474.5	899.1	2.0	49	3.0	3	264	201	465
32	0.0	0.0	41.3	41.3	0.0	41.3	0.0	0	0.0	0	0	9	9
33	0.0	0.0	41.3	41.3	0.0	41.3	0.0	0	0.0	0	0	9	9
34	0.0	0.0	41.3	41.3	0.0	41.3	0.0	0	0.0	0	0	9	9
35	0.0	0.0	32.5	32.5	0.0	32.5	0.0	0	0.0	0	0	7	7
36	0.0	0.0	10.5	10.5	0.0	10.5	0.0	0	0.0	0	0	2	2
37	0.0	0.0	10.5	10.5	0.0	10.5	0.0	0	0.0	0	0	2	2
38	0.0	0.0	10.5	10.5	0.0	10.5	0.0	0	0.0	0	0	2	2
39	0.0	0.0	10.5	10.5	0.0	10.5	0.0	0	0.0	0	0	2	2
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	1814.0	4417.0	5472.7	11703.7	3371.3	8332.4	1.7	940	4.1	227	1938	1861	3799

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	578.0	1138.0	1303.0	363.0	45.0	0.0	0.0	0.0	3427.0
PERCENT	39.6	20.5	43.7	72.5	100.0	0.0	0.0	0.0	32.6

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 18

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	35.7	35.7	2.2	33.5	0.0	0	0.0	0	0	7	7
21	0.0	12.0	40.8	52.8	1.7	51.1	0.0	0	0.0	0	0	11	11
22	17.0	48.0	242.3	307.3	141.0	166.3	2.4	7	4.3	6	78	37	115
23	0.0	49.0	190.7	239.7	10.4	229.3	0.0	0	4.5	11	4	50	54
24	0.0	124.0	144.4	268.4	11.6	256.8	0.0	0	4.3	24	8	57	65
25	0.0	19.0	197.7	216.7	82.7	134.0	0.0	0	0.0	0	48	29	77
26	0.0	5.0	109.6	114.6	56.3	58.3	0.0	0	5.0	1	32	11	43
27	3.0	0.0	119.9	122.9	63.6	59.3	0.0	0	0.0	0	35	11	46
28	0.0	0.0	74.9	74.9	53.5	21.4	0.0	0	0.0	0	30	4	34
29	0.0	130.0	255.9	385.9	19.9	366.0	0.0	0	0.0	0	11	80	91
30	0.0	0.0	74.9	74.9	18.9	56.3	0.0	0	0.0	0	9	11	20
31	0.0	0.0	43.9	43.9	11.1	33.1	0.0	0	0.0	0	5	7	12
32	0.0	0.0	31.5	31.5	7.8	23.7	0.0	0	0.0	0	3	6	9
33	0.0	0.0	31.5	31.5	7.8	23.7	0.0	0	0.0	0	3	6	9
34	0.0	0.0	31.5	31.5	7.8	23.7	0.0	0	0.0	0	3	6	9
35	0.0	0.0	46.7	46.7	11.7	35.1	0.0	0	0.0	0	5	9	14
36	0.0	0.0	84.7	84.7	21.1	63.6	0.0	0	0.0	0	10	15	25
37	0.0	0.0	84.7	84.7	0.0	84.7	0.0	0	0.0	0	0	18	18
38	0.0	0.0	84.7	84.7	0.0	84.7	0.0	0	0.0	0	0	18	18
39	0.0	0.0	84.7	84.7	0.0	84.7	0.0	0	0.0	0	0	18	18
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	20.0	387.0	2010.7	2417.7	529.1	1889.3	2.4	7	4.4	42	284	411	695

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	282.0	719.0	552.0	135.0	362.0	0.0	0.0	0.0	2050.0
PERCENT	86.8	73.8	80.6	100.0	100.0	0.0	0.0	0.0	82.6

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 19

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	67.0	24.4	91.4	0.4	91.0	0.0	0	4.8	11	0	21	21
21	17.0	226.0	97.7	340.7	28.5	312.2	0.0	0	4.3	36	16	69	85
22	0.0	93.0	54.3	147.3	0.2	147.1	0.0	0	4.4	19	0	32	32
23	9.0	408.0	99.3	516.3	34.6	481.7	0.0	0	4.6	71	19	104	123
24	4.0	314.0	122.6	440.6	7.1	433.5	2.0	2	4.6	54	4	94	98
25	87.0	603.0	105.7	795.7	121.2	674.5	2.1	32	5.0	117	67	135	202
26	7.0	9.0	11.1	27.1	12.8	14.3	2.0	1	5.0	1	8	3	11
27	89.0	25.0	59.6	173.6	131.8	41.8	2.1	42	5.0	5	73	10	83
28	13.0	24.0	32.1	69.1	32.2	36.9	1.9	7	6.0	4	18	8	26
29	0.0	0.0	18.9	18.9	10.4	8.5	0.0	0	0.0	0	6	2	8
30	0.0	0.0	18.9	18.9	4.8	14.2	0.0	0	0.0	0	3	3	6
31	0.0	0.0	5.4	5.4	1.4	4.1	0.0	0	0.0	0	1	1	2
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	226.0	1769.0	650.0	2645.0	385.4	2259.8	2.1	84	4.7	318	215	482	697

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	147.0	252.0	139.0	0.0	0.0	0.0	0.0	0.0	538.0
PERCENT	29.7	13.7	47.9	0.0	0.0	0.0	0.0	0.0	20.5

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 20

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	134.4	134.4	27.1	107.3	0.0	0	0.0	0	14	24	38
21	0.0	0.0	134.4	134.4	34.6	99.8	0.0	0	0.0	0	19	24	43
22	0.0	0.0	76.8	76.8	12.2	64.6	0.0	0	0.0	0	6	14	20
23	0.0	0.0	174.6	174.6	59.5	115.1	0.0	0	0.0	0	31	26	57
24	0.0	0.0	203.7	203.7	33.0	170.7	0.0	0	0.0	0	18	37	55
25	0.0	0.0	203.7	203.7	75.3	128.4	0.0	0	0.0	0	40	29	69
26	9.0	21.0	382.6	412.6	197.4	215.2	0.0	0	0.0	0	104	47	151
27	17.0	10.0	291.2	318.2	224.4	93.8	2.4	7	5.0	2	120	22	142
28	0.0	25.0	134.7	159.7	57.3	102.4	0.0	0	8.3	3	30	23	53
29	0.0	0.0	91.0	91.0	45.1	45.9	0.0	0	0.0	0	23	9	32
30	4.0	9.0	135.0	148.0	46.8	101.2	0.0	0	0.0	0	24	21	45
31	6.0	0.0	26.0	32.0	12.8	19.8	0.0	0	0.0	0	4	5	9
32	0.0	22.0	0.0	22.0	0.0	22.0	0.0	0	4.8	4	0	5	5
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	36.0	87.0	1988.1	2111.1	825.5	1286.2	2.4	7	6.0	9	433	286	719

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	604.0	949.0	680.0	0.0	0.0	0.0	0.0	0.0	2233.0
PERCENT	100.0	96.9	89.7	0.0	0.0	0.0	0.0	0.0	95.4

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 21

	CATCH (KG)				ADJUSTED CATCH (KG)*		MEAN WEIGHT (KG)				ESTIMATED NUMBERS+		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	273.7	273.7	54.9	218.8	0.0	0	0.0	0	29	46	75
21	0.0	0.0	273.7	273.7	70.5	203.2	0.0	0	0.0	0	37	45	82
22	0.0	0.0	156.4	156.4	24.7	131.7	0.0	0	0.0	0	12	29	41
23	0.0	0.0	156.6	156.6	53.4	103.2	0.0	0	0.0	0	28	24	52
24	0.0	0.0	182.7	182.7	29.5	153.2	0.0	0	0.0	0	16	33	49
25	0.0	0.0	182.7	182.7	67.4	115.3	0.0	0	0.0	0	34	25	59
26	0.0	0.0	170.5	170.5	93.4	77.1	0.0	0	0.0	0	49	16	65
27	0.0	0.0	97.3	97.3	70.8	26.5	0.0	0	0.0	0	35	5	40
28	0.0	0.0	97.3	97.3	61.4	35.9	0.0	0	0.0	0	32	10	42
29	0.0	0.0	97.3	97.3	48.0	49.3	0.0	0	0.0	0	26	12	38
30	0.0	0.0	97.3	97.3	45.8	51.5	0.0	0	0.0	0	25	12	37
31	0.0	0.0	27.8	27.8	7.3	21.2	0.0	0	0.0	0	2	3	5
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	0.0	0.0	1813.3	1813.3	627.1	1186.9	0.0	0	0.0	0	325	260	585

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	1216.0	672.0	430.0	0.0	0.0	0.0	0.0	0.0	2318.0
PERCENT	100.0	100.0	100.0	0.0	0.0	0.0	0.0	0.0	100.0

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 22

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	548.1	548.1	110.3	437.8	0.0	0	0.0	0	59	96	155
21	0.0	0.0	548.1	548.1	141.7	406.4	0.0	0	0.0	0	74	89	163
22	0.0	23.0	585.2	608.2	92.6	515.6	0.0	0	0.0	0	52	115	167
23	0.0	0.0	1027.2	1027.2	350.6	676.6	0.0	0	0.0	0	190	150	340
24	0.0	0.0	900.9	900.9	145.9	755.0	0.0	0	0.0	0	79	166	245
25	0.0	0.0	900.9	900.9	332.9	568.0	0.0	0	0.0	0	175	122	297
26	0.0	0.0	808.5	808.5	442.8	365.7	0.0	0	0.0	0	233	83	316
27	0.0	0.0	254.1	254.1	185.2	68.9	0.0	0	0.0	0	101	17	118
28	0.0	0.0	326.1	326.1	205.2	120.9	0.0	0	0.0	0	106	26	132
29	0.0	0.0	254.1	254.1	125.8	128.3	0.0	0	0.0	0	64	26	90
30	0.0	0.0	254.1	254.1	119.4	134.7	0.0	0	0.0	0	63	26	89
31	0.0	0.0	72.6	72.6	18.7	55.0	0.0	0	0.0	0	6	16	22
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	0.0	23.0	6479.9	6502.9	2271.1	4232.9	0.0	0	0.0	0	1202	932	2134

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	2708.0	3555.0	1198.0	0.0	0.0	0.0	0.0	0.0	7461.0
PERCENT	99.2	99.0	98.8	0.0	0.0	0.0	0.0	0.0	99.0

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 23

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	995.4	995.4	200.1	795.3	0.0	0	0.0	0	106	177	283
21	0.0	0.0	995.4	995.4	256.9	738.5	0.0	0	0.0	0	135	164	299
22	0.0	0.0	568.8	568.8	89.9	478.9	0.0	0	0.0	0	47	107	154
23	0.0	0.0	753.6	753.6	257.0	496.6	0.0	0	0.0	0	135	110	245
24	0.0	0.0	879.2	879.2	142.5	736.7	0.0	0	0.0	0	75	163	238
25	0.0	19.0	2467.0	2486.0	912.8	1573.2	0.0	0	0.0	0	480	350	830
26	0.0	0.0	783.5	783.5	429.4	354.1	0.0	0	0.0	0	226	79	305
27	0.0	0.0	209.3	209.3	152.3	57.0	0.0	0	0.0	0	81	13	94
28	0.0	31.0	396.7	427.7	131.9	295.8	0.0	0	0.0	0	68	66	134
29	0.0	0.0	209.3	209.3	103.6	105.7	0.0	0	0.0	0	55	24	79
30	0.0	14.0	293.9	307.9	98.1	209.8	0.0	0	0.0	0	51	47	98
31	0.0	0.0	59.8	59.8	15.0	44.9	0.0	0	0.0	0	8	10	18
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	0.0	64.0	8611.9	8675.9	2789.5	5886.5	0.0	0	0.0	0	1467	1310	2777

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	4409.0	4853.0	1201.0	0.0	0.0	0.0	0.0	0.0	10463.0
PERCENT	100.0	99.6	96.4	0.0	0.0	0.0	0.0	0.0	99.4

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 24

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG) SMALL		MEAN WEIGHT (KG) LARGE		ESTIMATED NUMBERS +		
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	74.9	74.9	7.7	67.2	0.0	0	0.0	0	3	16	19
21	0.0	63.0	766.4	829.4	43.2	786.3	0.0	0	0.0	0	23	183	206
22	0.0	26.0	177.1	203.1	0.3	202.8	0.0	0	0.0	0	0	46	46
23	0.0	242.0	1711.4	1953.4	35.9	1917.5	0.0	0	0.0	0	19	445	464
24	0.0	254.0	1896.1	2150.1	31.5	2118.6	0.0	0	0.0	0	18	493	511
25	0.0	115.0	1173.9	1288.9	36.6	1252.3	0.0	0	0.0	0	20	292	312
26	14.0	0.0	793.0	807.0	398.4	408.6	0.0	0	0.0	0	209	95	304
27	0.0	132.0	530.3	662.3	142.1	520.2	0.0	0	0.0	0	75	120	195
28	0.0	183.0	356.5	539.5	107.3	432.2	0.0	0	0.0	0	56	100	156
29	0.0	123.0	333.7	456.7	143.7	313.4	0.0	0	0.0	0	75	72	147
30	96.0	0.0	323.4	419.4	276.1	143.7	0.0	0	0.0	0	145	33	178
31	99.0	42.0	97.9	238.9	151.2	87.7	0.0	0	0.0	0	80	20	100
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	9.0	0.0	9.0	0.0	9.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	2	2
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	209.0	1189.0	8234.6	9632.6	1374.0	8259.5	0.0	0	0.0	0	723	1917	2640

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	778.0	3570.0	1542.0	0.0	0.0	0.0	0.0	0.0	5890.0
PERCENT	64.2	57.6	68.3	0.0	0.0	0.0	0.0	0.0	60.9

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 25

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	147.7	147.7	0.0	147.7	0.0	0	0.0	0	0	34	34
21	0.0	127.0	197.9	324.9	0.0	324.9	0.0	0	4.0	32	0	75	75
22	0.0	107.0	148.3	255.3	0.7	254.6	0.0	0	0.0	0	0	59	59
23	0.0	234.0	812.7	1046.7	53.4	993.3	0.0	0	4.0	3	28	231	259
24	219.0	283.0	1136.1	1638.1	658.8	979.3	2.0	2	5.3	8	347	228	575
25	476.0	182.0	1099.4	1757.4	1205.1	552.3	0.0	0	5.0	1	634	129	763
26	882.0	38.0	929.3	1849.3	1535.5	313.8	1.8	9	6.0	1	809	73	882
27	225.0	0.0	197.1	422.1	368.1	54.0	0.0	0	0.0	0	193	13	206
28	358.0	0.0	232.2	590.2	513.3	76.9	0.0	0	0.0	0	269	18	287
29	255.0	0.0	205.1	460.1	427.8	32.3	0.0	0	0.0	0	226	8	234
30	169.0	0.0	182.4	351.4	343.4	8.0	0.0	0	0.0	0	179	2	181
31	58.0	0.0	54.7	112.7	112.5	0.2	0.0	0	0.0	0	61	0	61
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	20.0	0.0	20.0	0.0	20.0	0.0	0	0.0	0	0	5	5
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	2.0	9.0	0.0	11.0	2.0	9.0	0.0	0	0.0	0	1	2	3
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	2644.0	1000.0	5342.9	8986.9	5220.6	3766.3	1.8	11	4.3	45	2747	877	3624

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	672.0	3570.0	896.0	0.0	0.0	0.0	0.0	0.0	5138.0
PERCENT	73.6	56.9	45.4	0.0	0.0	0.0	0.0	0.0	56.1

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 26

	------------ CATCH (KG) ------------				ADJUSTED CATCH (KG) *		--------- MEAN WEIGHT (KG) ---------				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	349.9	349.9	108.9	241.0	0.0	0	0.0	0	59	57	116
21	0.0	0.0	88.9	88.9	0.0	88.9	0.0	0	0.0	0	0	20	20
22	0.0	0.0	50.8	50.8	0.0	50.8	0.0	0	0.0	0	0	11	11
23	0.0	96.0	281.6	377.6	26.1	351.5	0.0	0	4.7	15	14	83	97
24	14.0	12.0	286.4	312.4	91.1	221.3	2.3	6	4.0	3	48	53	101
25	183.0	147.0	701.6	1031.6	486.4	545.2	2.0	68	4.4	31	247	127	374
26	225.0	92.0	1200.2	1517.2	1168.9	348.3	1.8	22	4.3	6	615	81	696
27	176.0	57.0	218.3	451.3	270.1	181.2	1.8	84	4.0	3	148	42	190
28	114.0	55.0	254.7	423.7	248.6	175.1	2.0	40	3.3	3	131	40	171
29	91.0	5.0	77.1	173.1	156.5	16.6	1.9	46	0.0	0	82	3	85
30	35.0	15.0	70.0	120.0	98.0	22.0	2.2	16	3.0	2	51	5	56
31	0.0	0.0	20.0	20.0	14.3	5.7	0.0	0	0.0	0	7	1	8
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	7.0	0.0	0.0	7.0	7.0	0.0	0.0	0	0.0	0	4	0	4
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	845.0	479.0	3599.5	4923.5	2675.9	2247.6	1.9	282	4.3	63	1406	523	1929

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	---------- LOCAL SALES (KG) ----------								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	535.0	2408.0	652.0	0.0	0.0	0.0	0.0	0.0	3595.0
PERCENT	81.8	76.3	81.7	0.0	0.0	0.0	0.0	0.0	78.1

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 27

	CATCH (KG)				ADJUSTED CATCH (KG)*		MEAN WEIGHT (KG)				ESTIMATED NUMBERS+		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
23	0.0	0.0	41.4	41.4	6.0	35.4	0.0	0	0.0	0	3	8	11
24	0.0	0.0	48.3	48.3	8.2	40.1	0.0	0	0.0	0	4	9	13
25	0.0	0.0	48.3	48.3	14.9	33.4	0.0	0	0.0	0	8	7	15
26	0.0	0.0	75.2	75.2	55.7	19.5	0.0	0	0.0	0	29	4	33
27	0.0	0.0	236.6	236.6	179.7	56.9	0.0	0	0.0	0	95	12	107
28	0.0	0.0	236.6	236.6	189.3	47.3	0.0	0	0.0	0	100	11	111
29	0.0	0.0	236.6	236.6	197.4	39.2	0.0	0	0.0	0	104	9	113
30	0.0	0.0	236.6	236.6	212.9	23.7	0.0	0	0.0	0	112	5	117
31	0.0	0.0	72.1	72.1	51.5	20.6	0.0	0	0.0	0	27	5	32
32	0.0	150.0	173.3	323.3	6.3	317.0	0.0	0	0.0	0	3	70	73
33	0.0	0.0	6.3	6.3	6.3	0.0	0.0	0	0.0	0	3	0	3
34	0.0	0.0	6.3	6.3	6.3	0.0	0.0	0	0.0	0	3	0	3
35	0.0	0.0	4.5	4.5	4.5	0.0	0.0	0	0.0	0	2	0	2
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	0.0	150.0	1422.1	1572.1	939.0	633.1	0.0	0	0.0	0	493	140	633

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)									
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	180.0	1049.0	194.0	0.0	0.0	0.0	0.0	1423.0
PERCENT	0.0	100.0	100.0	56.4	0.0	0.0	0.0	0.0	90.5

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 28

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	15.4	15.4	11.5	3.9	0.0	0	0.0	0	6	1	7
21	0.0	0.0	15.4	15.4	11.5	3.9	0.0	0	0.0	0	6	1	7
22	0.0	0.0	8.8	8.8	6.6	2.2	0.0	0	0.0	0	4	0	4
23	0.0	0.0	316.8	316.8	237.9	79.5	0.0	0	0.0	0	125	19	144
24	0.0	0.0	1114.6	1114.6	836.3	279.0	0.0	0	0.0	0	440	62	502
25	238.0	150.0	596.9	984.9	655.9	329.0	0.0	0	0.0	0	346	72	418
26	297.0	43.0	1489.8	1829.8	1558.5	271.3	0.0	0	0.0	0	821	63	884
27	0.0	0.0	709.8	709.8	616.1	93.7	0.0	0	0.0	0	324	19	343
28	0.0	0.0	709.8	709.8	638.8	71.1	0.0	0	0.0	0	339	17	356
29	0.0	0.0	709.8	709.8	638.8	71.1	0.0	0	0.0	0	339	17	356
30	0.0	0.0	709.8	709.8	638.8	71.1	0.0	0	0.0	0	339	17	356
31	0.0	0.0	274.8	274.8	247.4	27.4	0.0	0	0.0	0	130	3	133
32	0.0	0.0	100.8	100.8	90.9	10.2	0.0	0	0.0	0	48	3	51
33	0.0	0.0	100.8	100.8	90.9	10.2	0.0	0	0.0	0	48	3	51
34	0.0	0.0	100.8	100.8	90.9	10.2	0.0	0	0.0	0	48	3	51
35	0.0	0.0	72.0	72.0	65.0	7.4	0.0	0	0.0	0	35	3	38
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	535.0	193.0	7046.1	7774.1	6435.8	1341.2	0.0	0	0.0	0	3398	303	3701

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	68.0	2307.0	3730.0	447.0	0.0	0.0	0.0	0.0	6552.0
PERCENT	100.0	66.2	98.1	100.0	0.0	0.0	0.0	0.0	84.0

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 29

	CATCH (KG)				ADJUSTED CATCH (KG)*		MEAN WEIGHT (KG)				ESTIMATED NUMBERS+		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
23	0.0	0.0	62.4	62.4	10.4	52.0	0.0	0	0.0	0	6	12	18
24	0.0	0.0	72.8	72.8	68.6	4.2	0.0	0	0.0	0	35	1	36
25	0.0	0.0	72.8	72.8	40.0	32.8	0.0	0	0.0	0	21	7	28
26	0.0	265.0	68.9	333.9	42.4	291.5	0.0	0	0.0	0	21	65	86
27	15.0	0.0	45.5	60.5	39.1	21.4	0.0	0	0.0	0	20	5	25
28	0.0	0.0	45.5	45.5	17.5	28.0	0.0	0	0.0	0	9	7	16
29	0.0	0.0	45.5	45.5	40.9	4.6	0.0	0	0.0	0	21	1	22
30	0.0	0.0	45.5	45.5	40.9	4.6	0.0	0	0.0	0	21	1	22
31	0.0	0.0	13.0	13.0	11.7	1.3	0.0	0	0.0	0	6	0	6
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	15.0	265.0	471.9	751.9	311.5	440.4	0.0	0	0.0	0	160	99	259

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	273.0	203.0	0.0	0.0	0.0	0.0	0.0	476.0
PERCENT	0.0	100.0	100.0	0.0	0.0	0.0	0.0	0.0	100.0

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 30

WEEK	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG) SMALL		MEAN WEIGHT (KG) LARGE		ESTIMATED NUMBERS +		
	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	8.0	0.0	8.0	0.0	8.0	0.0	0	8.0	1	0	2	2
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	0.0	12.0	22.2	34.2	0.0	34.2	0.0	0	0.0	0	0	8	8
23	0.0	0.0	328.8	328.8	77.5	251.3	0.0	0	0.0	0	39	54	93
24	0.0	0.0	383.6	383.6	139.4	244.2	0.0	0	0.0	0	75	54	129
25	107.0	41.0	600.9	748.9	463.0	285.9	2.5	2	5.0	1	245	62	307
26	110.0	38.0	728.7	876.7	519.1	357.6	0.0	0	5.0	1	274	78	352
27	185.0	84.0	304.7	573.7	381.3	192.4	0.0	0	0.0	0	201	43	244
28	31.0	18.0	425.0	474.0	308.6	165.4	2.0	5	5.0	2	163	36	199
29	0.0	0.0	108.5	108.5	43.4	65.1	0.0	0	0.0	0	23	13	36
30	117.0	0.0	191.8	308.8	270.4	38.4	0.0	0	0.0	0	141	7	148
31	0.0	0.0	31.0	31.0	27.1	3.9	0.0	0	0.0	0	13	0	13
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	550.0	201.0	3125.2	3876.2	2229.8	1646.4	2.1	7	5.6	5	1174	357	1531

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	1745.0	1349.0	0.0	0.0	0.0	0.0	0.0	3094.0
PERCENT	0.0	84.9	74.5	0.0	0.0	0.0	0.0	0.0	80.0

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 31

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN·WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
23	37.0	140.0	181.2	358.2	75.3	282.9	1.8	4	5.0	2	40	63	103
24	139.0	77.0	481.5	697.5	342.9	354.6	0.0	0	0.0	0	180	79	259
25	265.0	55.0	207.4	527.4	405.9	121.5	0.0	0	5.0	1	214	28	242
26	372.0	430.0	1302.0	2104.0	1009.4	1094.6	1.7	29	5.0	2	530	244	774
27	311.0	114.0	679.1	1104.1	756.4	347.7	2.3	4	5.5	2	399	78	477
28	80.0	48.0	189.1	317.1	234.4	82.7	0.0	0	0.0	0	123	19	142
29	8.0	77.0	344.1	429.1	143.2	285.9	0.0	0	0.0	0	76	63	139
30	0.0	0.0	170.1	170.1	146.2	23.9	0.0	0	0.0	0	77	6	83
31	0.0	0.0	48.6	48.6	43.8	4.8	0.0	0	0.0	0	23	0	23
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	1212.0	941.0	3603.1	5756.1	3157.5	2598.6	1.8	37	5.1	7	1662	580	2242

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	2111.0	1468.0	0.0	0.0	0.0	0.0	0.0	3579.0
PERCENT	0.0	58.4	80.2	0.0	0.0	0.0	0.0	0.0	65.7

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 32

WEEK	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	179.2	179.2	0.0	179.2	0.0	0	0.0	0	0	39	39
21	0.0	0.0	179.2	179.2	0.0	179.2	0.0	0	0.0	0	0	39	39
22	0.0	0.0	102.4	102.4	17.5	84.9	0.0	0	0.0	0	10	19	29
23	5.0	7.0	1149.3	1161.3	127.1	1034.2	0.0	0	0.0	0	68	231	299
24	113.0	0.0	1353.6	1466.6	410.0	1056.6	0.0	0	0.0	0	216	232	448
25	0.0	248.0	2373.1	2621.1	720.4	1900.7	0.0	0	0.0	0	378	424	802
26	0.0	292.0	2602.5	2894.5	734.2	2160.3	0.0	0	0.0	0	387	480	867
27	0.0	0.0	662.9	662.9	395.7	267.2	0.0	0	0.0	0	208	59	267
28	0.0	0.0	662.9	662.9	383.9	279.0	0.0	0	0.0	0	201	61	262
29	0.0	0.0	662.9	662.9	596.7	66.5	0.0	0	0.0	0	315	15	330
30	0.0	0.0	662.9	662.9	596.7	66.5	0.0	0	0.0	0	315	15	330
31	0.0	0.0	189.4	189.4	170.4	19.0	0.0	0	0.0	0	90	3	93
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	118.0	547.0	10780.3	11445.3	4152.6	7293.3	0.0	0	0.0	0	2188	1617	3805

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)									
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	791.0	6020.0	4299.0	0.0	0.0	0.0	0.0	0.0	11110.0
PERCENT	100.0	94.2	93.6	0.0	0.0	0.0	0.0	0.0	94.4

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 33

	CATCH (KG)				ADJUSTED CATCH (KG)*		MEAN WEIGHT (KG)				ESTIMATED NUMBERS+		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	154.7	154.7	38.7	116.1	0.0	0	0.0	0	21	26	47
21	0.0	0.0	154.7	154.7	38.7	116.1	0.0	0	0.0	0	21	26	47
22	0.0	0.0	88.4	88.4	22.1	66.3	0.0	0	0.0	0	12	15	27
23	0.0	0.0	244.8	244.8	61.3	183.7	0.0	0	0.0	0	32	41	73
24	0.0	0.0	285.6	285.6	75.1	210.5	0.0	0	0.0	0	39	47	86
25	0.0	0.0	285.6	285.6	142.9	142.9	0.0	0	0.0	0	74	30	104
26	0.0	0.0	1002.2	1002.2	542.2	460.0	0.0	0	0.0	0	284	102	386
27	0.0	0.0	366.8	366.8	345.1	21.7	0.0	0	0.0	0	182	4	186
28	0.0	0.0	366.8	366.8	330.2	36.6	0.0	0	0.0	0	175	7	182
29	0.0	0.0	366.8	366.8	330.2	36.6	0.0	0	0.0	0	175	7	182
30	0.0	0.0	366.8	366.8	330.2	36.6	0.0	0	0.0	0	175	7	182
31	0.0	0.0	134.8	134.8	121.3	13.5	0.0	0	0.0	0	63	4	67
32	0.0	0.0	42.0	42.0	37.9	4.2	0.0	0	0.0	0	21	0	21
33	0.0	0.0	42.0	42.0	37.9	4.2	0.0	0	0.0	0	21	0	21
34	0.0	0.0	42.0	42.0	37.9	4.2	0.0	0	0.0	0	21	0	21
35	0.0	0.0	30.0	30.0	27.1	3.1	0.0	0	0.0	0	14	0	14
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	0.0	0.0	3974.0	3974.0	2518.8	1456.3	0.0	0	0.0	0	1330	316	1646

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	689.0	1746.0	1622.0	185.0	0.0	0.0	0.0	0.0	4242.0
PERCENT	100.0	99.1	100.0	100.0	0.0	0.0	0.0	0.0	99.6

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 34

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	3.5	3.5	0.9	2.6	0.0	0	0.0	0	0	1	1
21	0.0	0.0	3.5	3.5	0.9	2.6	0.0	0	0.0	0	0	1	1
22	0.0	961.0	2.0	963.0	0.5	962.5	0.0	0	0.0	0	0	214	214
23	0.0	0.0	488.4	488.4	122.6	366.8	0.0	0	0.0	0	65	80	145
24	0.0	0.0	569.8	569.8	333.6	236.2	0.0	0	0.0	0	177	51	228
25	300.0	65.0	695.4	1060.4	494.9	565.5	0.0	0	0.0	0	260	125	385
26	324.0	63.0	755.9	1142.9	721.0	421.9	0.0	0	0.0	0	378	95	473
27	410.0	0.0	416.3	826.3	811.7	14.6	0.0	0	0.0	0	427	3	430
28	0.0	343.0	445.6	788.6	260.3	528.3	0.0	0	0.0	0	137	116	253
29	0.0	65.0	313.1	378.1	263.2	114.9	0.0	0	0.0	0	138	23	161
30	0.0	0.0	273.7	273.7	260.1	13.7	0.0	0	0.0	0	137	1	138
31	0.0	0.0	78.2	78.2	74.3	4.0	0.0	0	0.0	0	40	0	40
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	1034.0	1497.0	4045.4	6576.4	3344.0	3233.6	0.0	0	0.0	0	1759	710	2469

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	14.0	2469.0	1568.0	0.0	0.0	0.0	0.0	0.0	4051.0
PERCENT	100.0	76.7	65.7	0.0	0.0	0.0	0.0	0.0	72.1

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 35

WEEK	CATCH (KG) SMALL	CATCH (KG) LARGE	CATCH (KG) UNSIZED	CATCH (KG) TOTAL	ADJUSTED CATCH (KG) * SMALL	ADJUSTED CATCH (KG) * LARGE	MEAN WEIGHT (KG) SMALL WEIGHT	MEAN WEIGHT (KG) SMALL SMPL SIZE	MEAN WEIGHT (KG) LARGE WEIGHT	MEAN WEIGHT (KG) LARGE SMPL SIZE	ESTIMATED NUMBERS + SMALL	ESTIMATED NUMBERS + LARGE	ESTIMATED NUMBERS + TOTAL
20	0.0	0.0	9.1	9.1	0.5	8.6	0.0	0	0.0	0	0	2	2
21	0.0	0.0	9.1	9.1	0.1	9.0	0.0	0	0.0	0	0	2	2
22	0.0	29.0	62.2	91.2	0.3	90.9	0.0	0	0.0	0	0	20	20
23	3.0	5.0	252.2	260.2	52.2	208.0	0.0	0	0.0	0	28	46	74
24	0.0	0.0	252.0	252.0	66.3	185.7	0.0	0	0.0	0	35	42	77
25	3.0	51.0	409.4	463.4	126.2	337.2	0.0	0	0.0	0	67	74	141
26	14.0	141.0	621.7	776.7	165.3	611.4	0.0	0	0.0	0	87	135	222
27	0.0	0.0	24.5	24.5	19.8	4.7	0.0	0	0.0	0	10	1	11
28	0.0	0.0	24.5	24.5	18.9	5.6	0.0	0	0.0	0	10	1	11
29	0.0	0.0	24.5	24.5	19.4	5.1	0.0	0	0.0	0	10	1	11
30	0.0	0.0	24.5	24.5	19.6	4.9	0.0	0	0.0	0	10	1	11
31	0.0	0.0	7.0	7.0	5.6	1.4	0.0	0	0.0	0	3	0	3
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	20.0	226.0	1720.7	1966.7	494.2	1472.5	0.0	0	0.0	0	260	325	585

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	41.0	1589.0	109.0	0.0	0.0	0.0	0.0	0.0	1739.0
PERCENT	100.0	86.6	100.0	0.0	0.0	0.0	0.0	0.0	87.6

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 36

WEEK	CATCH (KG) SMALL	CATCH (KG) LARGE	CATCH (KG) UNSIZED	CATCH (KG) TOTAL	ADJUSTED CATCH (KG) * SMALL	ADJUSTED CATCH (KG) * LARGE	MEAN WEIGHT (KG) SMALL WEIGHT	MEAN WEIGHT (KG) SMALL SMPL SIZE	MEAN WEIGHT (KG) LARGE WEIGHT	MEAN WEIGHT (KG) LARGE SMPL SIZE	ESTIMATED NUMBERS + SMALL	ESTIMATED NUMBERS + LARGE	ESTIMATED NUMBERS + TOTAL
20	0.0	26.0	16.4	42.4	0.1	42.3	0.0	0	0.0	0	0	9	9
21	17.0	188.0	85.9	290.9	23.9	267.0	0.0	0	3.0	3	12	60	72
22	55.0	1157.0	271.6	1483.6	78.6	1405.0	3.0	1	0.0	0	41	320	361
23	212.0	1183.0	481.6	1876.6	328.6	1548.0	0.0	0	0.0	0	173	352	525
24	709.0	893.0	560.6	2162.6	989.6	1173.0	0.0	0	0.0	0	520	267	787
25	965.0	1335.0	708.5	3008.5	1315.9	1692.6	0.0	0	0.0	0	693	385	1078
26	1628.0	675.0	758.5	3061.5	2150.5	911.0	0.0	0	0.0	0	1133	206	1339
27	520.0	104.0	117.7	741.7	619.7	122.0	0.0	0	0.0	0	327	28	355
28	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	4106.0	5561.0	3000.8	12667.8	5506.9	7160.9	3.0	1	3.0	3	2899	1627	4526

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	349.0	2507.0	158.0	0.0	0.0	0.0	0.0	0.0	3014.0
PERCENT	21.9	24.7	20.7	0.0	0.0	0.0	0.0	0.0	24.1

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 37

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	128.1	128.1	2.6	125.5	0.0	0	0.0	0	1	29	30
21	5.0	143.0	596.6	744.6	35.3	709.3	2.5	2	4.5	27	19	161	180
22	60.0	1208.0	1579.3	2847.3	138.7	2708.6	2.1	28	4.2	273	73	639	712
23	225.0	2437.0	557.1	3219.1	268.2	2950.9	1.9	64	4.1	423	141	716	857
24	198.0	522.0	316.6	1036.6	270.9	765.7	1.8	108	4.3	121	148	177	325
25	1200.0	2286.0	654.2	4140.2	1447.6	2692.6	1.9	621	4.3	534	762	625	1387
26	2436.0	917.0	819.4	4172.4	2970.4	1202.0	1.9	1036	4.1	127	1533	291	1824
27	982.0	220.0	695.4	1897.4	1502.4	395.0	2.0	488	4.2	52	756	91	847
28	71.0	29.0	134.8	234.8	174.5	60.3	2.0	35	4.8	6	92	13	105
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	5177.0	7762.0	5481.5	18420.5	6810.6	11609.9	2.0	2382	4.2	1563	3525	2742	6267

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	2438.0	2098.0	1186.0	0.0	0.0	0.0	0.0	0.0	5722.0
PERCENT	78.8	16.9	37.3	0.0	0.0	0.0	0.0	0.0	30.7

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 38

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG) SMALL		MEAN WEIGHT (KG) LARGE		ESTIMATED NUMBERS +		
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	80.0	48.7	128.7	0.1	128.6	0.0	0	4.6	16	0	29	29
21	21.0	2783.0	1654.7	4458.7	70.2	4388.5	1.4	12	4.4	637	36	1004	1040
22	81.0	3208.0	1181.8	4470.8	164.8	4306.0	2.3	28	4.2	712	87	1015	1102
23	52.0	4376.0	84.9	4512.9	53.0	4459.9	1.4	27	4.2	716	29	1038	1067
24	171.0	2060.0	975.1	3206.1	687.8	2518.3	2.0	60	4.5	453	363	553	916
25	606.0	2216.0	586.1	3408.1	918.4	2489.7	2.0	212	4.5	470	477	555	1032
26	680.0	528.0	38.8	1246.8	699.8	547.0	2.0	274	4.1	101	360	125	485
27	1145.0	239.0	33.0	1417.0	1171.4	245.6	1.8	554	4.7	44	645	55	700
28	184.0	35.0	0.0	219.0	184.0	35.0	1.8	104	3.5	10	102	8	110
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	2940.0	15525.0	4603.1	23068.1	3949.5	19118.6	1.9	1271	4.3	3159	2099	4382	6481

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	216.0	284.0	0.0	0.0	0.0	0.0	0.0	0.0	500.0
PERCENT	3.2	2.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 39

WEEK	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	83.0	36.0	119.0	0.3	118.7	0.0	0	4.9	17	0	26	26
21	67.0	6882.0	813.8	7762.8	72.3	7690.5	2.3	28	4.5	1541	38	1708	1746
22	161.0	4229.0	456.2	4846.2	190.4	4655.8	1.7	32	4.2	1010	99	1117	1216
23	45.0	5531.0	300.1	5876.1	47.7	5828.4	1.8	24	4.4	1228	25	1331	1356
24	447.0	4652.0	161.0	5260.0	459.1	4800.9	1.8	246	4.4	1048	260	1089	1349
25	521.0	3036.0	214.3	3771.3	570.3	3201.0	1.8	272	4.5	643	310	705	1015
26	709.0	778.0	108.6	1595.6	767.8	827.8	1.8	314	4.6	167	431	186	617
27	443.0	405.0	61.8	909.8	492.0	417.8	1.8	126	4.8	80	265	91	356
28	100.0	32.0	10.8	142.8	108.4	34.4	1.6	62	4.3	4	66	9	75
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	2493.0	25628.0	2162.6	30283.6	2708.3	27575.3	1.8	1104	4.4	5738	1494	6262	7756

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	462.0	506.0	54.0	0.0	0.0	0.0	0.0	0.0	1022.0
PERCENT	4.3	2.8	100.0	0.0	0.0	0.0	0.0	0.0	3.5

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 40

WEEK	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	SMALL WEIGHT	SMALL SMPL SIZE	LARGE WEIGHT	LARGE SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	119.0	453.0	388.5	960.5	128.5	832.0	1.6	55	3.7	87	81	217	298
23	545.0	1053.0	240.2	1838.2	596.5	1241.7	1.4	178	4.0	163	409	316	725
24	1163.0	1181.0	454.2	2798.2	1277.6	1520.6	1.6	338	3.7	112	852	386	1238
25	1329.0	650.0	436.3	2415.3	1504.5	910.8	1.6	375	4.3	83	969	229	1198
26	654.0	281.0	168.0	1103.0	753.8	349.2	1.4	173	4.6	35	517	87	604
27	2118.0	224.0	460.9	2802.9	2461.7	341.2	0.0	0	3.7	3	1640	86	1726
28	21.0	0.0	317.9	338.9	155.1	183.8	0.0	0	0.0	0	101	46	147
29	0.0	0.0	312.9	312.9	39.9	273.0	0.0	0	0.0	0	26	69	95
30	0.0	0.0	312.9	312.9	156.7	156.7	0.0	0	0.0	0	103	40	143
31	0.0	0.0	89.4	89.4	44.7	44.7	0.0	0	0.0	0	31	11	42
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	5949.0	3842.0	3181.2	12972.2	7119.0	5853.7	1.5	1119	4.0	483	4729	1487	6216

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	1622.0	1530.0	0.0	0.0	0.0	0.0	0.0	3152.0
PERCENT	0.0	18.0	39.6	0.0	0.0	0.0	0.0	0.0	24.5

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 41

	CATCH (KG)				ADJUSTED CATCH* (KG)		MEAN WEIGHT (KG)				ESTIMATED NUMBERS+		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	23.0	50.0	141.5	214.5	69.5	145.0	1.9	8	3.8	5	47	36	83
23	89.0	83.0	1003.1	1175.1	556.6	618.5	1.5	27	3.7	11	370	155	525
24	45.0	72.0	1047.6	1164.6	606.0	558.6	1.5	26	4.3	3	404	138	542
25	148.0	100.0	1328.6	1576.6	986.4	590.2	1.6	87	4.3	23	642	150	792
26	330.0	71.0	1645.7	2046.7	1643.9	402.8	1.6	154	4.9	7	1064	101	1165
27	42.0	45.0	841.5	928.5	643.2	285.3	0.0	0	0.0	0	429	71	500
28	0.0	0.0	433.3	433.3	382.3	51.0	0.0	0	0.0	0	256	11	267
29	0.0	0.0	433.3	433.3	154.4	278.9	0.0	0	0.0	0	102	70	172
30	0.0	0.0	433.3	433.3	217.0	217.0	0.0	0	0.0	0	143	56	199
31	0.0	0.0	123.8	123.8	61.9	61.9	0.0	0	0.0	0	42	14	56
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	677.0	421.0	7431.7	8529.7	5321.2	3209.2	1.6	302	4.2	49	3499	802	4301

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	4993.0	2438.0	0.0	0.0	0.0	0.0	0.0	7431.0
PERCENT	0.0	83.3	96.2	0.0	0.0	0.0	0.0	0.0	87.1

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 42

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
23	0.0	0.0	69.0	69.0	3.5	65.5	0.0	0	0.0	0	2	13	15
24	0.0	0.0	168.5	168.5	3.1	165.4	0.0	0	0.0	0	1	34	35
25	0.0	0.0	80.5	80.5	0.0	80.5	0.0	0	0.0	0	0	17	17
26	0.0	0.0	86.9	86.9	1.5	85.4	0.0	0	0.0	0	0	17	17
27	0.0	0.0	125.3	125.3	26.3	99.0	0.0	0	0.0	0	14	20	34
28	0.0	0.0	125.3	125.3	24.0	101.3	0.0	0	0.0	0	13	20	33
29	0.0	0.0	125.3	125.3	28.0	97.3	0.0	0	0.0	0	15	20	35
30	0.0	0.0	125.3	125.3	23.5	101.8	0.0	0	0.0	0	12	21	33
31	0.0	0.0	35.8	35.8	7.1	28.7	0.0	0	0.0	0	4	6	10
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	0.0	0.0	941.9	941.9	117.0	824.9	0.0	0	0.0	0	61	168	229

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	381.0	555.0	0.0	0.0	0.0	0.0	0.0	936.0
PERCENT	0.0	98.4	100.0	0.0	0.0	0.0	0.0	0.0	99.4

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 43

WEEK	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG) SMALL		MEAN WEIGHT (KG) LARGE		ESTIMATED NUMBERS +		
	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
23	0.0	0.0	37.8	37.8	0.8	37.0	0.0	0	0.0	0	0	8	8
24	0.0	0.0	44.1	44.1	21.7	22.4	0.0	0	0.0	0	11	5	16
25	0.0	0.0	44.1	44.1	3.3	40.8	0.0	0	0.0	0	2	9	11
26	0.0	0.0	40.5	40.5	10.0	30.5	0.0	0	0.0	0	5	6	11
27	26.0	0.0	18.9	44.9	33.1	11.8	0.0	0	0.0	0	18	2	20
28	0.0	0.0	18.9	18.9	4.4	14.5	0.0	0	0.0	0	2	3	5
29	167.0	23.0	114.9	304.9	252.8	52.1	0.0	0	0.0	0	133	11	144
30	0.0	0.0	18.9	18.9	3.8	15.1	0.0	0	0.0	0	2	3	5
31	0.0	0.0	5.4	5.4	1.1	4.3	0.0	0	0.0	0	1	1	2
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	193.0	23.0	343.5	559.5	331.0	228.5	0.0	0	0.0	0	174	48	222

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	163.0	85.0	0.0	0.0	0.0	0.0	0.0	248.0
PERCENT	0.0	100.0	100.0	0.0	0.0	0.0	0.0	0.0	100.0

SECTION : 44

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

WEEK	CATCH (KG) * SMALL	CATCH (KG) LARGE	CATCH (KG) UNSIZED	CATCH (KG) TOTAL	ADJUSTED CATCH (KG) * SMALL	ADJUSTED CATCH (KG) LARGE	MEAN WEIGHT (KG) SMALL WEIGHT	MEAN WEIGHT (KG) SMALL SMPL SIZE	MEAN WEIGHT (KG) LARGE WEIGHT	MEAN WEIGHT (KG) LARGE SMPL SIZE	ESTIMATED NUMBERS + SMALL	ESTIMATED NUMBERS LARGE	ESTIMATED NUMBERS TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	42.0	95.0	11.9	148.9	46.1	102.8	1.6	25	4.8	13	24	21	45
23	29.0	264.0	217.4	510.4	56.5	453.9	3.0	1	5.3	16	30	96	126
24	298.0	308.0	308.0	914.0	419.0	495.0	2.0	35	4.5	31	220	103	323
25	1508.0	318.0	334.5	2160.5	1735.9	424.6	1.9	288	5.0	34	899	89	988
26	1286.0	106.0	334.6	1726.6	1586.9	139.7	1.9	362	5.1	13	836	29	865
27	2277.0	185.0	202.8	2664.8	2461.0	203.8	1.8	736	5.1	22	1326	41	1367
28	820.0	135.0	206.6	1161.6	974.6	187.0	1.7	269	4.8	13	540	37	577
29	0.0	0.0	119.0	119.0	107.1	11.9	0.0	0	0.0	0	57	0	57
30	0.0	0.0	119.0	119.0	47.6	71.4	0.0	0	0.0	0	27	13	40
31	0.0	0.0	34.0	34.0	13.6	20.4	0.0	0	0.0	0	9	2	11
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	6260.0	1411.0	1887.8	9558.8	7448.3	2110.5	1.8	1716	4.9	142	3968	431	4399

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	1144.0	710.0	0.0	0.0	0.0	0.0	0.0	1854.0
PERCENT	0.0	30.6	22.6	0.0	0.0	0.0	0.0	0.0	27.0

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 45

	CATCH (KG) *				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	11.0	0.0	11.0	0.0	11.0	0.0	0	0.0	0	0	2	2
22	0.0	14.0	340.0	354.0	85.1	269.1	0.0	0	4.7	3	48	60	108
23	7.0	62.0	240.9	309.9	78.7	231.2	0.0	0	5.2	10	44	52	96
24	72.0	195.0	484.6	751.6	212.5	539.1	2.3	24	4.7	35	118	119	237
25	121.0	160.0	404.0	685.0	321.8	363.2	2.2	51	4.6	30	179	82	261
26	277.0	120.0	1190.6	1587.6	1163.8	423.8	1.9	101	4.6	24	639	94	733
27	552.0	79.0	3054.3	3685.3	3020.4	664.9	1.8	173	4.4	17	1678	148	1826
28	739.0	71.0	1382.2	2192.2	1931.7	260.5	1.8	274	4.4	16	1073	58	1131
29	491.0	87.0	1323.1	1901.1	1579.9	321.2	1.8	202	4.6	19	877	71	948
30	0.0	0.0	681.1	681.1	440.0	241.1	0.0	0	0.0	0	244	53	297
31	89.0	7.0	383.9	479.9	367.3	112.6	1.7	52	3.5	2	213	25	238
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	162.0	26.0	210.3	398.3	341.8	56.5	2.0	83	5.2	5	172	13	185
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	134.0	21.0	100.7	255.7	221.1	34.6	1.7	78	4.2	5	130	8	138
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	6.0	47.0	53.0	0.0	53.0	0.0	0	6.0	1	0	12	12
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	2644.0	859.0	9842.7	13345.7	9764.1	3581.8	1.8	1038	4.6	167	5415	797	6212

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	340.0	2194.0	6952.0	311.0	47.0	0.0	0.0	0.0	9844.0
PERCENT	96.0	68.8	76.5	47.6	88.7	0.0	0.0	0.0	73.8

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 46

WEEK	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
23	0.0	3.0	393.8	396.8	98.5	298.4	0.0	0	0.0	0	55	67	122
24	15.0	0.0	240.6	255.6	219.3	36.3	0.0	0	0.0	0	121	7	128
25	36.0	62.0	1135.3	1233.3	828.2	405.1	0.0	0	5.0	1	461	90	551
26	280.0	83.0	583.7	946.7	742.1	204.6	0.0	0	0.0	0	412	47	459
27	274.0	20.0	2956.7	3250.7	2944.5	306.2	1.7	36	4.0	1	1636	68	1704
28	348.0	44.0	3030.5	3422.5	3118.7	303.8	2.1	85	4.0	10	1632	67	1699
29	561.0	9.0	4065.0	4635.0	4523.7	111.3	1.7	326	4.5	2	2642	24	2666
30	0.0	0.0	636.3	636.3	318.2	318.2	0.0	0	0.0	0	177	70	247
31	0.0	0.0	203.3	203.3	101.7	101.7	0.0	0	0.0	0	57	22	79
32	0.0	0.0	30.1	30.1	15.1	15.1	0.0	0	0.0	0	8	4	12
33	0.0	0.0	30.1	30.1	15.1	15.1	0.0	0	0.0	0	8	4	12
34	29.0	0.0	150.1	179.1	164.1	15.1	2.2	13	0.0	0	91	4	95
35	0.0	0.0	21.5	21.5	10.8	10.8	0.0	0	0.0	0	6	3	9
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	1543.0	221.0	13477.0	15241.0	13100.0	2141.7	1.8	460	4.1	14	7306	477	7783

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)									
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	2231.0	10962.0	255.0	0.0	0.0	0.0	0.0	13448.0
PERCENT	0.0	81.5	89.7	89.8	0.0	0.0	0.0	0.0	88.2

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 47

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
23	7.0	0.0	87.4	94.4	28.9	65.6	0.0	0	0.0	0	16	15	31
24	4.0	7.0	122.7	133.7	29.4	104.3	0.0	0	0.0	0	16	23	39
25	28.0	114.0	303.3	445.3	88.9	356.4	2.0	1	4.7	9	49	80	129
26	87.0	126.0	235.3	448.3	171.1	277.2	1.8	13	3.9	19	96	61	157
27	15.0	15.0	333.3	363.3	235.5	127.8	0.0	0	0.0	0	131	29	160
28	0.0	0.0	18.9	18.9	15.3	3.6	0.0	0	0.0	0	9	1	10
29	3.0	4.0	41.0	48.0	30.8	17.2	0.0	0	0.0	0	17	4	21
30	0.0	0.0	18.9	18.9	18.6	0.3	0.0	0	0.0	0	10	0	10
31	0.0	29.0	108.4	137.4	11.8	125.6	0.0	0	0.0	0	6	28	34
32	0.0	0.0	16.1	16.1	15.3	0.8	0.0	0	0.0	0	8	0	8
33	0.0	0.0	16.1	16.1	15.3	0.8	0.0	0	0.0	0	8	0	8
34	0.0	0.0	16.1	16.1	15.3	0.8	0.0	0	0.0	0	8	0	8
35	0.0	0.0	11.5	11.5	11.0	0.5	0.0	0	0.0	0	5	0	5
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	144.0	295.0	1329.0	1768.0	687.2	1080.9	1.8	14	4.1	28	379	241	620

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	257.0	503.0	68.0	0.0	0.0	0.0	0.0	828.0
PERCENT	0.0	22.9	87.0	100.0	0.0	0.0	0.0	0.0	46.9

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 48

WEEK	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
23	0.0	0.0	16.2	16.2	15.4	0.8	0.0	0	0.0	0	8	0	8
24	0.0	0.0	18.9	18.9	0.6	18.3	0.0	0	0.0	0	0	4	4
25	28.0	69.0	125.2	222.2	63.7	158.5	2.3	12	3.8	18	34	37	71
26	84.0	81.0	203.1	368.1	199.5	168.6	1.8	36	4.1	20	105	40	145
27	65.0	441.0	196.2	702.2	140.8	561.4	2.0	32	4.3	100	75	131	206
28	160.0	207.0	169.6	536.6	264.2	272.4	2.0	82	4.1	49	134	65	199
29	188.0	125.0	159.3	472.3	309.2	163.1	1.8	97	3.9	32	169	38	207
30	0.0	0.0	99.4	99.4	58.6	40.8	0.0	0	0.0	0	31	10	41
31	0.0	0.0	59.4	59.4	17.5	41.9	0.0	0	0.0	0	9	9	18
32	0.0	0.0	43.4	43.4	21.9	21.9	0.0	0	0.0	0	13	6	19
33	0.0	0.0	43.4	43.4	21.9	21.9	0.0	0	0.0	0	13	6	19
34	0.0	0.0	43.4	43.4	21.9	21.9	0.0	0	0.0	0	13	6	19
35	0.0	0.0	31.0	31.0	15.7	15.7	0.0	0	0.0	0	7	6	13
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	525.0	923.0	1208.5	2656.5	1150.9	1507.2	1.9	259	4.2	219	611	358	969

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	318.0	668.0	190.0	0.0	0.0	0.0	0.0	1176.0
PERCENT	0.0	52.1	36.0	100.0	0.0	0.0	0.0	0.0	44.3

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 49

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	9.0	14.0	0.0	23.0	9.0	14.0	2.3	4	4.7	3	5	3	8
23	0.0	0.0	26.4	26.4	25.0	1.4	0.0	0	0.0	0	14	0	14
24	0.0	0.0	30.8	30.8	29.2	1.6	0.0	0	0.0	0	16	0	16
25	2.0	41.0	30.8	73.8	18.4	55.4	0.0	0	0.0	0	9	14	23
26	260.0	116.0	178.1	554.1	409.7	144.4	1.8	10	4.0	3	216	35	251
27	380.0	30.0	95.9	505.9	452.7	53.2	1.4	28	4.8	5	237	13	250
28	901.0	63.0	95.9	1059.9	987.2	72.7	2.0	50	7.0	1	519	17	536
29	1206.0	0.0	95.9	1301.9	1292.6	9.3	1.9	50	0.0	0	680	2	682
30	140.0	0.0	95.9	235.9	216.6	19.3	0.0	0	0.0	0	114	4	118
31	0.0	0.0	27.4	27.4	9.0	18.4	0.0	0	0.0	0	5	4	9
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	2898.0	264.0	677.1	3839.1	3449.4	389.7	1.8	142	4.8	12	1815	92	1907

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	114.0	425.0	0.0	0.0	0.0	0.0	0.0	539.0
PERCENT	0.0	100.0	100.0	0.0	0.0	0.0	0.0	0.0	100.0

SECTION : 50

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

WEEK	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG) SMALL		MEAN WEIGHT (KG) LARGE		ESTIMATED NUMBERS +		
	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
23	0.0	21.0	455.8	476.8	41.2	435.6	0.0	0	0.0	0	21	95	116
24	0.0	0.0	531.3	531.3	29.1	502.2	0.0	0	0.0	0	14	108	122
25	108.0	5509.0	765.9	6382.9	127.0	6255.9	2.6	30	4.4	589	64	1399	1463
26	131.0	4586.0	876.5	5593.5	199.2	5394.3	2.2	33	4.5	477	98	1186	1284
27	740.0	5317.0	1847.5	7904.5	1120.7	6783.8	2.1	148	4.5	439	564	1470	2034
28	622.0	1961.0	1420.4	4003.4	1136.9	2866.5	1.8	128	2.9	237	569	840	1409
29	383.0	672.0	1263.2	2318.2	975.2	1343.0	2.0	105	5.3	78	486	293	779
30	356.0	798.0	1249.6	2403.6	921.5	1482.1	2.0	52	5.2	40	461	323	784
31	93.0	358.0	1359.3	1810.3	630.3	1180.0	0.0	0	0.0	0	314	257	571
32	10.0	30.0	1233.3	1273.3	399.8	873.5	0.0	0	0.0	0	200	189	389
33	0.0	0.0	1218.7	1218.7	318.1	900.6	0.0	0	0.0	0	158	197	355
34	0.0	0.0	1218.7	1218.7	305.0	914.2	0.0	0	0.0	0	153	199	352
35	0.0	0.0	1011.3	1011.3	252.9	758.6	0.0	0	0.0	0	127	164	291
36	0.0	0.0	492.8	492.8	123.3	369.7	0.0	0	0.0	0	63	80	143
37	0.0	0.0	492.8	492.8	0.0	492.8	0.0	0	0.0	0	0	106	106
38	0.0	0.0	492.8	492.8	0.0	492.8	0.0	0	0.0	0	0	106	106
39	0.0	0.0	492.8	492.8	0.0	492.8	0.0	0	0.0	0	0	106	106
40	0.0	0.0	389.9	389.9	0.0	389.9	0.0	0	0.0	0	0	84	84
41	0.0	0.0	389.9	389.9	0.0	389.9	0.0	0	0.0	0	0	84	84
42	0.0	0.0	389.9	389.9	0.0	389.9	0.0	0	0.0	0	0	84	84
43	0.0	0.0	389.9	389.9	0.0	389.9	0.0	0	0.0	0	0	84	84
44	0.0	0.0	167.1	167.1	0.0	167.1	0.0	0	0.0	0	0	35	35
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	2443.0	19252.0	18149.4	39844.4	6580.2	33265.1	2.0	496	4.3	1860	3292	7489	10781

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	2402.0	6290.0	5570.0	2113.0	1728.0	0.0	0.0	18103.0
PERCENT	0.0	19.4	36.4	92.6	100.0	100.0	0.0	0.0	45.8

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 51

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	34.0	0.0	34.0	0.0	34.0	0.0	0	3.8	4	0	7	7
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
23	6.0	46.0	10.1	62.1	7.1	55.0	0.0	0	0.0	0	3	13	16
24	0.0	0.0	3.5	3.5	0.1	3.4	0.0	0	0.0	0	0	1	1
25	200.0	5985.0	348.5	6533.5	207.4	6326.1	2.5	61	4.2	1103	107	1459	1566
26	2437.0	23352.0	1717.6	27506.6	2560.5	24946.1	2.1	940	4.5	4336	1290	5544	6834
27	6820.0	28023.0	3311.4	38154.4	7316.5	30837.9	1.8	2871	4.5	4787	4006	6885	10891
28	4629.0	10074.0	1512.2	16215.2	5051.7	11163.5	1.9	1720	4.7	1609	2569	2399	4968
29	12203.0	11124.0	1495.2	24822.2	12894.5	11927.7	2.1	4426	4.9	1711	6318	2459	8777
30	3737.0	3478.0	960.4	8175.4	4176.0	3999.4	1.9	1505	4.7	576	2203	900	3103
31	30.0	163.0	1248.0	1441.0	369.3	1071.7	2.1	14	5.5	19	186	232	418
32	5.0	14.0	1415.4	1434.4	305.9	1128.5	1.7	3	4.7	3	154	246	400
33	0.0	0.0	1275.4	1275.4	58.8	1216.6	0.0	0	0.0	0	29	267	296
34	0.0	0.0	1275.4	1275.4	319.1	956.8	0.0	0	0.0	0	160	208	368
35	0.0	0.0	1013.8	1013.8	253.7	760.6	0.0	0	0.0	0	129	163	292
36	0.0	0.0	359.8	359.8	90.1	269.9	0.0	0	0.0	0	45	58	103
37	0.0	0.0	359.8	359.8	0.0	359.8	0.0	0	0.0	0	0	78	78
38	0.0	0.0	359.8	359.8	0.0	359.8	0.0	0	0.0	0	0	78	78
39	0.0	0.0	359.8	359.8	0.0	359.8	0.0	0	0.0	0	0	78	78
40	0.0	0.0	61.6	61.6	0.0	61.6	0.0	0	0.0	0	0	13	13
41	0.0	0.0	61.6	61.6	0.0	61.6	0.0	0	0.0	0	0	13	13
42	0.0	0.0	61.6	61.6	0.0	61.6	0.0	0	0.0	0	0	13	13
43	0.0	0.0	61.6	61.6	0.0	61.6	0.0	0	0.0	0	0	13	13
44	0.0	0.0	26.4	26.4	0.0	26.4	0.0	0	0.0	0	0	5	5
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	30067.0	82293.0	17298.9	129658.9	33610.7	96049.4	2.0	11540	4.5	14148	17199	21132	38331

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	1757.0	7635.0	6102.0	1546.0	272.0	0.0	0.0	17312.0
PERCENT	0.0	9.7	9.2	98.3	100.0	100.0	0.0	0.0	15.8

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 52

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
23	0.0	0.0	52.8	52.8	2.8	50.0	0.0	0	0.0	0	0	10	10
24	0.0	4.0	61.8	65.8	3.7	62.1	0.0	0	4.0	1	1	13	14
25	3.0	87.0	68.3	158.3	3.8	154.5	3.0	1	4.6	19	2	34	36
26	266.0	5803.0	665.1	6734.1	298.5	6435.6	2.5	104	4.5	1242	149	1430	1579
27	1955.0	23702.0	1077.5	26734.5	2068.9	24665.6	2.1	847	4.5	4848	997	5524	6521
28	5146.0	20302.0	1212.8	26660.8	5438.0	21222.8	1.9	2295	4.5	3474	2834	4826	7660
29	11684.0	16382.0	1058.0	29124.0	12112.6	17011.4	1.9	5712	4.8	2905	6376	3614	9990
30	9846.0	7709.0	902.7	18457.7	10242.8	8214.9	2.0	4445	4.7	1345	5059	1781	6840
31	3780.0	2696.0	629.0	7105.0	4064.3	3040.7	1.7	2120	3.7	687	2320	802	3122
32	1665.0	665.0	212.0	2542.0	1787.5	754.5	2.0	797	5.0	130	882	148	1030
33	368.0	249.0	91.2	708.2	409.2	299.0	2.3	155	5.3	39	180	65	245
34	235.0	226.0	80.3	541.3	262.9	278.4	2.0	115	4.6	49	130	60	190
35	162.0	97.0	49.8	308.8	175.6	133.2	1.8	89	5.1	19	94	28	122
36	27.0	31.0	17.5	75.5	28.6	46.9	1.9	14	5.2	6	15	10	25
37	0.0	0.0	17.5	17.5	4.8	12.7	0.0	0	0.0	0	2	3	5
38	0.0	0.0	17.5	17.5	2.6	14.9	0.0	0	0.0	0	1	3	4
39	0.0	0.0	17.5	17.5	4.7	12.8	0.0	0	0.0	0	2	3	5
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	35137.0	77953.0	6231.3	119321.3	36911.3	82410.0	..9	16694	4.5	14764	19044	18354	37398

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	662.0	4658.0	836.0	76.0	0.0	0.0	0.0	6232.0
PERCENT	0.0	17.4	5.2	9.5	100.0	0.0	0.0	0.0	6.1

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

SECTION : 53

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
27	41.0	345.0	0.0	386.0	41.0	345.0	1.6	5	5.5	12	21	75	96
28	829.0	7252.0	0.0	8081.0	829.0	7252.0	2.6	5	4.4	43	417	1576	1993
29	2170.0	12351.0	0.0	14521.0	2170.0	12351.0	2.2	22	4.7	66	1088	2685	3773
30	3481.0	10031.0	0.0	13512.0	3481.0	10031.0	2.0	9	4.7	54	1743	2180	3923
31	3883.0	9268.0	129.8	13280.8	3912.3	9368.5	2.0	9	4.1	45	1960	2035	3995
32	3185.0	5396.0	19.6	8600.6	3193.4	5407.2	2.2	6	5.0	12	1600	1175	2775
33	2731.0	5182.0	88.4	8001.4	2763.8	5237.6	2.3	3	4.5	2	1385	1136	2521
34	1441.0	2947.0	66.8	4454.8	1465.0	2989.8	0.0	0	0.0	0	734	650	1384
35	979.0	3464.0	145.0	4588.0	1003.2	3584.8	2.0	1	4.2	6	504	779	1283
36	491.0	2016.0	0.0	2507.0	491.0	2016.0	0.0	0	0.0	0	248	438	686
37	210.0	720.0	0.0	930.0	210.0	720.0	0.0	0	0.0	0	105	156	261
38	113.0	798.0	0.0	911.0	113.0	798.0	0.0	0	0.0	0	58	173	231
39	70.0	620.0	0.0	690.0	70.0	620.0	0.0	0	0.0	0	36	136	172
40	11.0	120.0	0.0	131.0	11.0	120.0	0.0	0	0.0	0	6	26	32
41	3.0	82.0	0.0	85.0	3.0	82.0	0.0	0	0.0	0	2	18	20
42	0.0	6.0	0.0	6.0	0.0	6.0	0.0	0	0.0	0	0	1	1
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	19638.0	60598.0	449.6	80685.6	19756.7	60928.9	2.1	60	4.6	240	9907	13239	23146

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	0.0	0.0	450.0	0.0	0.0	0.0	0.0	450.0
PERCENT	0.0	0.0	0.0	12.2	0.0	0.0	0.0	0.0	11.9

Appendix 3 -- 1983 Atlantic Salmon Commercial Catch - Statistical Area

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

STAT AREA : A

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	13.3	13.3	0.0	13.3	0.0	0	0.0	0	0	3	3
21	17.0	51.0	13.3	81.3	17.0	64.3	1.9	9	4.6	11	9	14	23
22	12.0	20.0	62.4	94.4	32.8	61.6	0.0	0	0.0	0	18	13	31
23	160.0	1271.0	527.6	1958.6	230.7	1728.0	2.1	68	4.3	147	120	386	506
24	1454.0	8592.0	1164.9	11210.9	1651.5	9559.4	2.0	424	4.4	947	886	2129	3015
25	10323.0	26452.0	3023.8	39798.8	11193.3	28605.5	1.9	3110	4.4	3125	5951	6395	12346
26	19510.0	23471.0	3649.6	46630.6	21163.3	25467.3	1.9	5509	4.5	2952	11458	5586	17044
27	26774.0	12832.0	3743.7	43349.7	29181.9	14167.8	1.8	9330	4.7	1521	16161	3065	19226
28	23747.0	7755.0	2252.5	33754.5	25414.0	8340.5	1.8	8502	4.7	788	14349	1767	16116
29	7891.0	2921.0	1162.3	11974.3	8752.3	3222.0	1.8	2705	4.7	243	4900	687	5587
30	1990.0	1121.0	789.3	3900.3	2567.4	1332.9	1.9	785	4.9	151	1406	289	1695
31	96.0	93.0	378.0	567.0	345.6	221.4	1.8	38	6.1	7	191	47	238
32	83.0	21.0	279.5	383.5	207.3	176.2	1.8	17	0.0	0	115	38	153
33	63.0	133.0	236.3	432.3	186.0	246.3	1.8	16	4.5	2	105	55	160
34	0.0	7.0	221.4	228.4	104.0	124.4	0.0	0	7.0	1	55	28	83
35	0.0	0.0	157.0	157.0	44.9	112.4	0.0	0	0.0	0	26	24	50
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	71.4	71.4	0.0	71.4	0.0	0	0.0	0	0	14	14
41	0.0	0.0	71.4	71.4	0.0	71.4	0.0	0	0.0	0	0	14	14
42	0.0	0.0	71.4	71.4	0.0	71.4	0.0	0	0.0	0	0	14	14
43	0.0	0.0	71.4	71.4	0.0	71.4	0.0	0	0.0	0	0	14	14
44	0.0	0.0	119.0	119.0	0.0	119.0	0.0	0	0.0	0	0	27	27
45	0.0	0.0	154.7	154.7	0.0	154.7	0.0	0	0.0	0	0	34	34
46	0.0	0.0	154.7	154.7	0.0	154.7	0.0	0	0.0	0	0	34	34
47	0.0	0.0	154.7	154.7	0.0	154.7	0.0	0	0.0	0	0	34	34
48	0.0	0.0	110.5	110.5	0.0	110.5	0.0	0	0.0	0	0	24	24
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	92120.0	84740.0	18654.1	195514.1	101092.0	94422.5	1.8	30513	4.5	9895	55750	20735	76485

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	112.0	8058.0	8456.0	1080.0	0.0	313.0	666.0	0.0	18685.0
PERCENT	90.3	9.7	9.1	79.1	0.0	100.0	100.0	0.0	10.5

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

STAT AREA : B

WEEK	CATCH (KG) SMALL	CATCH (KG) LARGE	CATCH (KG) UNSIZED	CATCH (KG) TOTAL	ADJUSTED CATCH (KG) * SMALL	ADJUSTED CATCH (KG) * LARGE	MEAN WEIGHT (KG) SMALL WEIGHT	MEAN WEIGHT (KG) SMALL SMPL SIZE	MEAN WEIGHT (KG) LARGE WEIGHT	MEAN WEIGHT (KG) LARGE SMPL SIZE	ESTIMATED NUMBERS + SMALL	ESTIMATED NUMBERS + LARGE	ESTIMATED NUMBERS + TOTAL
20	0.0	29.0	35.7	64.7	1.4	63.3	0.0	0	0.0	0	1	16	17
21	51.0	104.0	35.7	190.7	51.0	139.7	0.0	0	0.0	0	26	32	58
22	382.0	380.0	88.2	850.2	415.7	434.5	0.0	0	3.8	13	208	100	308
23	539.0	1034.0	2933.6	4506.6	937.0	3569.6	1.9	49	3.5	85	474	813	1287
24	1506.0	3862.0	4319.3	9687.3	2707.4	6979.9	1.0	93	4.1	113	1656	1581	3237
25	4551.0	5652.0	5384.1	15587.1	7138.4	8448.7	1.9	743	4.5	587	3602	1905	5507
26	6832.0	4069.0	7045.0	17946.0	11004.8	6941.2	1.9	1922	4.2	525	5628	1624	7252
27	7339.0	2550.0	10324.4	20213.4	14744.3	5469.1	1.9	2434	4.7	327	7382	1219	8601
28	9265.0	3092.0	6751.3	19108.3	14016.8	5091.5	2.0	2624	4.5	413	6949	1162	8111
29	4861.0	1303.0	5460.5	11624.5	8930.3	2694.2	2.0	959	4.3	135	4457	607	5064
30	3591.0	850.0	5405.7	9846.7	7125.4	2721.3	2.0	508	3.9	64	3567	612	4179
31	1536.0	882.0	2782.6	5200.6	2586.1	2614.5	2.0	153	4.0	38	1291	598	1889
32	340.0	133.0	1697.8	2170.8	971.3	1199.8	2.1	102	3.4	27	491	270	761
33	503.0	213.0	5774.6	6490.6	2227.4	4263.5	1.9	175	4.7	28	1120	968	2088
34	235.0	140.0	1481.0	1856.0	698.4	1158.3	2.1	14	5.2	6	354	261	615
35	114.0	0.0	1113.4	1227.4	392.7	835.7	0.0	0	0.0	0	194	190	384
36	92.0	90.0	442.4	624.4	202.9	422.1	0.0	0	0.0	0	101	98	199
37	19.0	0.0	442.4	461.4	19.0	442.4	0.0	0	0.0	0	10	102	112
38	214.0	43.0	442.4	699.4	214.0	485.4	0.0	0	0.0	0	107	112	219
39	60.0	0.0	442.4	502.4	60.0	442.4	0.0	0	0.0	0	30	102	132
40	14.0	108.0	130.9	252.9	23.9	229.0	0.0	0	0.0	0	12	53	65
41	75.0	29.0	68.7	172.7	84.9	87.8	1.8	33	4.1	7	43	21	64
42	0.0	0.0	58.8	58.8	0.0	58.8	0.0	0	0.0	0	0	14	14
43	0.0	0.0	58.8	58.8	0.0	58.8	0.0	0	0.0	0	0	14	14
44	0.0	16.0	140.0	156.0	0.0	156.0	0.0	0	0.0	0	0	36	36
45	0.0	0.0	200.9	200.9	0.0	200.9	0.0	0	0.0	0	0	46	46
46	0.0	0.0	200.9	200.9	0.0	200.9	0.0	0	0.0	0	0	46	46
47	0.0	0.0	200.9	200.9	0.0	200.9	0.0	0	0.0	0	0	46	46
48	0.0	0.0	149.5	149.5	0.0	149.5	0.0	0	0.0	0	0	35	35
49	0.0	0.0	21.0	21.0	0.0	21.0	0.0	0	0.0	0	0	5	5
50	0.0	0.0	21.0	21.0	0.0	21.0	0.0	0	0.0	0	0	5	5
51	0.0	0.0	21.0	21.0	0.0	21.0	0.0	0	0.0	0	0	5	5
52	0.0	0.0	24.0	24.0	0.0	24.0	0.0	0	0.0	0	0	5	5
TOTAL	42119.0	24579.0	63698.9	130396.9	74553.1	55846.7	2.0	9809	4.3	2368	37703	12703	50406

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	154.0	17914.0	29011.0	7558.0	1895.0	340.0	864.0	93.0	57829.0
PERCENT	100.0	40.9	43.8	57.6	100.0	74.6	100.0	100.0	45.6

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

STAT AREA : C

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	171.0	834.7	1005.7	5.9	999.8	0.0	0	4.7	19	0	234	234
21	79.0	584.0	963.7	1626.7	116.6	1510.1	1.9	41	4.6	45	55	354	409
22	21.0	517.0	559.4	1097.4	35.9	1061.5	2.0	1	4.5	79	19	242	261
23	231.0	5176.0	1665.7	7072.7	310.9	6761.8	2.3	61	4.1	855	153	1601	1754
24	3159.0	5806.0	1867.2	10832.2	3519.5	7312.7	1.9	1044	4.2	765	1795	1730	3525
25	5581.0	4270.0	2373.6	12224.6	6674.2	5550.4	1.9	2001	4.6	545	3452	1270	4722
26	3086.0	1518.0	1933.4	6537.4	4277.1	2260.3	2.0	1184	4.3	204	2161	537	2698
27	1441.0	582.0	2017.9	4040.9	2742.6	1298.3	2.0	492	5.0	43	1370	300	1670
28	2021.0	482.0	1103.2	3606.2	2884.0	722.2	1.9	657	4.5	29	1493	167	1660
29	1764.0	315.0	1412.6	3491.6	2620.5	871.2	2.1	524	3.9	39	1285	200	1485
30	1386.0	185.0	1754.1	3325.1	2651.4	673.7	2.1	598	3.8	39	1299	158	1457
31	662.0	110.0	352.1	1124.1	870.5	254.0	1.6	362	4.0	21	502	58	560
32	196.0	14.0	48.3	258.3	208.3	50.1	2.2	77	4.7	3	92	11	103
33	27.0	0.0	48.3	75.3	39.3	36.1	1.6	17	0.0	0	17	8	25
34	29.0	0.0	48.3	77.3	41.3	36.1	1.5	6	0.0	0	18	8	26
35	94.0	0.0	34.5	128.5	102.5	26.1	2.0	27	0.0	0	49	3	52
36	8.0	0.0	0.0	8.0	8.0	0.0	0.0	0	0.0	0	4	0	4
37	6.0	0.0	0.0	6.0	6.0	0.0	2.0	3	0.0	0	3	0	3
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	16.1	16.1	0.0	16.1	0.0	0	0.0	0	0	4	4
41	0.0	0.0	16.1	16.1	0.0	16.1	0.0	0	0.0	0	0	4	4
42	0.0	0.0	16.1	16.1	0.0	16.1	0.0	0	0.0	0	0	4	4
43	0.0	0.0	16.1	16.1	0.0	16.1	0.0	0	0.0	0	0	4	4
44	0.0	0.0	28.1	28.1	0.0	28.1	0.0	0	0.0	0	0	7	7
45	0.0	0.0	37.1	37.1	0.0	37.1	0.0	0	0.0	0	0	9	9
46	0.0	0.0	37.1	37.1	0.0	37.1	0.0	0	0.0	0	0	9	9
47	0.0	0.0	37.1	37.1	0.0	37.1	0.0	0	0.0	0	0	9	9
48	0.0	0.0	26.5	26.5	0.0	26.5	0.0	0	0.0	0	0	6	6
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	19791.0	19730.0	17247.3	56768.3	27114.5	29654.7	2.0	7095	4.3	2686	13767	6937	20704

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	3767.0	7109.0	7230.0	202.0	0.0	71.0	160.0	0.0	18539.0
PERCENT	78.6	20.0	48.2	100.0	0.0	100.0	100.0	0.0	33.2

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

STAT AREA : D

	------------ CATCH (KG)			------------	ADJUSTED CATCH (KG) *		--------- MEAN WEIGHT (KG) SMALL		LARGE	---------	ESTIMATED NUMBERS +		
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	108.0	266.0	374.0	8.8	365.2	0.0	0	4.8	11	1	83	84
21	17.0	488.0	376.6	881.6	35.7	845.9	0.0	0	4.2	39	18	188	206
22	32.0	1216.0	1159.0	2407.0	192.6	2214.5	2.5	12	4.2	155	107	505	612
23	18.0	1197.0	862.8	2077.8	114.9	1962.9	2.5	2	4.4	102	64	430	494
24	55.0	2384.0	955.1	3394.1	236.9	3157.2	1.9	18	4.4	119	133	699	832
25	550.0	1230.0	804.8	2584.8	1013.7	1571.1	1.8	174	4.8	153	581	333	914
26	831.0	540.0	1813.2	3184.2	1618.5	1565.7	1.7	314	4.7	21	929	342	1271
27	1023.0	405.0	1136.3	2564.3	1867.1	697.2	1.8	304	4.8	21	1046	153	1199
28	948.0	397.0	935.7	2280.7	1531.2	749.5	1.9	281	4.3	16	862	162	1024
29	657.0	740.0	960.0	2357.0	1056.8	1300.3	1.8	48	0.0	0	588	285	873
30	822.0	191.0	822.7	1835.7	1413.5	422.7	1.9	137	0.0	0	782	92	874
31	525.0	48.0	2019.7	2592.7	1486.4	1107.1	2.0	49	3.0	3	823	248	1071
32	180.0	9.0	615.1	804.1	462.0	342.1	0.0	0	0.0	0	254	76	330
33	9.0	3.0	611.8	623.8	247.7	376.1	0.0	0	0.0	0	137	83	220
34	0.0	152.0	665.8	817.8	142.8	675.4	0.0	0	0.0	0	79	149	228
35	0.0	0.0	464.2	464.2	108.1	356.6	0.0	0	0.0	0	59	81	140
36	0.0	0.0	95.2	95.2	21.1	74.1	0.0	0	0.0	0	10	17	27
37	0.0	0.0	95.2	95.2	0.0	95.2	0.0	0	0.0	0	0	20	20
38	0.0	0.0	95.2	95.2	0.0	95.2	0.0	0	0.0	0	0	20	20
39	0.0	0.0	95.2	95.2	0.0	95.2	0.0	0	0.0	0	0	20	20
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	5667.0	9108.0	14849.6	29624.6	11557.8	18069.2	1.8	1339	4.5	640	6473	3986	10459

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	----------------------			LOCAL SALES (KG)			----------------------		
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	1509.0	3529.0	4332.0	3181.0	407.0	0.0	0.0	0.0	12958.0
PERCENT	54.3	35.9	45.5	89.5	100.0	0.0	0.0	0.0	49.7

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

STAT AREA : E

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	1951.6	1951.6	392.4	1559.2	0.0	0	0.0	0	208	343	551
21	0.0	0.0	1951.6	1951.6	503.7	1447.9	0.0	0	0.0	0	265	322	587
22	0.0	23.0	1387.2	1410.2	219.4	1190.8	0.0	0	0.0	0	117	265	382
23	0.0	0.0	2112.0	2112.0	720.5	1391.5	0.0	0	0.0	0	384	310	694
24	0.0	0.0	2166.5	2166.5	350.9	1815.6	0.0	0	0.0	0	188	399	587
25	0.0	19.0	3754.3	3773.3	1388.4	2384.9	0.0	0	0.0	0	729	526	1255
26	9.0	21.0	2145.1	2175.1	1163.0	1012.1	0.0	0	0.0	0	612	225	837
27	17.0	10.0	851.9	878.9	632.7	246.2	2.4	7	5.0	2	337	57	394
28	0.0	56.0	954.8	1010.8	455.8	555.0	0.0	0	8.3	3	236	125	361
29	0.0	0.0	651.7	651.7	322.5	329.2	0.0	0	0.0	0	168	71	239
30	4.0	23.0	780.3	807.3	310.1	497.2	0.0	0	0.0	0	163	106	269
31	6.0	0.0	186.2	192.2	53.8	140.9	0.0	0	0.0	0	20	34	54
32	0.0	22.0	0.0	22.0	0.0	22.0	0.0	0	4.8	4	0	5	5
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	36.0	174.0	18893.2	19103.2	6513.2	12592.5	2.4	7	6.0	9	3427	2788	6215

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	8937.0	10029.0	3509.0	0.0	0.0	0.0	0.0	0.0	22475.0
PERCENT	99.7	99.1	96.2	0.0	0.0	0.0	0.0	0.0	98.9

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

STAT AREA : F

WEEK	CATCH (KG) • SMALL	LARGE	UNSIZED	TOTAL	ADJUSTED CATCH (KG) * SMALL	LARGE	MEAN WEIGHT (KG) SMALL WEIGHT	SMALL SMPL SIZE	LARGE WEIGHT	LARGE SMPL SIZE	ESTIMATED NUMBERS + SMALL	LARGE	TOTAL
20	0.0	0.0	572.5	572.5	116.6	455.9	0.0	0	0.0	0	62	107	169
21	0.0	190.0	1053.2	1243.2	43.2	1200.1	0.0	0	4.0	32	23	278	301
22	0.0	133.0	376.2	509.2	1.0	508.2	0.0	0	0.0	0	0	116	116
23	0.0	572.0	2805.7	3377.7	115.4	3262.3	0.0	0	4.6	18	61	759	820
24	233.0	549.0	3318.6	4100.6	781.4	3319.2	2.3	8	4.9	11	413	774	1187
25	659.0	444.0	2974.9	4077.9	1728.1	2349.8	2.0	68	4.4	32	901	548	1449
26	1121.0	130.0	2922.5	4173.5	3102.8	1070.7	1.8	31	4.6	7	1633	249	1882
27	401.0	189.0	945.7	1535.7	780.3	755.4	1.8	84	4.0	3	416	175	591
28	472.0	238.0	843.4	1553.4	869.2	684.2	2.0	40	3.3	3	456	158	614
29	346.0	128.0	615.9	1089.9	728.0	362.3	1.9	46	0.0	0	383	83	466
30	300.0	15.0	575.8	890.8	717.5	173.7	2.2	16	3.0	2	375	40	415
31	157.0	42.0	172.6	371.6	278.0	93.6	0.0	0	0.0	0	148	21	169
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	20.0	0.0	20.0	0.0	20.0	0.0	0	0.0	0	0	5	5
34	7.0	0.0	0.0	7.0	7.0	0.0	0.0	0	0.0	0	4	0	4
35	2.0	9.0	0.0	11.0	2.0	9.0	0.0	0	0.0	0	1	2	3
36	0.0	9.0	0.0	9.0	0.0	9.0	0.0	0	0.0	0	0	2	2
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	3698.0	2668.0	17177.0	23543.0	9270.5	14273.4	1.9	293	4.3	108	4876	3317	8193

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	1985.0	9548.0	3090.0	0.0	0.0	0.0	0.0	0.0	14623.0
PERCENT	71.5	61.1	61.4	0.0	0.0	0.0	0.0	0.0	62.4

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

STAT AREA : G

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG) SMALL		MEAN WEIGHT (KG) LARGE		ESTIMATED NUMBERS +		
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	15.4	15.4	11.5	3.9	0.0	0	0.0	0	6	1	7
21	0.0	0.0	15.4	15.4	11.5	3.9	0.0	0	0.0	0	5	1	7
22	0.0	0.0	8.8	8.8	6.6	2.2	0.0	0	0.0	0	4	0	4
23	0.0	0.0	358.2	358.2	243.9	114.9	0.0	0	0.0	0	128	27	155
24	0.0	0.0	1162.9	1162.9	844.5	319.1	0.0	0	0.0	0	444	71	515
25	238.0	150.0	645.2	1033.2	670.8	362.4	0.0	0	0.0	0	354	79	433
26	297.0	43.0	1565.0	1905.0	1614.2	290.8	0.0	0	0.0	0	850	67	917
27	0.0	0.0	946.4	946.4	795.8	150.6	0.0	0	0.0	0	419	31	450
28	0.0	0.0	946.4	946.4	828.1	118.4	0.0	0	0.0	0	439	28	467
29	0.0	0.0	946.4	946.4	836.2	110.3	0.0	0	0.0	0	443	26	469
30	0.0	0.0	946.4	946.4	851.7	94.8	0.0	0	0.0	0	451	22	473
31	0.0	0.0	346.9	346.9	298.9	48.0	0.0	0	0.0	0	157	8	165
32	0.0	150.0	274.1	424.1	97.2	327.2	0.0	0	0.0	0	51	73	124
33	0.0	0.0	107.1	107.1	97.2	10.2	0.0	0	0.0	0	51	3	54
34	0.0	0.0	107.1	107.1	97.2	10.2	0.0	0	0.0	0	51	3	54
35	0.0	0.0	76.5	76.5	69.5	7.4	0.0	0	0.0	0	37	3	40
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	535.0	343.0	8468.2	9346.2	7374.8	1974.3	0.0	0	0.0	0	3891	443	4334

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	68.0	2487.0	4779.0	641.0	0.0	0.0	0.0	0.0	7975.0
PERCENT	100.0	67.9	98.5	81.0	0.0	0.0	0.0	0.0	85.0

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

STAT AREA : H

WEEK	CATCH (KG) SMALL	CATCH (KG) LARGE	CATCH (KG) UNSIZED	CATCH (KG) TOTAL	ADJUSTED CATCH (KG)* SMALL	ADJUSTED CATCH (KG)* LARGE	MEAN WEIGHT (KG) SMALL WEIGHT	MEAN WEIGHT (KG) SMALL SMPL SIZE	MEAN WEIGHT (KG) LARGE WEIGHT	MEAN WEIGHT (KG) LARGE SMPL SIZE	ESTIMATED NUMBERS+ SMALL	ESTIMATED NUMBERS+ LARGE	ESTIMATED NUMBERS+ TOTAL
20	0.0	8.0	179.2	187.2	0.0	187.2	0.0	0	8.0	1	0	41	41
21	0.0	0.0	179.2	179.2	0.0	179.2	0.0	0	0.0	0	0	39	39
22	0.0	12.0	124.6	136.6	17.5	119.1	0.0	0	0.0	0	10	27	37
23	42.0	147.0	1721.7	1910.7	290.3	1620.4	1.8	4	5.0	2	153	360	513
24	252.0	77.0	2291.5	2620.5	960.9	1659.6	0.0	0	0.0	0	506	366	872
25	372.0	344.0	3254.2	3970.2	1629.3	2340.9	2.5	2	5.0	2	858	521	1379
26	482.0	1025.0	4702.1	6209.1	2305.1	3904.0	1.7	29	5.0	3	1212	867	2079
27	511.0	198.0	1692.2	2401.2	1572.5	828.7	2.3	4	5.5	2	828	185	1013
28	111.0	66.0	1322.5	1499.5	944.4	555.1	2.0	5	5.0	2	496	123	619
29	8.0	77.0	1161.0	1246.0	824.2	422.1	0.0	0	0.0	0	435	92	527
30	117.0	0.0	1070.3	1187.3	1054.2	133.4	0.0	0	0.0	0	554	29	583
31	0.0	0.0	282.0	282.0	253.0	29.0	0.0	0	0.0	0	132	3	135
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	1895.0	1954.0	17980.5	21829.5	9851.4	11978.7	1.8	44	5.3	12	5184	2653	7837

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	791.0	10149.0	7319.0	0.0	0.0	0.0	0.0	0.0	18259.0
PERCENT	100.0	82.3	86.8	0.0	0.0	0.0	0.0	0.0	84.7

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

STAT AREA : 1

WEEK	CATCH (KG) * SMALL	CATCH (KG) LARGE	CATCH (KG) UNSIZED	CATCH (KG) TOTAL	ADJUSTED CATCH (KG) * SMALL	ADJUSTED CATCH (KG) LARGE	MEAN WEIGHT (KG) SMALL WEIGHT	MEAN WEIGHT (KG) SMALL SMPL SIZE	MEAN WEIGHT (KG) LARGE WEIGHT	MEAN WEIGHT (KG) LARGE SMPL SIZE	ESTIMATED NUMBERS + SMALL	ESTIMATED NUMBERS LARGE	ESTIMATED NUMBERS TOTAL
20	0.0	0.0	167.3	167.3	40.1	127.3	0.0	0	0.0	0	21	29	50
21	0.0	0.0	167.3	167.3	39.7	127.7	0.0	0	0.0	0	21	29	50
22	0.0	990.0	152.6	1142.6	22.9	1119.7	0.0	0	0.0	0	12	249	261
23	3.0	5.0	985.4	993.4	236.1	758.5	0.0	0	0.0	0	125	167	292
24	0.0	0.0	1107.4	1107.4	475.0	632.4	0.0	0	0.0	0	251	140	391
25	303.0	116.0	1390.4	1809.4	764.0	1045.6	0.0	0	0.0	0	401	229	630
26	338.0	204.0	2379.8	2921.8	1428.5	1493.3	0.0	0	0.0	0	749	332	1081
27	410.0	0.0	807.6	1217.6	1176.6	41.0	0.0	0	0.0	0	619	8	627
28	0.0	343.0	836.9	1179.9	609.4	570.5	0.0	0	0.0	0	322	124	446
29	0.0	65.0	704.4	769.4	612.8	156.6	0.0	0	0.0	0	323	31	354
30	0.0	0.0	665.0	665.0	609.9	55.2	0.0	0	0.0	0	322	9	331
31	0.0	0.0	220.0	220.0	201.2	18.9	0.0	0	0.0	0	106	4	110
32	0.0	0.0	42.0	42.0	37.9	4.2	0.0	0	0.0	0	21	0	21
33	0.0	0.0	42.0	42.0	37.9	4.2	0.0	0	0.0	0	21	0	21
34	0.0	0.0	42.0	42.0	37.9	4.2	0.0	0	0.0	0	21	0	21
35	0.0	0.0	30.0	30.0	27.1	3.1	0.0	0	0.0	0	14	0	14
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	1054.0	1723.0	9740.1	12517.1	6357.0	6162.4	0.0	0	0.0	0	3349	1351	4700

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	744.0	5804.0	3299.0	185.0	0.0	0.0	0.0	0.0	10032.0
PERCENT	100.0	85.1	80.1	100.0	0.0	0.0	0.0	0.0	84.6

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

STAT AREA : J

WEEK	CATCH (KG) SMALL	CATCH (KG) LARGE	CATCH (KG) UNSIZED	CATCH (KG) TOTAL	ADJUSTED CATCH (KG)* SMALL	ADJUSTED CATCH (KG)* LARGE	MEAN WEIGHT (KG) SMALL WEIGHT	MEAN WEIGHT (KG) SMALL SMPL SIZE	MEAN WEIGHT (KG) LARGE WEIGHT	MEAN WEIGHT (KG) LARGE SMPL SIZE	ESTIMATED NUMBERS+ SMALL	ESTIMATED NUMBERS+ LARGE	ESTIMATED NUMBERS+ TOTAL
20	0.0	189.0	229.2	418.2	3.1	415.1	0.0	0	4.8	33	1	93	94
21	110.0	9996.0	3151.0	13257.0	201.7	13055.3	2.1	42	4.4	2208	105	2933	3038
22	357.0	9802.0	3488.9	13647.9	572.5	13075.4	2.0	89	4.2	1995	300	3091	3391
23	534.0	13527.0	1423.7	15484.7	697.5	14787.2	1.8	115	4.3	2367	368	3437	3805
24	1525.0	8127.0	2013.3	11665.3	2407.4	9257.9	1.8	414	4.5	1622	1291	2086	3377
25	3292.0	8873.0	2163.1	14328.1	4252.2	10075.9	1.9	1105	4.4	1647	2242	2270	4512
26	5453.0	2898.0	1725.3	10076.3	6588.5	3487.8	1.9	1624	4.3	395	3457	808	4265
27	3090.0	968.0	907.9	4965.9	3785.5	1180.4	1.9	1168	4.6	176	1993	265	2258
28	355.0	96.0	145.6	596.6	466.9	129.7	1.8	201	4.1	20	260	30	290
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	14716.0	54476.0	15248.0	84440.0	18975.3	65464.7	1.9	4758	4.4	10463	10017	15013	25030

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	3465.0	5395.0	1398.0	0.0	0.0	0.0	0.0	0.0	10258.0
PERCENT	15.6	9.9	35.0	0.0	0.0	0.0	0.0	0.0	12.7

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

STAT AREA : K

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	142.0	503.0	530.0	1175.0	198.0	977.0	1.7	63	3.7	92	128	253	381
23	634.0	1136.0	1243.3	3013.3	1153.1	1860.2	1.4	205	4.0	174	779	471	1250
24	1208.0	1253.0	1501.8	3962.8	1883.6	2079.2	1.5	364	3.7	115	1256	524	1780
25	1477.0	750.0	1764.9	3991.9	2490.9	1501.0	1.6	462	4.3	106	1611	379	1990
26	984.0	352.0	1813.7	3149.7	2397.7	752.0	1.5	327	4.6	42	1581	188	1769
27	2160.0	269.0	1302.4	3731.4	3104.9	626.5	0.0	0	3.7	3	2069	157	2226
28	21.0	0.0	751.2	772.2	537.4	234.8	0.0	0	0.0	0	357	57	414
29	0.0	0.0	746.2	746.2	194.3	551.9	0.0	0	0.0	0	128	139	267
30	0.0	0.0	746.2	746.2	373.7	373.7	0.0	0	0.0	0	246	96	342
31	0.0	0.0	213.2	213.2	106.6	106.6	0.0	0	0.0	0	73	25	98
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	6626.0	4263.0	10612.9	21501.9	12440.2	9062.9	1.6	1421	4.0	532	8228	2289	10517

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	6615.0	3968.0	0.0	0.0	0.0	0.0	0.0	10583.0
PERCENT	0.0	44.1	62.1	0.0	0.0	0.0	0.0	0.0	49.5

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

STAT AREA : L

	CATCH (KG)*				ADJUSTED CATCH* (KG)		MEAN WEIGHT (KG)				ESTIMATED NUMBERS+		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	42.0	95.0	11.9	148.9	46.1	102.8	1.6	25	4.8	13	24	21	45
23	29.0	264.0	324.2	617.2	60.8	556.4	3.0	1	5.3	16	32	117	149
24	298.0	308.0	520.6	1126.6	443.8	682.8	2.0	35	4.5	31	232	142	374
25	1508.0	318.0	459.1	2285.1	1739.2	545.9	1.9	288	5.0	34	901	115	1016
26	1286.0	106.0	462.0	1854.0	1598.4	255.6	1.9	362	5.1	13	841	52	893
27	2303.0	185.0	347.0	2835.0	2520.4	314.6	1.8	736	5.1	22	1358	63	1421
28	820.0	135.0	350.8	1305.8	1003.0	302.8	1.7	269	4.8	13	555	60	615
29	167.0	23.0	359.2	549.2	387.9	161.3	0.0	0	0.0	0	205	31	236
30	0.0	0.0	263.2	263.2	74.9	188.3	0.0	0	0.0	0	41	37	78
31	0.0	0.0	75.2	75.2	21.8	53.4	0.0	0	0.0	0	14	9	23
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	6453.0	1434.0	3173.2	11060.2	7896.3	3163.9	1.8	1716	4.9	142	4203	647	4850

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	1688.0	1350.0	0.0	0.0	0.0	0.0	0.0	3038.0
PERCENT	0.0	39.4	35.7	0.0	0.0	0.0	0.0	0.0	37.7

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

STAT AREA : M

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	11.0	0.0	11.0	0.0	11.0	0.0	0	0.0	0	0	2	2
22	0.0	14.0	340.0	354.0	85.1	269.1	0.0	0	4.7	3	48	60	108
23	14.0	65.0	722.1	801.1	206.1	595.2	0.0	0	5.2	10	115	134	249
24	91.0	202.0	847.9	1140.9	461.2	679.7	2.3	24	4.7	35	255	149	404
25	185.0	336.0	1842.6	2363.6	1238.9	1124.7	2.2	52	4.6	40	689	252	941
26	644.0	329.0	2009.6	2982.6	2077.0	905.6	1.9	114	4.3	43	1147	202	1349
27	841.0	114.0	6344.3	7299.3	6200.4	1098.9	1.7	209	4.4	18	3445	245	3690
28	1087.0	115.0	4431.6	5633.6	5065.7	567.9	1.9	359	4.3	26	2714	126	2840
29	1055.0	100.0	5429.1	6584.1	6134.4	449.7	1.7	528	4.6	21	3536	99	3635
30	0.0	0.0	1336.3	1336.3	776.8	559.6	0.0	0	0.0	0	431	123	554
31	89.0	36.0	695.6	820.6	480.8	339.9	1.7	52	3.5	2	276	75	351
32	0.0	0.0	46.2	46.2	30.4	15.9	0.0	0	0.0	0	16	4	20
33	162.0	26.0	256.5	444.5	372.2	72.4	2.0	83	5.2	5	188	17	205
34	29.0	0.0	166.2	195.2	179.4	15.9	2.2	13	0.0	0	99	4	103
35	134.0	21.0	133.7	288.7	242.9	45.9	1.7	78	4.2	5	141	11	152
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	6.0	47.0	53.0	0.0	53.0	0.0	0	6.0	1	0	12	12
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	4331.0	1375.0	24648.7	30354.7	23551.3	6804.4	1.8	1512	4.5	209	13100	1515	14615

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	340.0	4682.0	18417.0	634.0	47.0	0.0	0.0	0.0	24120.0
PERCENT	96.0	66.4	84.2	63.0	88.7	0.0	0.0	0.0	79.5

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

STAT AREA : N

WEEK	CATCH (KG)				ADJUSTED CATCH (KG)*		MEAN WEIGHT (KG)				ESTIMATED NUMBERS+		
							SMALL		LARGE				
	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	9.0	14.0	0.0	23.0	9.0	14.0	2.3	4	4.7	3	5	3	8
23	0.0	0.0	42.6	42.6	40.4	2.2	0.0	0	0.0	0	22	0	22
24	0.0	0.0	49.7	49.7	29.8	19.9	0.0	0	0.0	0	16	4	20
25	30.0	110.0	156.0	296.0	82.1	213.9	2.3	12	3.8	18	43	51	94
26	344.0	197.0	381.2	922.2	609.2	313.0	1.8	46	4.0	23	321	75	396
27	445.0	471.0	292.1	1208.1	593.5	614.6	1.8	60	4.3	105	312	144	456
28	1061.0	270.0	265.5	1596.5	1251.4	345.1	2.0	132	4.2	50	653	82	735
29	1394.0	125.0	255.2	1774.2	1601.8	172.4	1.9	147	3.9	32	849	40	889
30	140.0	0.0	195.3	335.3	275.2	60.1	0.0	0	0.0	0	145	14	159
31	0.0	0.0	86.8	86.8	26.5	60.3	0.0	0	0.0	0	14	13	27
32	0.0	0.0	43.4	43.4	21.9	21.9	0.0	0	0.0	0	13	6	19
33	0.0	0.0	43.4	43.4	21.9	21.9	0.0	0	0.0	0	13	6	19
34	0.0	0.0	43.4	43.4	21.9	21.9	0.0	0	0.0	0	13	6	19
35	0.0	0.0	31.0	31.0	15.7	15.7	0.0	0	0.0	0	7	6	13
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	3423.0	1187.0	1885.6	6495.6	4600.3	1896.9	1.9	401	4.2	231	2426	450	2876

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	432.0	1093.0	190.0	0.0	0.0	0.0	0.0	1715.0
PERCENT	0.0	59.7	48.0	100.0	0.0	0.0	0.0	0.0	53.7

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

STAT AREA : 0

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	34.0	0.0	34.0	0.0	34.0	0.0	0	3.8	4	0	7	7
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
23	6.0	67.0	518.7	591.7	51.1	540.6	0.0	0	0.0	0	24	118	142
24	0.0	4.0	596.6	600.6	32.9	567.7	0.0	0	4.0	1	15	122	137
25	311.0	11581.0	1182.7	13074.7	338.2	12736.5	2.6	92	4.3	1711	173	2892	3065
26	2834.0	33741.0	3259.2	39834.2	3058.2	36776.0	2.1	1077	4.5	6055	1537	8160	9697
27	9556.0	57387.0	6236.4	73179.4	10547.1	62632.3	1.9	3871	4.5	10086	5588	13954	19542
28	11226.0	39589.0	4145.4	54960.4	12455.6	42504.8	1.9	4148	4.5	5363	6389	9641	16030
29	26440.0	40529.0	3816.4	70785.4	28152.3	42633.1	2.0	10265	4.8	4760	14268	9051	23319
30	17420.0	22016.0	3112.7	42548.7	18821.3	23727.4	2.0	6011	4.7	2015	9466	5184	14650
31	7786.0	12485.0	3366.1	23637.1	8976.2	14660.9	1.7	2143	3.8	751	4780	3326	8106
32	4865.0	6105.0	2880.3	13850.3	5686.6	8163.7	2.0	806	5.0	145	2836	1758	4594
33	3099.0	5431.0	2673.7	11203.7	3549.9	7653.8	2.3	158	5.3	41	1752	1665	3417
34	1676.0	3173.0	2641.2	7490.2	2352.0	5139.2	2.0	115	4.6	49	1177	1117	2294
35	1141.0	3561.0	2219.9	6921.9	1685.4	5237.2	1.8	90	4.9	25	854	1134	1988
36	518.0	2047.0	870.1	3435.1	733.0	2702.5	1.9	14	5.2	6	371	586	957
37	210.0	720.0	870.1	1800.1	214.8	1585.3	0.0	0	0.0	0	107	343	450
38	113.0	798.0	870.1	1781.1	115.6	1665.5	0.0	0	0.0	0	59	360	419
39	70.0	620.0	870.1	1560.1	74.7	1485.4	0.0	0	0.0	0	38	323	361
40	11.0	120.0	451.5	582.5	11.0	571.5	0.0	0	0.0	0	6	123	129
41	3.0	82.0	451.5	536.5	3.0	533.5	0.0	0	0.0	0	2	115	117
42	0.0	6.0	451.5	457.5	0.0	457.5	0.0	0	0.0	0	0	98	98
43	0.0	0.0	451.5	451.5	0.0	451.5	0.0	0	0.0	0	0	97	97
44	0.0	0.0	193.5	193.5	0.0	193.5	0.0	0	0.0	0	0	40	40
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	87285.0	240096.0	42129.2	369510.2	96858.9	272653.4	1.9	28790	4.5	31012	49442	60214	109656

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	4821.0	18583.0	12958.0	3735.0	2000.0	0.0	0.0	42097.0
PERCENT	0.0	14.1	9.8	52.4	97.5	100.0	0.0	0.0	16.6

Appendix 4 -- 1983 Atlantic Salmon Commercial Catch
- Management Area

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

MGMT AREA : LABRADOR (NFLD. REGION)

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	34.0	0.0	34.0	0.0	34.0	0.0	0	3.8	4	0	7	7
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
23	6.0	67.0	63.3	136.3	9.9	126.4	0.0	0	0.0	0	3	28	31
24	0.0	4.0	65.3	69.3	3.8	65.5	0.0	0	4.0	1	1	14	15
25	280.0	9422.0	509.3	10211.3	290.3	9921.0	2.6	83	4.3	1516	150	2246	2396
26	2815.0	32581.0	2549.2	37945.2	2976.0	34969.2	2.1	1070	4.5	5955	1497	7749	9246
27	9154.0	55672.0	4714.3	69540.3	9786.8	59753.5	1.8	3768	4.5	9916	5205	13332	18537
28	10980.0	39227.0	2878.0	53085.0	11720.2	41364.8	1.9	4067	4.5	5306	6021	9394	15415
29	26440.0	40529.0	2634.1	69603.1	27588.4	42014.7	2.0	10265	4.8	4760	13985	8916	22901
30	17420.0	22016.0	1930.4	41366.4	18278.7	23087.7	2.0	6011	4.7	2015	9195	5045	14240
31	7786.0	12485.0	2281.8	22552.8	8521.9	14030.9	1.7	2143	3.8	751	4554	3189	7743
32	4865.0	6105.0	1835.2	12805.2	5355.3	7449.9	2.0	806	5.0	145	2670	1604	4274
33	3099.0	5431.0	1628.6	10158.6	3277.1	6881.5	2.3	158	5.3	41	1616	1495	3111
34	1676.0	3173.0	1596.1	6445.1	2090.5	4355.2	2.0	115	4.6	49	1046	947	1993
35	1141.0	3561.0	1421.0	6123.0	1485.7	4637.9	1.8	90	4.9	25	753	1004	1757
36	518.0	2047.0	686.7	3251.7	687.0	2564.9	1.9	14	5.2	6	347	556	903
37	210.0	720.0	686.7	1616.7	214.8	1401.9	0.0	0	0.0	0	107	305	412
38	113.0	798.0	686.7	1597.7	115.6	1482.1	0.0	0	0.0	0	59	322	381
39	70.0	620.0	686.7	1376.7	74.7	1302.0	0.0	0	0.0	0	38	285	323
40	11.0	120.0	61.6	192.6	11.0	181.6	0.0	0	0.0	0	6	39	45
41	3.0	82.0	61.6	146.6	3.0	143.6	0.0	0	0.0	0	2	31	33
42	0.0	6.0	61.6	67.6	0.0	67.6	0.0	0	0.0	0	0	14	14
43	0.0	0.0	61.6	61.6	0.0	61.6	0.0	0	0.0	0	0	13	13
44	0.0	0.0	26.4	26.4	0.0	26.4	0.0	0	0.0	0	0	5	5
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	86587.0	234700.0	27126.2	348413.2	92490.7	255923.9	1.9	28590	4.5	30490	47255	56540	103795

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	2634.0	12966.0	8323.0	2946.0	272.0	0.0	0.0	27141.0
PERCENT	0.0	9.2	7.2	41.5	96.9	100.0	0.0	0.0	11.6

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

MGMT AREA : WEST (GULF REGION)

WEEK	CATCH (KG) SMALL	CATCH (KG) LARGE	CATCH (KG) UNSIZED	CATCH (KG) TOTAL	ADJUSTED CATCH (KG) * SMALL	ADJUSTED CATCH (KG) * LARGE	MEAN WEIGHT (KG) SMALL WEIGHT	MEAN WEIGHT (KG) SMALL SMPL SIZE	MEAN WEIGHT (KG) LARGE WEIGHT	MEAN WEIGHT (KG) LARGE SMPL SIZE	ESTIMATED NUMBERS + SMALL	ESTIMATED NUMBERS + LARGE	ESTIMATED NUMBERS + TOTAL
20	0.0	163.0	84.7	247.7	0.4	247.3	0.0	0	4.8	33	0	55	55
21	88.0	9676.0	2468.5	12232.5	142.5	12090.0	2.1	40	4.4	2178	74	2714	2788
22	435.0	8063.0	2519.9	11017.9	693.4	10324.7	1.8	152	4.2	1833	391	2469	2860
23	774.0	11372.0	3225.4	15371.4	1605.0	13766.7	1.5	257	4.3	2144	1024	3192	4216
24	2215.0	8475.0	4649.0	15339.0	3996.3	11342.7	1.7	729	4.4	1682	2397	2582	4979
25	4362.0	8934.0	5769.4	19065.4	7107.1	11958.3	1.8	1307	4.5	1508	4065	2718	6783
26	4825.0	3632.0	5814.0	14271.0	8519.3	5751.7	1.8	1530	4.4	533	4876	1314	6190
27	7791.0	3413.0	10282.3	21486.3	15200.4	6285.9	1.8	1793	4.6	443	8677	1396	10073
28	3519.0	949.0	7229.9	11697.9	8992.7	2705.2	1.8	1007	4.4	160	4875	599	5474
29	2616.0	248.0	8124.6	10988.6	9008.3	1980.3	1.8	675	4.2	53	5072	449	5521
30	140.0	0.0	3875.9	4015.9	2165.4	1851.8	0.0	0	0.0	0	1202	416	1618
31	89.0	36.0	2198.7	2323.7	1125.0	1198.8	1.7	52	3.5	2	623	260	883
32	0.0	0.0	1134.7	1134.7	383.6	751.6	0.0	0	0.0	0	195	164	359
33	162.0	26.0	1345.0	1533.0	666.9	866.6	2.0	83	5.2	5	337	193	530
34	29.0	0.0	1254.7	1283.7	462.8	821.8	2.2	13	0.0	0	243	180	423
35	134.0	21.0	963.6	1118.6	458.3	660.9	1.7	78	4.2	5	249	147	396
36	0.0	0.0	183.4	183.4	46.0	137.6	0.0	0	0.0	0	24	30	54
37	0.0	0.0	183.4	183.4	0.0	183.4	0.0	0	0.0	0	0	38	38
38	0.0	6.0	230.4	236.4	0.0	236.4	0.0	0	6.0	1	0	50	50
39	0.0	0.0	183.4	183.4	0.0	183.4	0.0	0	0.0	0	0	38	38
40	0.0	0.0	389.9	389.9	0.0	389.9	0.0	0	0.0	0	0	84	84
41	0.0	0.0	389.9	389.9	0.0	389.9	0.0	0	0.0	0	0	84	84
42	0.0	0.0	389.9	389.9	0.0	389.9	0.0	0	0.0	0	0	84	84
43	0.0	0.0	389.9	389.9	0.0	389.9	0.0	0	0.0	0	0	84	84
44	0.0	0.0	167.1	167.1	0.0	167.1	0.0	0	0.0	0	0	35	35
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	27179.0	55014.0	63447.6	145640.6	60573.4	85071.8	1.8	7716	4.4	10580	34324	19375	53699

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	1018.0	16848.0	31406.0	5459.0	836.0	1728.0	0.0	0.0	57295.0
PERCENT	5.7	25.7	72.3	93.6	99.3	100.0	0.0	0.0	42.3

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

MGMT AREA : NORTH

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	29.0	49.0	78.0	1.4	76.6	0.0	0	0.0	0	1	19	20
21	68.0	155.0	49.0	272.0	68.0	204.0	1.9	9	4.6	11	35	46	81
22	394.0	400.0	150.6	944.6	448.5	496.1	0.0	0	3.8	13	226	113	339
23	699.0	2305.0	3408.4	6412.4	1165.0	5247.4	2.0	117	4.0	232	593	1188	1781
24	2960.0	12454.0	5422.6	20836.6	4357.0	16479.6	1.8	517	4.4	1060	2541	3697	6238
25	14870.0	32095.0	8334.9	55299.9	18312.3	36987.6	1.9	3853	4.5	3710	9542	8285	17827
26	26183.0	27358.0	10404.5	63945.5	31880.9	32064.6	1.9	7345	4.5	3433	16931	7135	24066
27	34061.0	15367.0	13688.5	63116.5	43568.7	19547.8	1.8	11759	4.7	1847	23343	4265	27608
28	33012.0	10847.0	8851.2	52710.2	39323.4	13386.8	1.8	11126	4.6	1201	21238	2919	24157
29	12752.0	4224.0	6470.2	23446.2	17556.6	5889.6	1.9	3664	4.6	378	9286	1289	10575
30	5581.0	1971.0	6042.4	13594.4	9570.6	4023.8	1.9	1293	4.6	215	4905	894	5799
31	1632.0	975.0	3117.0	5724.0	2896.7	2827.3	2.0	191	4.3	45	1462	644	2106
32	423.0	154.0	1977.3	2554.3	1178.6	1376.0	2.1	119	3.4	27	606	308	914
33	566.0	346.0	6010.9	6922.9	2413.4	4509.8	1.9	191	4.7	30	1225	1023	2248
34	235.0	147.0	1702.4	2084.4	802.4	1282.7	2.1	14	5.4	7	409	289	698
35	114.0	0.0	1270.4	1384.4	437.6	948.1	0.0	0	0.0	0	220	214	434
36	92.0	90.0	442.4	624.4	202.9	422.1	0.0	0	0.0	0	101	98	199
37	19.0	0.0	442.4	461.4	19.0	442.4	0.0	0	0.0	0	10	102	112
38	214.0	43.0	442.4	699.4	214.0	485.4	0.0	0	0.0	0	107	112	219
39	60.0	0.0	442.4	502.4	60.0	442.4	0.0	0	0.0	0	30	102	132
40	14.0	108.0	202.3	324.3	23.9	300.4	0.0	0	0.0	0	12	67	79
41	75.0	29.0	140.1	244.1	84.9	159.2	1.8	33	4.1	7	43	35	78
42	0.0	0.0	130.2	130.2	0.0	130.2	0.0	0	0.0	0	0	28	28
43	0.0	0.0	130.2	130.2	0.0	130.2	0.0	0	0.0	0	0	28	28
44	0.0	16.0	259.0	275.0	0.0	275.0	0.0	0	0.0	0	0	63	63
45	0.0	0.0	355.6	355.6	0.0	355.6	0.0	0	0.0	0	0	80	80
46	0.0	0.0	355.6	355.6	0.0	355.6	0.0	0	0.0	0	0	80	80
47	0.0	0.0	355.6	355.6	0.0	355.6	0.0	0	0.0	0	0	80	80
48	0.0	0.0	260.0	260.0	0.0	260.0	0.0	0	0.0	0	0	59	59
49	0.0	0.0	21.0	21.0	0.0	21.0	0.0	0	0.0	0	0	5	5
50	0.0	0.0	21.0	21.0	0.0	21.0	0.0	0	0.0	0	0	5	5
51	0.0	0.0	21.0	21.0	0.0	21.0	0.0	0	0.0	0	0	5	5
52	0.0	0.0	24.0	24.0	0.0	24.0	0.0	0	0.0	0	0	5	5
TOTAL	134024.0	109113.0	80994.5	324131.5	174585.8	149548.9	1.9	40231	4.5	12216	92866	33282	126148

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	266.0	25518.0	36560.0	8638.0	1895.0	653.0	1530.0	93.0	75153.0
PERCENT	95.7	20.2	23.1	59.6	100.0	84.9	100.0	100.0	24.8

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

MGMT AREA : SOUTH

	CATCH (KG) *				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	34.0	491.0	525.0	42.8	482.3	0.0	0	8.0	1	22	108	130
21	22.0	331.0	1029.0	1382.0	98.9	1283.2	2.5	2	4.4	30	52	289	341
22	115.0	3367.0	2128.1	5610.1	257.7	5352.4	2.2	29	4.2	273	136	1235	1371
23	482.0	3772.0	3745.8	7999.8	1123.2	6877.8	1.9	68	4.1	425	592	1595	2187
24	1159.0	1492.0	4276.1	6927.1	2696.4	4230.7	1.8	108	4.3	121	1425	950	2375
25	2840.0	4081.0	6007.3	12928.3	5156.8	7771.7	1.9	623	4.3	536	2714	1760	4474
26	4884.0	2821.0	8659.8	16364.8	8854.5	7510.3	1.9	1065	4.2	130	4627	1696	6323
27	2423.0	522.0	3312.9	6257.9	4871.2	1386.7	2.0	492	4.3	54	2530	312	2842
28	182.0	438.0	2294.2	2914.2	1728.3	1185.9	2.0	40	4.9	8	910	260	1170
29	8.0	142.0	1865.4	2015.4	1437.0	578.7	0.0	0	0.0	0	758	123	881
30	117.0	0.0	1735.3	1852.3	1664.1	188.6	0.0	0	0.0	0	876	38	914
31	0.0	0.0	502.0	502.0	454.2	47.9	0.0	0	0.0	0	238	7	245
32	0.0	0.0	42.0	42.0	37.9	4.2	0.0	0	0.0	0	21	0	21
33	0.0	0.0	42.0	42.0	37.9	4.2	0.0	0	0.0	0	21	0	21
34	0.0	0.0	42.0	42.0	37.9	4.2	0.0	0	0.0	0	21	0	21
35	0.0	0.0	30.0	30.0	27.1	3.1	0.0	0	0.0	0	14	0	14
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	12232.0	17000.0	36202.9	65434.9	28525.9	36911.9	1.9	2427	4.2	1578	14957	8373	23330

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	4322.0	20558.0	11962.0	185.0	0.0	0.0	0.0	0.0	37027.0
PERCENT	69.5	49.3	72.5	100.0	0.0	0.0	0.0	0.0	57.3

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

MGMT AREA : EAST

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	279.0	3640.2	3919.2	535.2	3384.0	0.0	0	4.8	30	277	768	1045
21	96.0	1262.0	4360.5	5718.5	710.7	5007.9	1.9	41	4.3	116	367	1143	1510
22	53.0	1889.0	3490.6	5432.6	455.5	4977.2	2.5	13	4.3	234	247	1128	1375
23	249.0	6945.0	7804.4	14998.4	1505.6	13493.4	2.3	63	4.2	975	790	3127	3917
24	3447.0	8739.0	9470.3	21656.3	5733.2	15923.8	1.9	1070	4.2	895	2973	3673	6646
25	7028.0	6113.0	10552.8	23693.8	11475.2	12218.6	1.9	2243	4.7	730	6017	2756	8773
26	5344.0	2252.0	10379.2	17975.2	11775.6	6199.6	1.9	1529	4.3	232	6185	1420	7605
27	2882.0	1186.0	5898.2	9966.2	6818.5	3147.7	1.9	887	4.9	69	3588	716	4304
28	3441.0	1173.0	4783.5	9397.5	6568.3	2829.3	1.9	978	4.6	51	3486	640	4126
29	2767.0	1183.0	4586.6	8536.6	5564.0	2973.3	2.1	618	3.9	39	2867	665	3532
30	2512.0	414.0	4879.3	7805.3	5944.2	1862.1	2.1	751	3.8	41	3070	418	3488
31	1350.0	200.0	3077.5	4627.5	2987.6	1643.6	1.7	411	3.9	24	1650	369	2019
32	376.0	195.0	937.5	1508.5	767.5	741.4	2.2	77	4.7	7	397	165	562
33	36.0	23.0	767.2	826.2	384.2	442.4	1.6	17	0.0	0	205	99	304
34	36.0	152.0	821.2	1009.2	288.3	721.7	1.5	6	0.0	0	152	160	312
35	96.0	9.0	575.2	680.2	282.1	399.1	2.0	27	0.0	0	146	89	235
36	8.0	9.0	95.2	112.2	29.1	83.1	0.0	0	0.0	0	14	19	33
37	6.0	0.0	95.2	101.2	6.0	95.2	2.0	3	0.0	0	3	20	23
38	0.0	0.0	95.2	95.2	0.0	95.2	0.0	0	0.0	0	0	20	20
39	0.0	0.0	95.2	95.2	0.0	95.2	0.0	0	0.0	0	0	20	20
40	0.0	0.0	16.1	16.1	0.0	16.1	0.0	0	0.0	0	0	4	4
41	0.0	0.0	16.1	16.1	0.0	16.1	0.0	0	0.0	0	0	4	4
42	0.0	0.0	16.1	16.1	0.0	16.1	0.0	0	0.0	0	0	4	4
43	0.0	0.0	16.1	16.1	0.0	16.1	0.0	0	0.0	0	0	4	4
44	0.0	0.0	28.1	28.1	0.0	28.1	0.0	0	0.0	0	0	7	7
45	0.0	0.0	37.1	37.1	0.0	37.1	0.0	0	0.0	0	0	9	9
46	0.0	0.0	37.1	37.1	0.0	37.1	0.0	0	0.0	0	0	9	9
47	0.0	0.0	37.1	37.1	0.0	37.1	0.0	0	0.0	0	0	9	9
48	0.0	0.0	26.5	26.5	0.0	26.5	0.0	0	0.0	0	0	6	6
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	29727.0	32023.0	76635.3	138385.3	61830.8	76564.1	1.9	8734	4.3	3443	32434	17471	49905

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	16266.0	32702.0	22940.0	4024.0	407.0	71.0	160.0	0.0	76570.0
PERCENT	83.9	43.7	60.3	88.5	100.0	100.0	100.0	0.0	55.7

Appendix 5 -- 1983 Atlantic Salmon Commercial Catch - Insular Newfoundland

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

INSULAR NFLD.

	CATCH (KG)				ADJUSTED CATCH (KG)*		MEAN WEIGHT (KG)				ESTIMATED NUMBERS+		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	505.0	4264.9	4769.9	579.8	4190.2	0.0	0	4.8	64	300	950	1250
21	274.0	11424.0	7907.0	19605.0	1020.1	18585.1	2.0	92	4.4	2335	528	4192	4720
22	997.0	13719.0	8289.2	23005.2	1855.1	21150.4	1.9	194	4.2	2353	1000	4945	5945
23	2204.0	24394.0	17728.6	44326.6	5357.6	38971.1	1.7	505	4.2	3776	2978	9012	11990
24	9781.0	31160.0	23286.7	64227.7	16753.8	47474.6	1.8	2424	4.4	3758	9322	10794	20116
25	29069.0	49064.0	29991.0	108124.0	42003.5	66120.7	1.9	8017	4.5	6289	22315	14873	37188
26	41217.0	34903.0	34547.5	110667.5	60948.1	49719.4	1.9	11462	4.5	4228	32579	11154	43733
27	46755.0	18773.0	31659.8	97187.8	69698.5	27489.3	1.8	14828	4.7	2243	37755	6067	43822
28	39908.0	13045.0	21891.4	74844.4	55877.3	18967.2	1.8	13070	4.6	1363	30141	4171	34312
29	18143.0	5797.0	19864.5	43804.5	33002.0	10803.5	1.9	4957	4.5	470	17700	2391	20091
30	8350.0	2385.0	15350.6	26085.6	18801.7	7286.6	2.0	2044	4.5	256	9782	1627	11409
31	3071.0	1211.0	7810.9	12092.9	7009.2	5087.6	1.8	654	4.1	71	3747	1143	4890
32	799.0	349.0	3046.4	4194.4	2036.3	2159.4	2.1	196	3.6	34	1053	483	1536
33	764.0	395.0	7120.0	8279.0	3229.6	5050.7	1.9	291	4.7	35	1652	1145	2797
34	300.0	299.0	2775.2	3374.2	1329.9	2046.4	2.1	33	5.4	7	694	459	1153
35	344.0	30.0	2040.3	2414.3	1005.4	1411.9	1.8	105	4.2	5	528	320	848
36	100.0	99.0	537.6	736.6	232.0	505.2	0.0	0	0.0	0	115	117	232
37	25.0	0.0	537.6	562.6	25.0	537.6	2.0	3	0.0	0	13	122	135
38	214.0	49.0	584.6	847.6	214.0	633.6	0.0	0	6.0	1	107	144	251
39	60.0	0.0	537.6	597.6	60.0	537.6	0.0	0	0.0	0	30	122	152
40	14.0	108.0	218.4	340.4	23.9	316.5	0.0	0	0.0	0	12	71	83
41	75.0	29.0	156.2	260.2	84.9	175.3	1.8	33	4.1	7	43	39	82
42	0.0	0.0	146.3	146.3	0.0	146.3	0.0	0	0.0	0	0	32	32
43	0.0	0.0	146.3	146.3	0.0	146.3	0.0	0	0.0	0	0	32	32
44	0.0	16.0	287.1	303.1	0.0	303.1	0.0	0	0.0	0	0	70	70
45	0.0	0.0	392.7	392.7	0.0	392.7	0.0	0	0.0	0	0	89	89
46	0.0	0.0	392.7	392.7	0.0	392.7	0.0	0	0.0	0	0	89	89
47	0.0	0.0	392.7	392.7	0.0	392.7	0.0	0	0.0	0	0	89	89
48	0.0	0.0	286.5	286.5	0.0	286.5	0.0	0	0.0	0	0	65	65
49	0.0	0.0	21.0	21.0	0.0	21.0	0.0	0	0.0	0	0	5	5
50	0.0	0.0	21.0	21.0	0.0	21.0	0.0	0	0.0	0	0	5	5
51	0.0	0.0	21.0	21.0	0.0	21.0	0.0	0	0.0	0	0	5	5
52	0.0	0.0	24.0	24.0	0.0	24.0	0.0	0	0.0	0	0	5	5
TOTAL	202464.0	207754.0	242277.3	652495.3	321147.7	331367.2	1.9	58908	4.4	27295	172394	74827	247221

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	21872.0	93439.0	97251.0	13671.0	2349.0	724.0	1690.0	93.0	231089.0
PERCENT	49.9	30.9	39.2	66.9	99.7	86.2	100.0	100.0	37.3

Appendix 6 -- 1983 Atlantic Salmon Commercial Catch - Labrador

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

LABRADOR

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	34.0	0.0	34.0	0.0	34.0	0.0	0	3.8	4	0	7	7
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
23	6.0	67.0	518.7	591.7	51.1	540.6	0.0	0	0.0	0	24	118	142
24	0.0	4.0	596.6	600.6	32.9	567.7	0.0	0	4.0	1	15	122	137
25	311.0	11581.0	1182.7	13074.7	338.2	12736.5	2.6	92	4.3	1711	173	2892	3065
26	2834.0	33741.0	3259.2	39834.2	3058.2	36776.0	2.1	1077	4.5	6055	1537	8160	9697
27	9556.0	57387.0	6236.4	73179.4	10547.1	62632.3	1.9	3871	4.5	10086	5588	13954	19542
28	11226.0	39589.0	4145.4	54960.4	12455.6	42504.8	1.9	4148	4.5	5363	6389	9641	16030
29	26440.0	40529.0	3816.4	70785.4	28152.3	42633.1	2.0	10265	4.8	4760	14268	9051	23319
30	17420.0	22016.0	3112.7	42548.7	18821.3	23727.4	2.0	6011	4.7	2015	9466	5184	14650
31	7786.0	12485.0	3366.1	23637.1	8976.2	14660.9	1.7	2143	3.8	751	4780	3326	8106
32	4865.0	6105.0	2880.3	13850.3	5686.6	8163.7	2.0	806	5.0	145	2836	1758	4594
33	3099.0	5431.0	2673.7	11203.7	3549.9	7653.8	2.3	158	5.3	41	1752	1665	3417
34	1676.0	3173.0	2641.2	7490.2	2352.0	5139.2	2.0	115	4.6	49	1177	1117	2294
35	1141.0	3561.0	2219.9	6921.9	1685.4	5237.2	1.8	90	4.9	25	854	1134	1988
36	518.0	2047.0	870.1	3435.1	733.0	2702.5	1.9	14	5.2	6	371	586	957
37	210.0	720.0	870.1	1800.1	214.8	1585.3	0.0	0	0.0	0	107	343	450
38	113.0	798.0	870.1	1781.1	115.6	1665.5	0.0	0	0.0	0	59	360	419
39	70.0	620.0	870.1	1560.1	74.7	1485.4	0.0	0	0.0	0	38	323	361
40	11.0	120.0	451.5	582.5	11.0	571.5	0.0	0	0.0	0	6	123	129
41	3.0	82.0	451.5	536.5	3.0	533.5	0.0	0	0.0	0	2	115	117
42	0.0	6.0	451.5	457.5	0.0	457.5	0.0	0	0.0	0	0	98	98
43	0.0	0.0	451.5	451.5	0.0	451.5	0.0	0	0.0	0	0	97	97
44	0.0	0.0	193.5	193.5	0.0	193.5	0.0	0	0.0	0	0	40	40
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	87285.0	240096.0	42129.2	369510.2	96858.9	272653.4	1.9	28790	4.5	31012	49442	60214	109656

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)									
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	4821.0	18583.0	12958.0	3735.0	2000.0	0.0	0.0	42097.0
PERCENT	0.0	14.1	9.8	52.4	97.5	100.0	0.0	0.0	16.6

Appendix 7 -- 1983 Atlantic Salmon Commercial Catch - Provincial Total

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

PROVINCIAL (TOTAL)

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	505.0	4264.9	4769.9	579.8	4190.2	0.0	0	4.8	64	300	950	1250
21	274.0	11458.0	7907.0	19639.0	1020.1	18619.1	2.0	92	4.4	2339	528	4199	4727
22	997.0	13719.0	8289.2	23005.2	1855.1	21150.4	1.9	194	4.2	2353	1000	4945	5945
23	2210.0	24461.0	18247.3	44918.3	5408.7	39511.7	1.7	505	4.2	3776	3002	9130	12132
24	9781.0	31164.0	23883.3	64828.3	16786.7	48042.3	1.8	2424	4.4	3759	9337	10916	20253
25	29380.0	60645.0	31173.7	121198.7	42341.7	78857.2	1.9	8109	4.4	8000	22488	17765	40253
26	44051.0	68644.0	37806.7	150501.7	64006.3	86495.4	1.9	12539	4.5	10283	34116	19314	53430
27	56311.0	76160.0	37896.2	170367.2	80245.6	90121.6	1.8	18699	4.5	12329	43343	20021	63364
28	51134.0	52634.0	26036.8	129804.8	68332.9	61472.0	1.8	17218	4.5	6726	36530	13812	50342
29	44583.0	46326.0	23680.9	114589.9	61154.3	53436.6	1.9	15222	4.8	5230	31968	11442	43410
30	25770.0	24401.0	18463.3	68634.3	37623.0	31014.0	2.0	8055	4.7	2271	19248	6811	26059
31	10857.0	13696.0	11177.0	35730.0	15985.4	19748.5	1.7	2797	3.8	822	8527	4469	12996
32	5664.0	6454.0	5926.7	18044.7	7722.9	10323.1	2.0	1002	4.7	179	3889	2241	6130
33	3863.0	5826.0	9793.7	19482.7	6779.5	12704.5	2.0	449	5.0	76	3404	2810	6214
34	1976.0	3472.0	5416.4	10864.4	3681.9	7185.6	2.0	148	4.7	56	1871	1576	3447
35	1485.0	3591.0	4260.2	9336.2	2690.8	6649.1	1.8	195	4.8	30	1382	1454	2836
36	618.0	2146.0	1407.7	4171.7	965.0	3207.7	1.9	14	5.2	6	486	703	1189
37	235.0	720.0	1407.7	2362.7	239.8	2122.9	2.0	3	0.0	0	120	465	585
38	327.0	847.0	1454.7	2628.7	329.6	2299.1	0.0	0	6.0	1	166	504	670
39	130.0	620.0	1407.7	2157.7	134.7	2023.0	0.0	0	0.0	0	68	445	513
40	25.0	228.0	669.9	922.9	34.9	888.0	0.0	0	0.0	0	18	194	212
41	78.0	111.0	607.7	796.7	87.9	708.8	1.8	33	4.1	7	45	154	199
42	0.0	6.0	597.8	603.8	0.0	603.8	0.0	0	0.0	0	0	130	130
43	0.0	0.0	597.8	597.8	0.0	597.8	0.0	0	0.0	0	0	129	129
44	0.0	16.0	480.6	496.6	0.0	496.6	0.0	0	0.0	0	0	110	110
45	0.0	0.0	392.7	392.7	0.0	392.7	0.0	0	0.0	0	0	89	89
46	0.0	0.0	392.7	392.7	0.0	392.7	0.0	0	0.0	0	0	89	89
47	0.0	0.0	392.7	392.7	0.0	392.7	0.0	0	0.0	0	0	89	89
48	0.0	0.0	286.5	286.5	0.0	286.5	0.0	0	0.0	0	0	65	65
49	0.0	0.0	21.0	21.0	0.0	21.0	0.0	0	0.0	0	0	5	5
50	0.0	0.0	21.0	21.0	0.0	21.0	0.0	0	0.0	0	0	5	5
51	0.0	0.0	21.0	21.0	0.0	21.0	0.0	0	0.0	0	0	5	5
52	0.0	0.0	24.0	24.0	0.0	24.0	0.0	0	0.0	0	0	5	5
TOTAL	289749.0	447850.0	284406.5	1022005.5	418006.6	604020.6	1.9	87698	4.5	58307	221836	135041	356877

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	21872.0	98260.0	115834.0	26629.0	6084.0	2724.0	1690.0	93.0	273186.0
PERCENT	49.9	29.2	26.5	59.0	98.4	95.9	100.0	100.0	31.3

Appendix 8 -- 1983 Atlantic Salmon Commercial Catch - NAFO Unit Area

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

UNIT AREA : 201

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	34.0	0.0	34.0	0.0	34.0	0.0	0	3.8	4	0	7	7
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
23	6.0	35.0	9.0	50.0	7.1	42.9	0.0	0	0.0	0	3	10	13
24	0.0	0.0	3.5	3.5	0.1	3.4	0.0	0	0.0	0	0	1	1
25	243.0	6905.0	270.7	7418.7	251.5	7167.2	2.6	74	4.3	1314	130	1641	1771
26	2478.0	25305.0	1585.0	29368.0	2591.8	26776.2	2.1	951	4.5	4706	1305	5956	7261
27	7034.0	31045.0	3468.4	41547.4	7544.8	34002.6	1.8	2947	4.5	5132	4122	7572	11694
28	4802.0	11094.0	1399.1	17295.1	5169.7	12125.4	1.9	1754	4.5	1786	2628	2826	5454
29	12639.0	11772.0	1552.2	25963.2	13352.8	12610.4	2.1	4617	4.9	1825	6539	2608	9147
30	3887.0	3774.0	997.3	8658.3	4339.7	4318.6	1.9	1564	4.8	626	2285	971	3256
31	30.0	163.0	1248.0	1441.0	369.3	1071.7	2.1	14	5.5	19	186	232	418
32	5.0	14.0	1415.4	1434.4	305.9	1128.5	1.7	3	4.7	3	154	246	400
33	0.0	0.0	1275.4	1275.4	58.8	1216.6	0.0	0	0.0	0	29	267	296
34	0.0	0.0	1275.4	1275.4	319.1	956.8	0.0	0	0.0	0	160	208	368
35	0.0	0.0	1013.8	1013.8	253.7	760.6	0.0	0	0.0	0	129	163	292
36	0.0	0.0	359.8	359.8	90.1	269.9	0.0	0	0.0	0	45	58	103
37	0.0	0.0	359.8	359.8	0.0	359.8	0.0	0	0.0	0	0	78	78
38	0.0	0.0	359.8	359.8	0.0	359.8	0.0	0	0.0	0	0	78	78
39	0.0	0.0	359.8	359.8	0.0	359.8	0.0	0	0.0	0	0	78	78
40	0.0	0.0	61.6	61.6	0.0	61.6	0.0	0	0.0	0	0	13	13
41	0.0	0.0	61.6	61.6	0.0	61.6	0.0	0	0.0	0	0	13	13
42	0.0	0.0	61.6	61.6	0.0	61.6	0.0	0	0.0	0	0	13	13
43	0.0	0.0	61.6	61.6	0.0	61.6	0.0	0	0.0	0	0	13	13
44	0.0	0.0	26.4	26.4	0.0	26.4	0.0	0	0.0	0	0	5	5
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	31124.0	90141.0	17225.2	138490.2	34654.4	103837.0	2.0	11924	4.5	15415	17715	23057	40772

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	1757.0	7635.0	6102.0	1546.0	272.0	0.0	0.0	17312.0
PERCENT	0.0	9.7	9.2	98.3	100.0	100.0	0.0	0.0	15.8

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

UNIT AREA : 208

	------------ CATCH (KG)	------------			ADJUSTED CATCH (KG) *		--------- MEAN WEIGHT (KG)	---------			ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
23	0.0	0.0	52.8	52.8	2.8	50.0	0.0	0	0.0	0	0	10	10
24	0.0	4.0	61.8	65.8	3.7	62.1	0.0	0	4.0	1	1	13	14
25	0.0	33.0	68.1	101.1	0.8	100.3	0.0	0	4.1	8	0	22	22
26	160.0	4209.0	611.2	4980.2	189.6	4790.6	2.4	66	4.6	877	95	1052	1147
27	1855.0	23237.0	1077.5	26169.5	1968.9	24200.6	2.1	816	4.5	4766	946	5423	6369
28	5131.0	20202.0	1212.8	26545.8	5423.0	21122.8	1.9	2287	4.5	3454	2826	4804	7630
29	11468.0	16149.0	1058.0	28675.0	11896.6	16778.4	1.9	5626	4.8	2869	6273	3563	9836
30	9800.0	7628.0	902.7	18330.7	10196.8	8133.9	2.0	4438	4.7	1335	5036	1763	6799
31	3780.0	2696.0	629.0	7105.0	4064.3	3040.7	1.7	2120	3.7	687	2320	802	3122
32	1657.0	648.0	212.0	2517.0	1779.5	737.5	2.0	797	5.0	130	878	144	1022
33	358.0	208.0	91.2	657.2	399.2	258.0	2.3	155	5.3	39	175	56	231
34	235.0	226.0	80.3	541.3	262.9	278.4	2.0	115	4.6	49	130	60	190
35	162.0	97.0	49.8	308.8	175.6	133.2	1.8	89	5.1	19	94	28	122
36	27.0	31.0	17.5	75.5	28.6	46.9	1.9	14	5.2	6	15	10	25
37	0.0	0.0	17.5	17.5	4.8	12.7	0.0	0	0.0	0	2	3	5
38	0.0	0.0	17.5	17.5	2.6	14.9	0.0	0	0.0	0	1	3	4
39	0.0	0.0	17.5	17.5	4.7	12.8	0.0	0	0.0	0	2	3	5
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	34633.0	75368.0	6177.2	116178.2	36404.4	79773.8	1.9	16523	4.5	14240	18794	17759	36553

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

-- LOCAL SALES (KG) --

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	662.0	4658.0	836.0	76.0	0.0	0.0	0.0	6232.0
PERCENT	0.0	17.4	5.2	9.5	100.0	0.0	0.0	0.0	6.1

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

UNIT AREA : 209

	------------ CATCH (KG) ------------				ADJUSTED CATCH (KG) *		--------- MEAN WEIGHT (KG) ---------				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
27	36.0	342.0	0.0	378.0	36.0	342.0	1.6	5	5.7	11	18	74	92
28	817.0	7216.0	0.0	8033.0	817.0	7216.0	2.0	2	4.4	37	410	1568	1978
29	2109.0	11766.0	0.0	13875.0	2109.0	11766.0	2.2	21	4.7	41	1056	2558	3614
30	3386.0	8721.0	0.0	12107.0	3386.0	8721.0	2.0	4	4.7	9	1693	1896	3589
31	2716.0	4608.0	129.8	7453.8	2745.3	4708.5	0.0	0	0.0	0	1374	1023	2397
32	1821.0	2410.0	19.6	4250.6	1829.4	2421.2	0.0	0	0.0	0	916	526	1442
33	1399.0	2592.0	88.4	4079.4	1431.8	2647.6	0.0	0	0.0	0	716	575	1291
34	717.0	1328.0	66.8	2111.8	741.0	1370.8	0.0	0	0.0	0	370	298	668
35	554.0	2194.0	145.0	2893.0	578.2	2314.8	0.0	0	0.0	0	289	503	792
36	382.0	1435.0	0.0	1817.0	382.0	1435.0	0.0	0	0.0	0	192	312	504
37	210.0	720.0	0.0	930.0	210.0	720.0	0.0	0	0.0	0	105	156	261
38	77.0	716.0	0.0	793.0	77.0	716.0	0.0	0	0.0	0	39	155	194
39	70.0	617.0	0.0	687.0	70.0	617.0	0.0	0	0.0	0	36	135	171
40	11.0	120.0	0.0	131.0	11.0	120.0	0.0	0	0.0	0	6	26	32
41	3.0	82.0	0.0	85.0	3.0	82.0	0.0	0	0.0	0	2	18	20
42	0.0	6.0	0.0	6.0	0.0	6.0	0.0	0	0.0	0	0	1	1
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	14308.0	44873.0	449.6	59630.6	14426.7	45203.9	2.1	32	4.7	98	7222	9824	17046

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

------------ LOCAL SALES (KG) ------------									
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	0.0	0.0	450.0	0.0	0.0	0.0	0.0	450.0
PERCENT	0.0	0.0	0.0	12.2	0.0	0.0	0.0	0.0	12.2

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

UNIT AREA : 212

	CATCH (KG) *				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
27	5.0	3.0	0.0	8.0	5.0	3.0	0.0	0	3.0	1	3	1	4
28	3.0	20.0	0.0	23.0	3.0	20.0	0.0	0	5.3	3	2	4	6
29	39.0	398.0	0.0	437.0	39.0	398.0	0.0	0	5.4	9	20	87	107
30	49.0	744.0	0.0	793.0	49.0	744.0	2.0	2	4.8	18	25	162	187
31	578.0	1985.0	0.0	2563.0	578.0	1985.0	1.5	2	4.3	7	290	431	721
32	276.0	685.0	0.0	961.0	276.0	685.0	2.5	2	5.0	1	139	149	288
33	182.0	316.0	0.0	498.0	182.0	316.0	0.0	0	3.0	1	92	68	160
34	112.0	266.0	0.0	378.0	112.0	266.0	0.0	0	0.0	0	57	58	115
35	9.0	36.0	0.0	45.0	9.0	36.0	2.0	1	0.0	0	5	8	13
36	17.0	65.0	0.0	82.0	17.0	65.0	0.0	0	0.0	0	9	14	23
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	8.0	0.0	8.0	0.0	8.0	0.0	0	0.0	0	0	2	2
39	0.0	3.0	0.0	3.0	0.0	3.0	0.0	0	0.0	0	0	1	1
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	1270.0	4529.0	0.0	5799.0	1270.0	4529.0	2.0	7	4.8	40	642	985	1627

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
PERCENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

UNIT AREA : 215

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
28	9.0	16.0	0.0	25.0	9.0	16.0	3.0	3	4.0	3	5	4	9
29	22.0	187.0	0.0	209.0	22.0	187.0	2.0	1	4.3	16	12	40	52
30	46.0	566.0	0.0	612.0	46.0	566.0	2.0	3	4.6	27	25	122	147
31	589.0	2675.0	0.0	3264.0	589.0	2675.0	2.1	7	4.0	38	296	581	877
32	1096.0	2318.0	0.0	3414.0	1096.0	2318.0	2.0	4	5.0	11	549	504	1053
33	1160.0	2315.0	0.0	3475.0	1160.0	2315.0	2.3	3	6.0	1	582	502	1084
34	612.0	1353.0	0.0	1965.0	612.0	1353.0	0.0	0	0.0	0	307	294	601
35	416.0	1234.0	0.0	1650.0	416.0	1234.0	0.0	0	4.2	6	210	268	478
36	92.0	516.0	0.0	608.0	92.0	516.0	0.0	0	0.0	0	47	112	159
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	36.0	74.0	0.0	110.0	36.0	74.0	0.0	0	0.0	0	19	16	35
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0,0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	4078.0	11254.0	0.0	15332.0	4078.0	11254.0	2.2	21	4.3	102	2052	2443	4495

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
PERCENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

UNIT AREA : 301

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	163.0	84.7	247.7	0.4	247.3	0.0	0	4.8	33	0	55	55
21	88.0	9665.0	2468.5	12221.5	142.5	12079.0	2.1	40	4.4	2178	74	2712	2786
22	242.0	7437.0	1638.0	9317.0	355.2	8961.8	1.9	60	4.2	1722	186	2132	2318
23	97.0	9907.0	385.0	10389.0	100.7	10288.3	1.6	51	4.3	1944	54	2369	2423
24	618.0	6712.0	1136.1	8466.1	1146.9	7319.2	1.8	306	4.5	1501	623	1642	2265
25	1127.0	5252.0	800.4	7179.4	1488.7	5690.7	1.9	484	4.5	1113	787	1260	2047
26	1389.0	1306.0	147.4	2842.4	1467.6	1374.8	1.9	588	4.4	268	791	311	1102
27	1588.0	644.0	94.8	2326.8	1663.4	663.4	1.8	680	4.7	124	910	146	1056
28	284.0	67.0	10.8	361.8	292.4	69.4	1.7	166	3.7	14	168	17	185
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	5433.0	41153.0	6765.7	53351.7	6657.8	46693.9	1.9	2375	4.4	8897	3593	10644	14237

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	678.0	790.0	54.0	0.0	0.0	0.0	0.0	0.0	1522.0
PERCENT	3.9	2.5	100.0	0.0	0.0	0.0	0.0	0.0	3.1

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

UNIT AREA : 302

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	26.0	144.5	170.5	2.7	167.8	0.0	0	0.0	0	1	38	39
21	22.0	331.0	682.5	1035.5	59.2	976.3	2.5	2	4.4	30	31	221	252
22	115.0	2365.0	1850.9	4330.9	217.3	4113.6	2.2	29	4.2	273	114	959	1073
23	437.0	3620.0	1038.7	5095.7	596.8	4498.9	1.9	64	4.1	423	314	1068	1382
24	907.0	1415.0	877.2	3199.2	1260.5	1938.7	1.8	108	4.3	121	668	444	1112
25	2165.0	3621.0	1362.7	7148.7	2763.5	4385.2	1.9	621	4.3	534	1455	1010	2465
26	4064.0	1592.0	1577.9	7233.9	5120.9	2113.0	1.9	1036	4.1	127	2666	497	3163
27	1502.0	324.0	813.1	2639.1	2122.1	517.0	2.0	488	4.2	52	1083	119	1202
28	71.0	29.0	134.8	234.8	174.5	60.3	2.0	35	4.8	6	92	13	105
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	9283.0	13323.0	8482.3	31088.3	12317.5	18770.8	2.0	2383	4.2	1566	6424	4369	10793

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	2787.0	4605.0	1344.0	0.0	0.0	0.0	0.0	0.0	8736.0
PERCENT	59.5	20.4	34.1	0.0	0.0	0.0	0.0	0.0	28.0

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

UNIT AREA : 303

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG) SMALL		MEAN WEIGHT (KG) LARGE		ESTIMATED NUMBERS +		
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	167.3	167.3	40.1	127.3	0.0	0	0.0	0	21	29	50
21	0.0	0.0	167.3	167.3	39.7	127.7	0.0	0	0.0	0	21	29	50
22	0.0	990.0	152.6	1142.6	22.9	1119.7	0.0	0	0.0	0	12	249	261
23	3.0	5.0	985.4	993.4	236.1	758.5	0.0	0	0.0	0	125	167	292
24	0.0	0.0	1107.4	1107.4	475.0	632.4	0.0	0	0.0	0	251	140	391
25	303.0	116.0	1390.4	1809.4	764.0	1045.6	0.0	0	0.0	0	401	229	630
26	338.0	204.0	2379.8	2921.8	1428.5	1493.3	0.0	0	0.0	0	749	332	1081
27	410.0	0.0	807.6	1217.6	1176.6	41.0	0.0	0	0.0	0	619	8	627
28	0.0	343.0	836.9	1179.9	609.4	570.5	0.0	0	0.0	0	322	124	446
29	0.0	65.0	704.4	769.4	612.8	156.6	0.0	0	0.0	0	323	31	354
30	0.0	0.0	665.0	665.0	609.9	55.2	0.0	0	0.0	0	322	9	331
31	0.0	0.0	220.0	220.0	201.2	18.9	0.0	0	0.0	0	106	4	110
32	0.0	0.0	42.0	42.0	37.9	4.2	0.0	0	0.0	0	21	0	21
33	0.0	0.0	42.0	42.0	37.9	4.2	0.0	0	0.0	0	21	0	21
34	0.0	0.0	42.0	42.0	37.9	4.2	0.0	0	0.0	0	21	0	21
35	0.0	0.0	30.0	30.0	27.1	3.1	0.0	0	0.0	0	14	0	14
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	1054.0	1723.0	9740.1	12517.1	6357.0	6162.4	0.0	0	0.0	0	3349	1351	4700

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	744.0	5804.0	3299.0	185.0	0.0	0.0	0.0	0.0	10032.0
PERCENT	100.0	85.1	80.1	100.0	0.0	0.0	0.0	0.0	84.6

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

UNIT AREA : 304

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG) SMALL		MEAN WEIGHT (KG) LARGE		ESTIMATED NUMBERS +		
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	8.0	179.2	187.2	0.0	187.2	0.0	0	8.0	1	0	41	41
21	0.0	0.0	179.2	179.2	0.0	179.2	0.0	0	0.0	0	0	39	39
22	0.0	12.0	124.6	136.6	17.5	119.1	0.0	0	0.0	0	10	27	37
23	42.0	147.0	1721.7	1910.7	290.3	1620.4	1.8	4	5.0	2	153	360	513
24	252.0	77.0	2291.5	2620.5	960.9	1659.6	0.0	0	0.0	0	506	366	872
25	372.0	344.0	3254.2	3970.2	1629.3	2340.9	2.5	2	5.0	2	858	521	1379
26	482.0	1025.0	4702.1	6209.1	2305.1	3904.0	1.7	29	5.0	3	1212	867	2079
27	511.0	198.0	1692.2	2401.2	1572.5	828.7	2.3	4	5.5	2	828	185	1013
28	111.0	66.0	1322.5	1499.5	944.4	555.1	2.0	5	5.0	2	496	123	619
29	8.0	77.0	1161.0	1246.0	824.2	422.1	0.0	0	0.0	0	435	92	527
30	117.0	0.0	1070.3	1187.3	1054.2	133.4	0.0	0	0.0	0	554	29	583
31	0.0	0.0	282.0	282.0	253.0	29.0	0.0	0	0.0	0	132	3	135
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	1895.0	1954.0	17980.5	21829.5	9851.4	11978.7	1.8	44	5.3	12	5184	2653	7837

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	791.0	10149.0	7319.0	0.0	0.0	0.0	0.0	0.0	18259.0
PERCENT	100.0	82.3	86.8	0.0	0.0	0.0	0.0	0.0	84.7

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

UNIT AREA : 334

WEEK	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	15.4	15.4	11.5	3.9	0.0	0	0.0	0	6	1	7
21	0.0	0.0	15.4	15.4	11.5	3.9	0.0	0	0.0	0	6	1	7
22	0.0	0.0	8.8	8.8	6.6	2.2	0.0	0	0.0	0	4	0	4
23	0.0	0.0	358.2	358.2	243.9	114.9	0.0	0	0.0	0	128	27	155
24	0.0	0.0	1162.9	1162.9	844.5	319.1	0.0	0	0.0	0	444	71	515
25	238.0	150.0	645.2	1033.2	670.8	362.4	0.0	0	0.0	0	354	79	433
26	297.0	43.0	1565.0	1905.0	1614.2	290.8	0.0	0	0.0	0	850	67	917
27	0.0	0.0	946.4	946.4	795.8	150.6	0.0	0	0.0	0	419	31	450
28	0.0	0.0	946.4	946.4	828.1	118.4	0.0	0	0.0	0	439	28	467
29	0.0	0.0	946.4	946.4	836.2	110.3	0.0	0	0.0	0	443	26	469
30	0.0	0.0	946.4	946.4	851.7	94.8	0.0	0	0.0	0	451	22	473
31	0.0	0.0	346.9	346.9	298.9	48.0	0.0	0	0.0	0	157	8	165
32	0.0	150.0	274.1	424.1	97.2	327.2	0.0	0	0.0	0	51	73	124
33	0.0	0.0	107.1	107.1	97.2	10.2	0.0	0	0.0	0	51	3	54
34	0.0	0.0	107.1	107.1	97.2	10.2	0.0	0	0.0	0	51	3	54
35	0.0	0.0	76.5	76.5	69.5	7.4	0.0	0	0.0	0	37	3	40
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	535.0	343.0	8468.2	9345.2	7374.8	1974.3	0.0	0	0.0	0	3891	443	4334

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	68.0	2487.0	4779.0	641.0	0.0	0.0	0.0	0.0	7975.0
PERCENT	100.0	67.9	98.5	81.0	0.0	0.0	0.0	0.0	85.0

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

UNIT AREA : 335

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG) SMALL		MEAN WEIGHT (KG) LARGE		ESTIMATED NUMBERS +		
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	572.5	572.5	116.6	455.9	0.0	0	0.0	0	62	107	169
21	0.0	190.0	1053.2	1243.2	43.2	1200.1	0.0	0	4.0	32	23	278	301
22	0.0	133.0	376.2	509.2	1.0	508.2	0.0	0	0.0	0	0	116	116
23	0.0	572.0	2805.7	3377.7	115.4	3262.3	0.0	0	4.6	18	61	759	820
24	233.0	549.0	3318.6	4100.6	781.4	3319.2	2.3	8	4.9	11	413	774	1187
25	659.0	444.0	2974.9	4077.9	1728.1	2349.8	2.0	68	4.4	32	901	548	1449
26	1121.0	130.0	2922.5	4173.5	3102.8	1070.7	1.8	31	4.6	7	1633	249	1882
27	401.0	189.0	945.7	1535.7	780.3	755.4	1.8	84	4.0	3	416	175	591
28	472.0	238.0	843.4	1553.4	869.2	684.2	2.0	40	3.3	3	456	158	614
29	346.0	128.0	615.9	1089.9	728.0	362.3	1.9	46	0.0	0	383	83	466
30	300.0	15.0	575.8	890.8	717.5	173.7	2.2	16	3.0	2	375	40	415
31	157.0	42.0	172.6	371.6	278.0	93.6	0.0	0	0.0	0	148	21	169
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	20.0	0.0	20.0	0.0	20.0	0.0	0	0.0	0	0	5	5
34	7.0	0.0	0.0	7.0	7.0	0.0	0.0	0	0.0	0	4	0	4
35	2.0	9.0	0.0	11.0	2.0	9.0	0.0	0	0.0	0	1	2	3
36	0.0	9.0	0.0	9.0	0.0	9.0	0.0	0	0.0	0	0	2	2
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	3698.0	2668.0	17177.0	23543.0	9270.5	14273.4	1.9	293	4.3	108	4876	3317	8193

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	1985.0	9548.0	3090.0	0.0	0.0	0.0	0.0	0.0	14623.0
PERCENT	71.5	61.1	61.4	0.0	0.0	0.0	0.0	0.0	62.4

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

UNIT AREA : 336

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG) SMALL		MEAN WEIGHT (KG) LARGE		ESTIMATED NUMBERS +		
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	1951.6	1951.6	392.4	1559.2	0.0	0	0.0	0	208	343	551
21	0.0	0.0	1951.6	1951.6	503.7	1447.9	0.0	0	0.0	0	265	322	587
22	0.0	23.0	1387.2	1410.2	219.4	1190.8	0.0	0	0.0	0	117	265	382
23	0.0	0.0	2112.0	2112.0	720.5	1391.5	0.0	0	0.0	0	384	310	694
24	0.0	0.0	2166.5	2166.5	350.9	1815.6	0.0	0	0.0	0	188	399	587
25	0.0	19.0	3754.3	3773.3	1388.4	2384.9	0.0	0	0.0	0	729	526	1255
26	9.0	21.0	2145.1	2175.1	1163.0	1012.1	0.0	0	0.0	0	612	225	837
27	17.0	10.0	851.9	878.9	632.7	246.2	2.4	7	5.0	2	337	57	394
28	0.0	56.0	954.8	1010.8	455.8	555.0	0.0	0	8.3	3	236	125	361
29	0.0	0.0	651.7	651.7	322.5	329.2	0.0	0	0.0	0	168	71	239
30	4.0	23.0	780.3	807.3	310.1	497.2	0.0	0	0.0	0	163	106	269
31	6.0	0.0	186.2	192.2	53.8	140.9	0.0	0	0.0	0	20	34	54
32	0.0	22.0	0.0	22.0	0.0	22.0	0.0	0	4.8	4	0	5	5
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	36.0	174.0	18893.2	19103.2	6513.2	12592.5	2.4	7	6.0	9	3427	2788	6215

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	8937.0	10111.0	3509.0	0.0	0.0	0.0	0.0	0.0	22557.0
PERCENT	99.7	98.6	96.2	0.0	0.0	0.0	0.0	0.0	98.7

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

UNIT AREA : 337

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	108.0	266.0	374.0	8.8	365.2	0.0	0	4.8	11	1	83	84
21	17.0	488.0	376.6	881.6	35.7	845.9	0.0	0	4.2	39	18	188	206
22	32.0	1216.0	1159.0	2407.0	192.6	2214.5	2.5	12	4.2	155	107	505	612
23	18.0	1044.0	862.8	1924.8	114.9	1809.9	2.5	2	4.4	102	64	396	460
24	55.0	2235.0	955.1	3245.1	236.9	3008.2	1.9	18	4.4	119	133	666	799
25	489.0	1040.0	804.8	2333.8	952.7	1381.1	1.8	143	4.8	145	547	291	838
26	730.0	343.0	1810.8	2883.8	1516.7	1367.1	1.6	261	4.7	12	875	298	1173
27	1023.0	405.0	1136.3	2564.3	1867.1	697.2	1.8	304	4.8	21	1046	153	1199
28	948.0	397.0	935.7	2280.7	1531.2	749.5	1.9	281	4.3	16	862	162	1024
29	657.0	740.0	960.0	2357.0	1056.8	1300.3	1.8	48	0.0	0	588	285	873
30	822.0	191.0	822.7	1835.7	1413.5	422.7	1.9	137	0.0	0	782	92	874
31	525.0	48.0	2019.7	2592.7	1486.4	1107.1	2.0	49	3.0	3	823	248	1071
32	180.0	9.0	615.1	804.1	462.0	342.1	0.0	0	0.0	0	254	76	330
33	9.0	3.0	611.8	623.8	247.7	376.1	0.0	0	0.0	0	137	83	220
34	0.0	152.0	665.8	817.8	142.8	675.4	0.0	0	0.0	0	79	149	228
35	0.0	0.0	464.2	464.2	108.1	356.6	0.0	0	0.0	0	59	81	140
36	0.0	0.0	95.2	95.2	21.1	74.1	0.0	0	0.0	0	10	17	27
37	0.0	0.0	95.2	95.2	0.0	95.2	0.0	0	0.0	0	0	20	20
38	0.0	0.0	95.2	95.2	0.0	95.2	0.0	0	0.0	0	0	20	20
39	0.0	0.0	95.2	95.2	0.0	95.2	0.0	0	0.0	0	0	20	20
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	5505.0	8419.0	14847.2	28771.2	11395.0	17378.6	1.8	1255	4.4	623	6385	3833	10218

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	1509.0	3529.0	4332.0	3181.0	407.0	0.0	0.0	0.0	12958.0
PERCENT	54.3	35.9	45.5	89.5	100.0	0.0	0.0	0.0	49.7

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

UNIT AREA : 338

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	171.0	834.7	1005.7	5.9	999.8	0.0	0	4.7	19	0	234	234
21	79.0	584.0	963.7	1626.7	116.6	1510.1	1.9	41	4.6	45	55	354	409
22	21.0	517.0	559.4	1097.4	35.9	1061.5	2.0	1	4.5	79	19	242	261
23	231.0	5329.0	1665.7	7225.7	310.9	6914.8	2.3	61	4.1	855	153	1635	1788
24	3159.0	5955.0	1867.2	10981.2	3519.5	7461.7	1.9	1044	4.2	765	1795	1763	3558
25	5642.0	4460.0	2373.6	12475.6	6735.2	5740.4	1.9	2032	4.7	553	3486	1312	4798
26	3187.0	1715.0	1935.8	6837.8	4378.9	2458.9	2.0	1237	4.3	213	2215	581	2796
27	1441.0	582.0	2017.9	4040.9	2742.6	1298.3	2.0	492	5.0	43	1370	300	1670
28	2021.0	482.0	1103.2	3606.2	2884.0	722.2	1.9	657	4.5	29	1493	167	1660
29	1764.0	315.0	1412.6	3491.6	2620.5	871.2	2.1	524	3.9	39	1285	200	1485
30	1386.0	185.0	1754.1	3325.1	2651.4	673.7	2.1	598	3.8	39	1299	158	1457
31	662.0	110.0	352.1	1124.1	870.5	254.0	1.6	362	4.0	21	502	58	560
32	196.0	14.0	48.3	258.3	208.3	50.1	2.2	77	4.7	3	92	11	103
33	27.0	0.0	48.3	75.3	39.3	36.1	1.6	17	0.0	0	17	8	25
34	29.0	0.0	48.3	77.3	41.3	36.1	1.5	6	0.0	0	18	8	26
35	94.0	0.0	34.5	128.5	102.5	26.1	2.0	27	0.0	0	49	3	52
36	8.0	0.0	0.0	8.0	8.0	0.0	0.0	0	0.0	0	4	0	4
37	6.0	0.0	0.0	6.0	6.0	0.0	2.0	3	0.0	0	3	0	3
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	16.1	16.1	0.0	16.1	0.0	0	0.0	0	0	4	4
41	0.0	0.0	16.1	16.1	0.0	16.1	0.0	0	0.0	0	0	4	4
42	0.0	0.0	16.1	16.1	0.0	16.1	0.0	0	0.0	0	0	4	4
43	0.0	0.0	16.1	16.1	0.0	16.1	0.0	0	0.0	0	0	4	4
44	0.0	0.0	28.1	28.1	0.0	28.1	0.0	0	0.0	0	0	7	7
45	0.0	0.0	37.1	37.1	0.0	37.1	0.0	0	0.0	0	0	9	9
46	0.0	0.0	37.1	37.1	0.0	37.1	0.0	0	0.0	0	0	9	9
47	0.0	0.0	37.1	37.1	0.0	37.1	0.0	0	0.0	0	0	9	9
48	0.0	0.0	26.5	26.5	0.0	26.5	0.0	0	0.0	0	0	6	6
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	19953.0	20419.0	17249.7	57621.7	27277.3	30345.3	2.0	7179	4.3	2703	13855	7090	20945

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	3767.0	7027.0	7230.0	202.0	0.0	71.0	160.0	0.0	18457.0
PERCENT	78.6	19.8	48.2	100.0	0.0	100.0	100.0	0.0	33.2

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

UNIT AREA : 339

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	29.0	35.7	64.7	1.4	63.3	0.0	0	0.0	0	1	16	17
21	51.0	104.0	35.7	190.7	51.0	139.7	0.0	0	0.0	0	26	32	58
22	382.0	380.0	88.2	850.2	415.7	434.5	0.0	0	3.8	13	208	100	308
23	533.0	894.0	1714.9	3141.9	819.3	2322.6	1.9	48	3.1	61	415	530	945
24	1383.0	2136.0	2633.5	6152.5	2252.1	3900.4	0.8	80	3.8	31	1429	885	2314
25	2954.0	2513.0	3441.1	8908.1	4751.1	4157.0	1.9	78	4.5	64	2377	944	3321
26	3425.0	1768.0	4974.1	10167.1	6339.2	3827.9	1.9	271	4.4	46	3188	876	4064
27	3094.0	1227.0	8750.1	13071.1	9447.6	3623.5	1.8	348	4.1	70	4725	821	5546
28	4759.0	1717.0	5446.0	11922.0	8549.6	3372.4	2.0	458	3.9	133	4266	785	5051
29	3341.0	955.0	4397.0	8693.0	6721.2	1971.8	2.1	221	3.8	66	3361	446	3807
30	2941.0	752.0	4378.7	8071.7	5787.8	2283.9	2.0	208	3.4	45	2895	513	3408
31	1496.0	876.0	2224.2	4596.2	2340.9	2255.3	2.1	131	4.0	36	1168	514	1682
32	340.0	133.0	1277.1	1750.1	924.8	825.6	2.1	102	3.4	27	465	186	651
33	528.0	323.0	5330.4	6181.4	2010.0	4171.7	1.9	171	4.7	28	1013	948	1961
34	233.0	125.0	1015.9	1373.9	585.8	788.5	2.2	13	5.3	3	295	179	474
35	114.0	0.0	812.9	926.9	317.5	610.1	0.0	0	0.0	0	158	140	298
36	92.0	90.0	442.4	624.4	202.9	422.1	0.0	0	0.0	0	101	98	199
37	19.0	0.0	442.4	461.4	19.0	442.4	0.0	0	0.0	0	10	102	112
38	214.0	43.0	442.4	699.4	214.0	485.4	0.0	0	0.0	0	107	112	219
39	60.0	0.0	442.4	502.4	60.0	442.4	0.0	0	0.0	0	30	102	132
40	14.0	108.0	118.3	240.3	23.9	216.4	0.0	0	0.0	0	12	51	63
41	75.0	29.0	56.1	160.1	84.9	75.2	1.8	33	4.1	7	43	19	62
42	0.0	0.0	46.2	46.2	0.0	46.2	0.0	0	0.0	0	0	12	12
43	0.0	0.0	46.2	46.2	0.0	46.2	0.0	0	0.0	0	0	12	12
44	0.0	16.0	116.6	132.6	0.0	132.6	0.0	0	0.0	0	0	30	30
45	0.0	0.0	169.4	169.4	0.0	169.4	0.0	0	0.0	0	0	39	39
46	0.0	0.0	169.4	169.4	0.0	169.4	0.0	0	0.0	0	0	39	39
47	0.0	0.0	169.4	169.4	0.0	169.4	0.0	0	0.0	0	0	39	39
48	0.0	0.0	127.0	127.0	0.0	127.0	0.0	0	0.0	0	0	30	30
49	0.0	0.0	21.0	21.0	0.0	21.0	0.0	0	0.0	0	0	5	5
50	0.0	0.0	21.0	21.0	0.0	21.0	0.0	0	0.0	0	0	5	5
51	0.0	0.0	21.0	21.0	0.0	21.0	0.0	0	0.0	0	0	5	5
52	0.0	0.0	24.0	24.0	0.0	24.0	0.0	0	0.0	0	0	5	5
TOTAL	26048.0	14218.0	49430.7	89696.7	51919.7	37779.3	1.9	2162	3.9	630	26293	8620	34913

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	154.0	11187.0	23581.0	5623.0	1895.0	286.0	728.0	93.0	43547.0
PERCENT	100.0	44.0	51.2	50.3	100.0	71.1	100.0	100.0	50.7

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

UNIT AREA : 340

WEEK	CATCH (KG) * SMALL	LARGE	UNSIZED	TOTAL	ADJUSTED CATCH (KG) * SMALL	LARGE	MEAN WEIGHT (KG) SMALL WEIGHT	SMPL SIZE	LARGE WEIGHT	SMPL SIZE	ESTIMATED NUMBERS + SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
23	6.0	188.0	1270.0	1464.0	122.2	1341.8	2.0	1	4.5	35	61	303	364
24	855.0	4481.0	2013.5	7349.5	1256.9	6092.6	2.0	342	4.5	569	642	1356	1998
25	6003.0	8477.0	2795.3	17275.3	7140.5	10134.8	1.9	2605	4.5	1462	3713	2259	5972
26	7023.0	4729.0	2565.5	14317.5	8553.7	5763.8	1.9	3303	4.4	920	4461	1328	5789
27	5840.0	1874.0	1871.9	9585.9	7089.8	2496.1	2.0	2752	4.8	347	3552	540	4092
28	6046.0	1854.0	1600.4	9500.4	7210.3	2290.1	2.0	2751	4.6	364	3545	501	4046
29	2254.0	608.0	1191.5	4053.5	3044.0	1009.5	2.0	1087	4.5	131	1507	223	1730
30	901.0	266.0	1090.1	2257.1	1625.5	631.6	2.0	412	4.5	58	822	141	963
31	54.0	17.0	591.3	662.3	278.4	383.9	1.9	26	4.3	4	141	89	230
32	2.0	0.0	452.2	454.2	65.6	388.6	2.0	1	0.0	0	36	87	123
33	9.0	0.0	475.7	484.7	259.5	225.2	2.3	4	0.0	0	132	50	182
34	2.0	15.0	496.6	513.6	120.4	393.5	2.0	1	5.0	3	62	88	150
35	0.0	0.0	323.0	323.0	80.9	242.4	0.0	0	0.0	0	39	53	92
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	73.5	73.5	0.0	73.5	0.0	0	0.0	0	0	14	14
41	0.0	0.0	73.5	73.5	0.0	73.5	0.0	0	0.0	0	0	14	14
42	0.0	0.0	73.5	73.5	0.0	73.5	0.0	0	0.0	0	0	14	14
43	0.0	0.0	73.5	73.5	0.0	73.5	0.0	0	0.0	0	0	14	14
44	0.0	0.0	64.7	64.7	0.0	64.7	0.0	0	0.0	0	0	15	15
45	0.0	0.0	58.1	58.1	0.0	58.1	0.0	0	0.0	0	0	12	12
46	0.0	0.0	58.1	58.1	0.0	58.1	0.0	0	0.0	0	0	12	12
47	0.0	0.0	58.1	58.1	0.0	58.1	0.0	0	0.0	0	0	12	12
48	0.0	0.0	41.5	41.5	0.0	41.5	0.0	0	0.0	0	0	10	10
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	28995.0	22509.0	17311.5	68815.5	36847.7	31968.4	2.0	13285	4.5	3893	18713	7135	25848

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	8409.0	6272.0	2070.0	0.0	322.0	249.0	0.0	17322.0
PERCENT	0.0	21.6	23.1	98.8	0.0	100.0	100.0	0.0	25.2

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

UNIT AREA : 341

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	13.3	13.3	0.0	13.3	0.0	0	0.0	0	0	3	3
21	0.0	0.0	13.3	13.3	0.0	13.3	0.0	0	0.0	0	0	3	3
22	12.0	20.0	62.4	94.4	32.8	61.6	0.0	0	0.0	0	18	13	31
23	160.0	1223.0	423.5	1806.5	223.5	1583.0	2.1	68	4.3	136	117	355	472
24	722.0	5814.0	772.4	7308.4	848.0	6460.4	2.0	95	4.3	455	470	1450	1920
25	4971.0	16394.0	1714.7	23079.7	5421.0	17658.7	1.9	684	4.3	1162	2926	3988	6914
26	13464.0	14522.0	2165.3	30151.3	14534.2	15617.1	1.8	2621	4.5	1083	8022	3427	11449
27	23017.0	8816.0	2449.1	34282.1	24761.1	9521.0	1.8	7652	4.8	825	13829	2039	15868
28	20350.0	5186.0	1700.0	27236.0	21660.2	5575.8	1.7	7048	4.7	399	12267	1180	13447
29	6557.0	2251.0	855.3	9663.3	7176.5	2466.8	1.8	2099	4.7	130	4040	540	4580
30	1531.0	652.0	563.1	2746.1	1945.0	801.1	1.8	568	5.9	47	1082	173	1255
31	82.0	82.0	284.0	448.0	272.7	175.3	1.7	34	6.4	5	151	39	190
32	81.0	21.0	223.5	325.5	184.7	140.8	1.8	16	0.0	0	103	31	134
33	29.0	23.0	180.3	232.3	136.5	95.8	1.8	16	4.5	2	76	21	97
34	0.0	7.0	165.4	172.4	87.8	84.6	0.0	0	7.0	1	48	18	66
35	0.0	0.0	117.0	117.0	33.0	84.2	0.0	0	0.0	0	19	19	38
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	10.5	10.5	0.0	10.5	0.0	0	0.0	0	0	2	2
41	0.0	0.0	10.5	10.5	0.0	10.5	0.0	0	0.0	0	0	2	2
42	0.0	0.0	10.5	10.5	0.0	10.5	0.0	0	0.0	0	0	2	2
43	0.0	0.0	10.5	10.5	0.0	10.5	0.0	0	0.0	0	0	2	2
44	0.0	0.0	77.7	77.7	0.0	77.7	0.0	0	0.0	0	0	18	18
45	0.0	0.0	128.1	128.1	0.0	128.1	0.0	0	0.0	0	0	29	29
46	0.0	0.0	128.1	128.1	0.0	128.1	0.0	0	0.0	0	0	29	29
47	0.0	0.0	128.1	128.1	0.0	128.1	0.0	0	0.0	0	0	29	29
48	0.0	0.0	91.5	91.5	0.0	91.5	0.0	0	0.0	0	0	19	19
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	70976.0	55011.0	12298.1	138285.1	77317.0	60968.3	1.8	20901	4.5	4245	43168	13431	56599

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	112.0	4871.0	5911.0	834.0	0.0	45.0	553.0	0.0	12326.0
PERCENT	90.3	10.4	8.0	74.5	0.0	100.0	100.0	0.0	10.1

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

UNIT AREA : 342

WEEK	CATCH (KG) SMALL	CATCH (KG) LARGE	CATCH (KG) UNSIZED	CATCH (KG) TOTAL	ADJUSTED CATCH (KG)* SMALL	ADJUSTED CATCH (KG)* LARGE	MEAN WEIGHT (KG) SMALL WEIGHT	MEAN WEIGHT (KG) SMALL SMPL SIZE	MEAN WEIGHT (KG) LARGE WEIGHT	MEAN WEIGHT (KG) LARGE SMPL SIZE	ESTIMATED NUMBERS+ SMALL	ESTIMATED NUMBERS+ LARGE	ESTIMATED NUMBERS+ TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	17.0	51.0	0.0	68.0	17.0	51.0	1.9	9	4.6	11	9	11	20
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
24	0.0	23.0	3.2	26.2	0.0	26.2	0.0	0	4.6	5	0	6	6
25	946.0	4720.0	395.2	6061.2	1007.2	5054.0	1.9	486	4.6	1024	530	1098	1628
26	2430.0	6521.0	918.7	9869.7	2705.0	7164.7	2.0	1236	4.5	1428	1395	1571	2966
27	2162.0	3465.0	844.4	6471.4	2501.7	3969.7	1.9	1012	4.5	606	1366	879	2245
28	1857.0	2090.0	104.8	4051.8	1903.3	2148.5	1.6	869	4.8	305	1160	453	1613
29	600.0	410.0	26.4	1036.4	614.9	421.5	1.6	257	5.5	51	378	80	458
30	208.0	301.0	10.5	519.5	212.3	307.2	2.0	105	4.6	65	106	67	173
31	0.0	0.0	17.5	17.5	4.7	12.8	0.0	0	0.0	0	2	2	4
32	0.0	0.0	24.5	24.5	3.5	21.0	0.0	0	0.0	0	2	4	6
33	0.0	0.0	24.5	24.5	7.4	17.1	0.0	0	0.0	0	4	4	8
34	0.0	0.0	24.5	24.5	8.4	16.1	0.0	0	0.0	0	4	4	8
35	0.0	0.0	17.5	17.5	6.2	11.4	0.0	0	0.0	0	4	2	6
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	8220.0	17581.0	2411.7	28212.7	8991.6	19221.2	1.8	3974	4.6	3495	4960	4181	9141

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	1051.0	796.0	111.0	0.0	0.0	0.0	0.0	1958.0
PERCENT	0.0	7.1	6.9	100.0	0.0	0.0	0.0	0.0	7.4

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

UNIT AREA : 401

	CATCH (KG)				ADJUSTED CATCH (KG)*		MEAN WEIGHT (KG)				ESTIMATED NUMBERS+		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	9.0	14.0	0.0	23.0	9.0	14.0	2.3	4	4.7	3	5	3	8
23	0.0	32.0	552.3	584.3	84.3	500.1	0.0	0	0.0	0	44	109	153
24	0.0	0.0	642.6	642.6	60.8	581.8	0.0	0	0.0	0	31	125	156
25	98.0	4753.0	1061.5	5912.5	179.9	5732.6	2.3	30	4.3	407	93	1291	1384
26	544.0	4424.0	1515.2	6483.2	926.0	5557.2	2.0	106	4.5	495	480	1235	1715
27	1071.0	3231.0	2135.2	6437.2	1711.9	4725.3	2.0	163	4.6	281	882	1033	1915
28	1525.0	1311.0	1951.6	4787.6	2392.7	2394.9	2.0	234	4.6	130	1231	527	1758
29	1557.0	382.0	1614.0	3553.0	2460.7	1092.3	1.9	147	3.9	32	1288	240	1528
30	392.0	583.0	1560.6	2535.6	1201.2	1334.4	0.0	0	0.0	0	615	291	906
31	93.0	358.0	1489.7	1940.7	691.8	1248.9	0.0	0	0.0	0	348	271	619
32	10.0	30.0	1276.7	1316.7	421.7	895.4	0.0	0	0.0	0	213	195	408
33	0.0	0.0	1262.1	1262.1	340.0	922.5	0.0	0	0.0	0	171	203	374
34	0.0	0.0	1262.1	1262.1	326.9	936.1	0.0	0	0.0	0	166	205	371
35	0.0	0.0	1042.3	1042.3	268.6	774.3	0.0	0	0.0	0	134	170	304
36	0.0	0.0	492.8	492.8	123.3	369.7	0.0	0	0.0	0	63	80	143
37	0.0	0.0	492.8	492.8	0.0	492.8	0.0	0	0.0	0	0	106	106
38	0.0	0.0	492.8	492.8	0.0	492.8	0.0	0	0.0	0	0	106	106
39	0.0	0.0	492.8	492.8	0.0	492.8	0.0	0	0.0	0	0	106	106
40	0.0	0.0	389.9	389.9	0.0	389.9	0.0	0	0.0	0	0	84	84
41	0.0	0.0	389.9	389.9	0.0	389.9	0.0	0	0.0	0	0	84	84
42	0.0	0.0	389.9	389.9	0.0	389.9	0.0	0	0.0	0	0	84	84
43	0.0	0.0	389.9	389.9	0.0	389.9	0.0	0	0.0	0	0	84	84
44	0.0	0.0	167.1	167.1	0.0	167.1	0.0	0	0.0	0	0	35	35
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	5299.0	15118.0	21063.8	41480.8	11198.8	30284.6	2.0	684	4.5	1348	5764	6667	12431

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	3288.0	8290.0	5760.0	2113.0	1728.0	0.0	0.0	21179.0
PERCENT	0.0	23.7	40.3	92.8	100.0	100.0	0.0	0.0	47.6

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

UNIT AREA : 402

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	11.0	0.0	11.0	0.0	11.0	0.0	0	0.0	0	0	2	2
22	0.0	14.0	340.0	354.0	85.1	269.1	0.0	0	4.7	3	48	60	108
23	14.0	65.0	722.1	801.1	206.1	595.2	0.0	0	5.2	10	115	134	249
24	91.0	202.0	847.9	1140.9	461.2	679.7	2.3	24	4.7	35	255	149	404
25	185.0	336.0	1842.6	2363.6	1238.9	1124.7	2.2	52	4.6	40	689	252	941
26	640.0	329.0	2009.6	2978.6	2073.0	905.6	1.9	114	4.3	43	1145	202	1347
27	841.0	114.0	6344.3	7299.3	6200.4	1098.9	1.7	209	4.4	18	3445	245	3690
28	1087.0	115.0	4431.6	5633.6	5065.7	567.9	1.9	359	4.3	26	2714	126	2840
29	1055.0	100.0	5429.1	6584.1	6134.4	449.7	1.7	528	4.6	21	3536	99	3635
30	0.0	0.0	1336.3	1336.3	776.8	559.6	0.0	0	0.0	0	431	123	554
31	89.0	36.0	695.6	820.6	480.8	339.9	1.7	52	3.5	2	276	75	351
32	0.0	0.0	46.2	46.2	30.4	15.9	0.0	0	0.0	0	16	4	20
33	162.0	26.0	256.5	444.5	372.2	72.4	2.0	83	5.2	5	188	17	205
34	29.0	0.0	166.2	195.2	179.4	15.9	2.2	13	0.0	0	99	4	103
35	134.0	21.0	133.7	288.7	242.9	45.9	1.7	78	4.2	5	141	11	152
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	6.0	47.0	53.0	0.0	53.0	0.0	0	6.0	1	0	12	12
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	4327.0	1375.0	24648.7	30350.7	23547.3	6804.4	1.8	1512	4.5	209	13098	1515	14613

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)									
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	4682.0	18417.0	634.0	47.0	0.0	0.0	0.0	23780.0
PERCENT	0.0	66.4	84.2	63.0	88.7	0.0	0.0	0.0	79.3

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

UNIT AREA : 403

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	42.0	95.0	11.9	148.9	46.1	102.8	1.6	25	4.8	13	24	21	45
23	29.0	264.0	324.2	617.2	60.8	556.4	3.0	1	5.3	16	32	117	149
24	298.0	308.0	520.6	1126.6	443.8	682.8	2.0	35	4.5	31	232	142	374
25	1508.0	318.0	459.1	2285.1	1739.2	545.9	1.9	288	5.0	34	901	115	1016
26	1286.0	106.0	462.0	1854.0	1598.4	255.6	1.9	362	5.1	13	841	52	893
27	2303.0	185.0	347.0	2835.0	2520.4	314.6	1.8	736	5.1	22	1358	63	1421
28	820.0	135.0	350.8	1305.8	1003.0	302.8	1.7	269	4.8	13	555	60	615
29	167.0	23.0	359.2	549.2	387.9	161.3	0.0	0	0.0	0	205	31	236
30	0.0	0.0	263.2	263.2	74.9	188.3	0.0	0	0.0	0	41	37	78
31	0.0	0.0	75.2	75.2	21.8	53.4	0.0	0	0.0	0	14	9	23
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	6453.0	1434.0	3173.2	11060.2	7896.3	3163.9	1.8	1716	4.9	142	4203	647	4850

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	340.0	1688.0	1350.0	0.0	0.0	0.0	0.0	0.0	3378.0
PERCENT	96.0	39.4	35.7	0.0	0.0	0.0	0.0	0.0	40.1

1983 ATLANTIC SALMON COMMERCIAL CATCH

UNIT AREA : 404

(INCLUDES LOCAL SALES)

	CATCH (KG)				ADJUSTED CATCH (KG)*		MEAN WEIGHT (KG)				ESTIMATED NUMBERS+		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	142.0	503.0	530.0	1175.0	198.0	977.0	1.7	63	3.7	92	128	253	381
23	634.0	1136.0	1243.3	3013.3	1153.1	1860.2	1.4	205	4.0	174	779	471	1250
24	1208.0	1253.0	1501.8	3962.8	1883.6	2079.2	1.5	364	3.7	115	1256	524	1780
25	1477.0	750.0	1764.9	3991.9	2490.9	1501.0	1.6	462	4.3	106	1611	379	1990
26	984.0	352.0	1813.7	3149.7	2397.7	752.0	1.5	327	4.6	42	1581	188	1769
27	2160.0	269.0	1302.4	3731.4	3104.9	626.5	0.0	0	3.7	3	2069	157	2226
28	21.0	0.0	751.2	772.2	537.4	234.8	0.0	0	0.0	0	357	57	414
29	0.0	0.0	746.2	746.2	194.3	551.9	0.0	0	0.0	0	128	139	267
30	0.0	0.0	746.2	746.2	373.7	373.7	0.0	0	0.0	0	246	96	342
31	0.0	0.0	213.2	213.2	106.6	106.6	0.0	0	0.0	0	73	25	98
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	6626.0	4263.0	10612.9	21501.9	12440.2	9062.9	1.6	1421	4.0	532	8228	2289	10517

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	6615.0	3968.0	0.0	0.0	0.0	0.0	0.0	10583.0
PERCENT	0.0	44.1	62.1	0.0	0.0	0.0	0.0	0.0	49.5

Appendix 9 -- 1983 Atlantic Salmon Commercial Catch - NAFO Division

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

NAFO DIVISION : 2H

WEEK	CATCH (KG) SMALL	CATCH (KG) LARGE	CATCH (KG) UNSIZED	CATCH (KG) TOTAL	ADJUSTED CATCH (KG) * SMALL	ADJUSTED CATCH (KG) * LARGE	MEAN WEIGHT (KG) SMALL WEIGHT	MEAN WEIGHT (KG) SMALL SMPL SIZE	MEAN WEIGHT (KG) LARGE WEIGHT	MEAN WEIGHT (KG) LARGE SMPL SIZE	ESTIMATED NUMBERS + SMALL	ESTIMATED NUMBERS + LARGE	ESTIMATED NUMBERS + TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
27	5.0	3.0	0.0	8.0	5.0	3.0	0.0	0	3.0	1	3	1	4
28	12.0	36.0	0.0	48.0	12.0	36.0	3.0	3	4.7	6	7	8	15
29	61.0	585.0	0.0	646.0	61.0	585.0	2.0	1	4.7	25	32	127	159
30	95.0	1310.0	0.0	1405.0	95.0	1310.0	2.0	5	4.7	45	50	284	334
31	1167.0	4660.0	0.0	5827.0	1167.0	4660.0	2.0	9	4.1	45	586	1012	1598
32	1372.0	3003.0	0.0	4375.0	1372.0	3003.0	2.2	6	5.0	12	688	653	1341
33	1342.0	2631.0	0.0	3973.0	1342.0	2631.0	2.3	3	4.5	2	674	570	1244
34	724.0	1619.0	0.0	2343.0	724.0	1619.0	0.0	0	0.0	0	364	352	716
35	425.0	1270.0	0.0	1695.0	425.0	1270.0	2.0	1	4.2	6	215	276	491
36	109.0	581.0	0.0	690.0	109.0	581.0	0.0	0	0.0	0	56	126	182
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	36.0	82.0	0.0	118.0	36.0	82.0	0.0	0	0.0	0	19	18	37
39	0.0	3.0	0.0	3.0	0.0	3.0	0.0	0	0.0	0	0	1	1
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	5348.0	15783.0	0.0	21131.0	5348.0	15783.0	2.2	28	4.5	142	2694	3428	6122

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
PERCENT	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

NAFO DIVISION : 2J

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	34.0	0.0	34.0	0.0	34.0	0.0	0	3.8	4	0	7	7
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
23	6.0	35.0	61.8	102.8	9.9	92.9	0.0	0	0.0	0	3	20	23
24	0.0	4.0	65.3	69.3	3.8	65.5	0.0	0	4.0	1	1	14	15
25	243.0	6938.0	338.8	7519.8	252.3	7267.5	2.6	74	4.3	1322	130	1663	1793
26	2638.0	29514.0	2196.2	34348.2	2781.4	31566.8	2.1	1017	4.5	5583	1400	7008	8408
27	8925.0	54624.0	4545.9	68094.9	9549.7	58545.2	1.8	3768	4.5	9909	5086	13069	18155
28	10750.0	38512.0	2611.9	51873.9	11409.7	40464.2	1.9	4043	4.5	5277	5864	9198	15062
29	26216.0	39687.0	2610.2	68513.2	27358.4	41154.8	2.0	10264	4.8	4735	13868	8729	22597
30	17073.0	20123.0	1900.0	39096.0	17922.5	21173.5	2.0	6006	4.7	1970	9014	4630	13644
31	6526.0	7467.0	2006.8	15999.8	7178.9	8820.9	1.7	2134	3.8	706	3880	2057	5937
32	3483.0	3072.0	1647.0	8202.0	3914.8	4287.2	2.0	800	5.0	133	1948	916	2864
33	1757.0	2800.0	1455.0	6012.0	1889.8	4122.2	2.3	155	5.3	39	920	898	1818
34	952.0	1554.0	1422.5	3928.5	1323.0	2606.0	2.0	115	4.6	49	660	566	1226
35	716.0	2291.0	1208.6	4215.6	1007.5	3208.6	1.8	89	5.1	19	512	694	1206
36	409.0	1466.0	377.3	2252.3	500.7	1751.8	1.9	14	5.2	6	252	380	632
37	210.0	720.0	377.3	1307.3	214.8	1092.5	0.0	0	0.0	0	107	237	344
38	77.0	716.0	377.3	1170.3	79.6	1090.7	0.0	0	0.0	0	40	236	276
39	70.0	617.0	377.3	1064.3	74.7	989.6	0.0	0	0.0	0	38	216	254
40	11.0	120.0	61.6	192.6	11.0	181.6	0.0	0	0.0	0	6	39	45
41	3.0	82.0	61.6	146.6	3.0	143.6	0.0	0	0.0	0	2	31	33
42	0.0	6.0	61.6	67.6	0.0	67.6	0.0	0	0.0	0	0	14	14
43	0.0	0.0	61.6	61.6	0.0	61.6	0.0	0	0.0	0	0	13	13
44	0.0	0.0	26.4	26.4	0.0	26.4	0.0	0	0.0	0	0	5	5
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	80065.0	210382.0	23852.0	314299.0	85485.5	228814.7	1.9	28479	4.5	29753	43731	50640	94371

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	0.0	2419.0	12293.0	7388.0	1622.0	272.0	0.0	0.0	23994.0
PERCENT	0.0	11.0	7.2	39.5	100.0	100.0	0.0	0.0	11.2

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

NAFO DIVISION : 3K

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	29.0	49.0	78.0	1.4	76.6	0.0	0	0.0	0	1	19	20
21	68.0	155.0	49.0	272.0	68.0	204.0	1.9	9	4.6	11	35	46	81
22	394.0	400.0	150.6	944.6	448.5	496.1	0.0	0	3.8	13	226	113	339
23	699.0	2305.0	3408.4	6412.4	1165.0	5247.4	2.0	117	4.0	232	593	1188	1781
24	2960.0	12454.0	5422.6	20836.6	4357.0	16479.6	1.8	517	4.4	1060	2541	3697	6238
25	14874.0	32104.0	8346.3	55324.3	18319.8	37004.5	1.9	3853	4.5	3712	9546	8289	17835
26	26342.0	27540.0	10623.6	64505.6	32132.1	32373.5	1.9	7431	4.5	3477	17066	7202	24268
27	34113.0	15382.0	13915.5	63410.5	43800.2	19610.3	1.8	11764	4.7	1848	23472	4279	27751
28	33012.0	10847.0	8851.2	52710.2	39323.4	13386.8	1.8	11126	4.6	1201	21238	2919	24157
29	12752.0	4224.0	6470.2	23446.2	17556.6	5889.6	1.9	3664	4.6	378	9286	1289	10575
30	5581.0	1971.0	6042.4	13594.4	9570.6	4023.8	1.9	1293	4.6	215	4905	894	5799
31	1632.0	975.0	3117.0	5724.0	2896.7	2827.3	2.0	191	4.3	45	1462	644	2106
32	423.0	154.0	1977.3	2554.3	1178.6	1376.0	2.1	119	3.4	27	606	308	914
33	566.0	346.0	6010.9	6922.9	2413.4	4509.8	1.9	191	4.7	30	1225	1023	2248
34	235.0	147.0	1702.4	2084.4	802.4	1282.7	2.1	14	5.4	7	409	289	698
35	114.0	0.0	1270.4	1384.4	437.6	948.1	0.0	0	0.0	0	220	214	434
36	92.0	90.0	442.4	624.4	202.9	422.1	0.0	0	0.0	0	101	98	199
37	19.0	0.0	442.4	461.4	19.0	442.4	0.0	0	0.0	0	10	102	112
38	214.0	43.0	442.4	699.4	214.0	485.4	0.0	0	0.0	0	107	112	219
39	60.0	0.0	442.4	502.4	60.0	442.4	0.0	0	0.0	0	30	102	132
40	14.0	108.0	202.3	324.3	23.9	300.4	0.0	0	0.0	0	12	67	79
41	75.0	29.0	140.1	244.1	84.9	159.2	1.8	33	4.1	7	43	35	78
42	0.0	0.0	130.2	130.2	0.0	130.2	0.0	0	0.0	0	0	28	28
43	0.0	0.0	130.2	130.2	0.0	130.2	0.0	0	0.0	0	0	28	28
44	0.0	16.0	259.0	275.0	0.0	275.0	0.0	0	0.0	0	0	63	63
45	0.0	0.0	355.6	355.6	0.0	355.6	0.0	0	0.0	0	0	80	80
46	0.0	0.0	355.6	355.6	0.0	355.6	0.0	0	0.0	0	0	80	80
47	0.0	0.0	355.6	355.6	0.0	355.6	0.0	0	0.0	0	0	80	80
48	0.0	0.0	260.0	260.0	0.0	260.0	0.0	0	0.0	0	0	59	59
49	0.0	0.0	21.0	21.0	0.0	21.0	0.0	0	0.0	0	0	5	5
50	0.0	0.0	21.0	21.0	0.0	21.0	0.0	0	0.0	0	0	5	5
51	0.0	0.0	21.0	21.0	0.0	21.0	0.0	0	0.0	0	0	5	5
52	0.0	0.0	24.0	24.0	0.0	24.0	0.0	0	0.0	0	0	5	5
TOTAL	134239.0	109319.0	81452.0	325010.0	175076.0	149937.2	1.9	40322	4.5	12263	93134	33367	126501

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)									
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	266.0	25518.0	36560.0	8638.0	1895.0	653.0	1530.0	93.0	75153.0
PERCENT	95.7	20.2	23.1	59.6	100.0	84.9	100.0	100.0	24.8

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

NAFO DIVISION : 3L

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	279.0	3640.2	3919.2	535.2	3384.0	0.0	0	4.8	30	277	768	1045
21	96.0	1262.0	4360.5	5718.5	710.7	5007.9	1.9	41	4.3	116	367	1143	1510
22	53.0	1889.0	3490.6	5432.6	455.5	4977.2	2.5	13	4.3	234	247	1128	1375
23	249.0	6945.0	7804.4	14998.4	1505.6	13493.4	2.3	63	4.2	975	790	3127	3917
24	3447.0	8739.0	9470.3	21656.3	5733.2	15923.8	1.9	1070	4.2	895	2973	3673	6646
25	7028.0	6113.0	10552.8	23693.8	11475.2	12218.6	1.9	2243	4.7	730	6017	2756	8773
26	5344.0	2252.0	10379.2	17975.2	11775.6	6199.6	1.9	1529	4.3	232	6185	1420	7605
27	2882.0	1186.0	5898.2	9966.2	6818.5	3147.7	1.9	887	4.9	69	3588	716	4304
28	3441.0	1173.0	4783.5	9397.5	6568.3	2829.3	1.9	978	4.6	51	3486	640	4126
29	2767.0	1183.0	4586.6	8536.6	5564.0	2973.3	2.1	618	3.9	39	2867	665	3532
30	2512.0	414.0	4879.3	7805.3	5944.2	1862.1	2.1	751	3.8	41	3070	418	3488
31	1350.0	200.0	3077.5	4627.5	2987.6	1643.6	1.7	411	3.9	24	1650	369	2019
32	376.0	195.0	937.5	1508.5	767.5	741.4	2.2	77	4.7	7	397	165	562
33	36.0	23.0	767.2	826.2	384.2	442.4	1.6	17	0.0	0	205	99	304
34	36.0	152.0	821.2	1009.2	288.3	721.7	1.5	6	0.0	0	152	160	312
35	96.0	9.0	575.2	680.2	282.1	399.1	2.0	27	0.0	0	146	89	235
36	8.0	9.0	95.2	112.2	29.1	83.1	0.0	0	0.0	0	14	19	33
37	6.0	0.0	95.2	101.2	6.0	95.2	2.0	3	0.0	0	3	20	23
38	0.0	0.0	95.2	95.2	0.0	95.2	0.0	0	0.0	0	0	20	20
39	0.0	0.0	95.2	95.2	0.0	95.2	0.0	0	0.0	0	0	20	20
40	0.0	0.0	16.1	16.1	0.0	16.1	0.0	0	0.0	0	0	4	4
41	0.0	0.0	16.1	16.1	0.0	16.1	0.0	0	0.0	0	0	4	4
42	0.0	0.0	16.1	16.1	0.0	16.1	0.0	0	0.0	0	0	4	4
43	0.0	0.0	16.1	16.1	0.0	16.1	0.0	0	0.0	0	0	4	4
44	0.0	0.0	28.1	28.1	0.0	28.1	0.0	0	0.0	0	0	7	7
45	0.0	0.0	37.1	37.1	0.0	37.1	0.0	0	0.0	0	0	9	9
46	0.0	0.0	37.1	37.1	0.0	37.1	0.0	0	0.0	0	0	9	9
47	0.0	0.0	37.1	37.1	0.0	37.1	0.0	0	0.0	0	0	9	9
48	0.0	0.0	26.5	26.5	0.0	26.5	0.0	0	0.0	0	0	6	6
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	29727.0	32023.0	76635.3	138385.3	61830.8	76564.1	1.9	8734	4.3	3443	32434	17471	49905

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	16266.0	32702.0	22940.0	4024.0	407.0	71.0	160.0	0.0	76570.0
PERCENT	83.9	43.7	60.3	88.5	100.0	100.0	100.0	0.0	55.7

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

NAFO DIVISION : 3PN

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	163.0	84.7	247.7	0.4	247.3	0.0	0	4.8	33	0	55	55
21	88.0	9665.0	2468.5	12221.5	142.5	12079.0	2.1	40	4.4	2178	74	2712	2786
22	242.0	7437.0	1638.0	9317.0	355.2	8961.8	1.9	60	4.2	1722	186	2132	2318
23	97.0	9907.0	385.0	10389.0	100.7	10288.3	1.6	51	4.3	1944	54	2369	2423
24	618.0	6712.0	1136.1	8466.1	1146.9	7319.2	1.8	306	4.5	1501	623	1642	2265
25	1127.0	5252.0	800.4	7179.4	1488.7	5690.7	1.9	484	4.5	1113	787	1260	2047
26	1389.0	1306.0	147.4	2842.4	1467.6	1374.8	1.9	588	4.4	268	791	311	1102
27	1588.0	644.0	94.8	2326.8	1663.4	663.4	1.8	680	4.7	124	910	146	1056
28	284.0	67.0	10.8	361.8	292.4	69.4	1.7	166	3.7	14	168	17	185
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	5433.0	41153.0	6765.7	53351.7	6657.8	46693.9	1.9	2375	4.4	8897	3593	10644	14237

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	678.0	790.0	54.0	0.0	0.0	0.0	0.0	0.0	1522.0
PERCENT	3.9	2.5	100.0	0.0	0.0	0.0	0.0	0.0	3.1

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

NAFO DIVISION : 3PS

WEEK	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	34.0	491.0	525.0	42.8	482.3	0.0	0	8.0	1	22	108	130
21	22.0	331.0	1029.0	1382.0	98.9	1283.2	2.5	2	4.4	30	52	289	341
22	115.0	3367.0	2128.1	5610.1	257.7	5352.4	2.2	29	4.2	273	136	1235	1371
23	482.0	3772.0	3745.8	7999.8	1123.2	6877.8	1.9	68	4.1	425	592	1595	2187
24	1159.0	1492.0	4276.1	6927.1	2696.4	4230.7	1.8	108	4.3	121	1425	950	2375
25	2840.0	4081.0	6007.3	12928.3	5156.8	7771.7	1.9	623	4.3	536	2714	1760	4474
26	4884.0	2821.0	8659.8	16364.8	8854.5	7510.3	1.9	1065	4.2	130	4627	1696	6323
27	2423.0	522.0	3312.9	6257.9	4871.2	1386.7	2.0	492	4.3	54	2530	312	2842
28	182.0	438.0	2294.2	2914.2	1728.3	1185.9	2.0	40	4.9	8	910	260	1170
29	8.0	142.0	1865.4	2015.4	1437.0	578.7	0.0	0	0.0	0	758	123	881
30	117.0	0.0	1735.3	1852.3	1664.1	188.6	0.0	0	0.0	0	876	38	914
31	0.0	0.0	502.0	502.0	454.2	47.9	0.0	0	0.0	0	238	7	245
32	0.0	0.0	42.0	42.0	37.9	4.2	0.0	0	0.0	0	21	0	21
33	0.0	0.0	42.0	42.0	37.9	4.2	0.0	0	0.0	0	21	0	21
34	0.0	0.0	42.0	42.0	37.9	4.2	0.0	0	0.0	0	21	0	21
35	0.0	0.0	30.0	30.0	27.1	3.1	0.0	0	0.0	0	14	0	14
36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
39	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
41	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	12232.0	17000.0	36202.9	65434.9	28525.9	36911.9	1.9	2427	4.2	1578	14957	8373	23330

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

	LOCAL SALES (KG)								
	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	4322.0	20558.0	11962.0	185.0	0.0	0.0	0.0	0.0	37027.0
PERCENT	69.5	49.3	72.5	100.0	0.0	0.0	0.0	0.0	57.3

1983 ATLANTIC SALMON COMMERCIAL CATCH

(INCLUDES LOCAL SALES)

NAFO DIVISION : 4R

	CATCH (KG)				ADJUSTED CATCH (KG) *		MEAN WEIGHT (KG)				ESTIMATED NUMBERS +		
							SMALL		LARGE				
WEEK	SMALL	LARGE	UNSIZED	TOTAL	SMALL	LARGE	WEIGHT	SMPL SIZE	WEIGHT	SMPL SIZE	SMALL	LARGE	TOTAL
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
21	0.0	11.0	0.0	11.0	0.0	11.0	0.0	0	0.0	0	0	2	2
22	193.0	626.0	881.9	1700.9	338.2	1362.9	1.7	92	3.9	111	205	337	542
23	677.0	1497.0	2841.9	5015.9	1504.3	3511.9	1.4	206	4.1	200	970	831	1801
24	1597.0	1763.0	3512.9	6872.9	2849.4	4023.5	1.6	423	4.0	181	1774	940	2714
25	3268.0	6157.0	5128.1	14553.1	5648.9	8904.2	1.8	832	4.4	587	3294	2037	5331
26	3454.0	5211.0	5800.5	14465.5	6995.1	7470.4	1.8	909	4.5	593	4047	1677	5724
27	6375.0	3799.0	10128.9	20302.9	13537.6	6765.3	1.8	1108	4.6	324	7754	1498	9252
28	3453.0	1561.0	7485.2	12499.2	8998.8	3500.4	1.8	862	4.5	169	4857	770	5627
29	2779.0	505.0	8148.5	11432.5	9177.3	2255.2	1.8	675	4.2	53	5157	509	5666
30	392.0	583.0	3906.3	4881.3	2426.6	2456.0	0.0	0	0.0	0	1333	547	1880
31	182.0	394.0	2473.7	3049.7	1301.0	1748.8	1.7	52	3.5	2	711	380	1091
32	10.0	30.0	1322.9	1362.9	452.1	911.3	0.0	0	0.0	0	229	199	428
33	162.0	26.0	1518.6	1706.6	712.2	994.9	2.0	83	5.2	5	359	220	579
34	29.0	0.0	1428.3	1457.3	506.3	952.0	2.2	13	0.0	0	265	209	474
35	134.0	21.0	1176.0	1331.0	511.5	820.2	1.7	78	4.2	5	275	181	456
36	0.0	0.0	492.8	492.8	123.3	369.7	0.0	0	0.0	0	63	80	143
37	0.0	0.0	492.8	492.8	0.0	492.8	0.0	0	0.0	0	0	106	106
38	0.0	6.0	539.8	545.8	0.0	545.8	0.0	0	6.0	1	0	118	118
39	0.0	0.0	492.8	492.8	0.0	492.8	0.0	0	0.0	0	0	106	106
40	0.0	0.0	389.9	389.9	0.0	389.9	0.0	0	0.0	0	0	84	84
41	0.0	0.0	389.9	389.9	0.0	389.9	0.0	0	0.0	0	0	84	84
42	0.0	0.0	389.9	389.9	0.0	389.9	0.0	0	0.0	0	0	84	84
43	0.0	0.0	389.9	389.9	0.0	389.9	0.0	0	0.0	0	0	84	84
44	0.0	0.0	167.1	167.1	0.0	167.1	0.0	0	0.0	0	0	35	35
45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
46	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0.0	0	0	0	0
TOTAL	22705.0	22190.0	59498.6	104393.6	55082.6	49315.8	1.8	5333	4.4	2231	31293	11118	42411

* DEFAULT VALUES USED IN SOME CALCULATIONS (SEE METHODS)
+ SUM OF COMMUNITY STATISTICS (SEE METHODS)

LOCAL SALES (KG)

	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	TOTAL
WEIGHT	340.0	16273.0	32025.0	6394.0	2160.0	1728.0	0.0	0.0	58920.0
PERCENT	96.0	40.5	60.9	88.6	99.7	100.0	0.0	0.0	56.5

Part 2 - Recreational Fishery

INTRODUCTION

This is the eleventh annual angling data report published since 1973 by the Freshwater and Anadromous Fish Program (Button and Wells 1974, 1975; Moores 1976; Moores et al. 1977, 1978; Moores and Tucker 1978, 1979, 1980, 1981; Moores and Ash 1984; Ash and Tucker 1984). It provides the statistical data on the catch and effort in the Atlantic salmon recreational fishery in Newfoundland and Labrador in 1983.

METHODS

The data were provided by the Resource Management Division, Fisheries Operations Branch, Department of Fisheries and Oceans, Newfoundland. Information provided includes observed and reported catch and effort data as well as estimates of unreported data. The observed and reported data were based on activities actually seen by river guardians or reported to him by others on the river during his surveillance. Estimated unreported data were based on fishing activity that occurred when the river was not patrolled, i.e. days of rest or while patrolling other areas. This was made in consideration of weather conditions, water levels, and the guardian's knowledge of the particular stock migratory pattern. The angling pressure and accessibility to the rivers have increased to such a degree during the last 10 - 15 years that observation and recording of total effort and angling catch have become virtually impossible. The estimated quantity on a weekly basis was incorporated into the angling data in 1974 to provide consistency in the reporting. In 1983, for greater accuracy, this practice was changed so that estimates were made on a daily basis.

This report also includes calculated catch-per-unit-effort (CPUE), defined as the number of fish angled per rod day (a rod day being a day or any part thereof in which an individual angles).

The data were summarized by river, Statistical Section, Statistical Area, insular Newfoundland, Labrador, and the province (Fig. 1 and 2). Rivers were tabulated according to their assigned seven-digit code (Waldron 1974) commencing at Cape Norman on the northern tip of the Great Northern Peninsula and proceeding consecutively and clockwise around insular Newfoundland and into Labrador. The seven-digit codes, developed for quick identification and location of rivers as well as for computer coding, denote not only the individual river numbers but also the Statistical Section (developed by Fisheries Systems and Statistics Branch in 1968) in which the mouth of the river is located. For example: Exploits River is coded 0707790. The number 07 indicates the Statistical Section and the 07790 is the individual river number. A given river can be easily located by using Fig. 1 and 2 in conjunction with the index provided in Appendix 10.

Catch and effort data were presented by week and include number of grilse (< 2.7 kg), number of salmon (> 2.7 kg), and percentage grilse. Also given is the number of days each week data were collected.

OPENING AND CLOSURE DATES

The season for Atlantic salmon angling in Newfoundland and Labrador as a whole extended from June 10 to September 15. However, because the timing of migration differs depending on the river, in order to ensure that adequate spawners reach the spawning grounds, the opening and closing dates varied. Open season for all scheduled rivers during 1983 is listed in Table 1.

VARIATION ORDERS

Scheduled salmon rivers may have to be closed periodically for reasons such as low water, research, enhancement, conservation, etc. This requires changes to the Newfoundland Fishery Regulations. These notices of change are "Variation Orders". During 1983 the following variation orders were issued.

ORDER VARYING THE CLOSED TIME FOR ANGLING IN THE COLINET RIVER

Short Title

1. This Order may be cited as the "Newfoundland Region Closed Time Variation Order, 1983-2".

Variation

2. The closed time as fixed by subsection 13(2) of the Newfoundland Fishery Regulations and set out in Item 1 of Schedule III thereto is hereby varied so that no person shall angle in the Colinet River including the north and east branches (Item 103 of Schedule I) during the period beginning on June 20, 1983 and ending on June 19, 1984.

Coming Into Force

3. This Order shall come into force on the 20th day of June, 1983 and remain in force until June 19, 1984.

ORDER VARYING THE CLOSED TIME FOR ANGLING IN TIDES BROOK, MORTIER BAY INCLUDING MAIN BROOK AND SHEARSTICK BROOK AND TRIBUTARY STREAMS

Short Title

1. This Order may be cited as the "Newfoundland Region Closed Time Variation Order, 1983-10".

Variation

2. The closed time as fixed by subsection 13(2) of the Newfoundland Fishery Regulations and set out in Item 7 of Schedule III thereto is hereby varied so that no person shall angle in Tides Brook, Mortier Bay including Main Brook and Shearstick Brook and tributary streams (Item 120 of Schedule I to the

Regulations) during the period beginning on July 23, 1983 and ending on 8, 1984.

Coming Into Force

3. This Order shall come into force on the 25 day of April, 1983.

ORDER VARYING THE CLOSED TIME FOR ANGLING IN ANCHOR BROOK AND DEADMAN'S BAY RIVER AND TRIBUTARY STREAMS

Short Title

1. This Order may be cited as the "Newfoundland Region Close Time Variation Order, 1983-16".

Variation

2. The close time as fixed by subsection 13(2) of the *Newfoundland Fishery Regulations* and set out in Item 7 of Schedule III thereto is hereby varied so that no person shall angle in Anchor Brook and Deadman's Bay River and tributary streams (Items 73 and 74 of Schedule I to the said Regulations) during the period beginning on July 23, 1983 and ending on July 8, 1984.

Coming Into Force

3. This Order shall come into force on the 12 day of May, 1983.

ORDER VARYING THE CLOSED TIME FOR ANGLING IN THE EXPLOITS RIVER AND TRIBUTARIES STONY BROOK AND GREAT RATTLING BROOK

Short Title

1. This Order may be cited as the "Newfoundland Region Closed Time Variation Order, 1983-28".

Variation

2. The closed time as fixed by subsection 13(2) of the *Newfoundland Fishery Regulations* and set out in Item 1 of Schedule III thereto is hereby varied so that no person shall angle

(a) in that part of Exploits River that is 250 m upstream and 250 m downstream from the mouth of Stony Brook;

(b) in Stony Brook; and

(c) In Great Rattling Brook

during the period beginning on July 9, 1983 and ending on August 31, 1983.

Coming Into Force

3. This Order shall come into force on the 9 day of July, 1983 and remain in force until the 31 day of August, 1983 at which time the close time shall revert to September 1 to June 19.

ORDER VARYING THE CLOSED TIME FOR ANGLING IN THE EXPLOITS RIVER AND TRIBUTARIES STONEY BROOK AND GREAT RATTLING BROOK

Short Title

1. This Order may be cited as the "Newfoundland Region Closed Time Variation Order, 1983-29".

Variation

2. The "Newfoundland Region Closed Time Variation Order, 1983-28" is hereby revoked and the closed time shall revert to that set out in Item 1 of Schedule III of the Newfoundland Fishery Regulations, September 1 to June 19.

Coming Into Force

3. This Order shall come into force on the 14 day of July, 1983.

ORDER VARYING THE CLOSE TIME FOR ANGLING IN THE EXPLOITS RIVER

Short Title

1. This Order may be cited as the "Newfoundland Region Closed Time Variation Order, 1983-30".

Variation

2. The closed time as fixed by subsection 13(2) of the Newfoundland Fishery Regulations and set out in Item 1 of Schedule III thereto is hereby varied so that no person shall angle in that part of the Exploits River that lies between the fish ladder at Grand Falls and where Stony Brook enters the river downstream from Grand Falls, during the period beginning on July 21, 1983 and ending on August 31, 1983.

Coming Into Force

3. This Order shall come into force on the 21 day of July, 1983 and remain in force until the 31 day of August, 1983 at which time the close time shall revert to September 1 to June 19.

ORDER VARYING THE CLOSED TIME FOR ANGLING IN LITTLE CATALINA BROOK

Short Title

1. This Order may be cited as the "Newfoundland Region Closed Time Variation Order, 1983-32".

Variation

2. The closed time as fixed by subsection 13(2) of the Newfoundland Fishery Regulations and set out in Item 8 of Schedule III thereto is hereby varied so that no person shall angle in Little Catalina Brook during the period beginning on August 13, 1983 and ending on September 15, 1983.

Coming Into Force

3. This Order shall come into force on the 13 day of August, 1983 and remain in force until the 15 day of September, 1983.

SUMMARY

The 1983 Newfoundland and Labrador recreational salmon fishery yielded a total of 38,602 fish and expended 132,965 rod days of effort. The catch was made up of 95% grilse (36,792) and 5% large salmon (1,810). In comparison to the previous five-year mean, total catch declined by 10% and the effort increased by 18% (Table 2). The CPUE of 0.29 is the second lowest on record since 1953.

Insular Newfoundland accounted for 87.5% of the total catch or 32,420 grilse and 1,382 large salmon (Table 3). A comparison with 1982 shows a 22% reduction in total catch and a 2% reduction in effort.

The Labrador portion of the province had an increase in effort (4%) to 6,657 rod days as compared to 6,400 for the previous year. The grilse catch (4,372) rose by 6.5% over 1982; the yield of large salmon (193) decreased by 31% from 1982 (Table 4).

The water levels for the most part were medium and increased to high later in the season. Low waters did not force any river closures during 1983.

ACKNOWLEDGMENTS

We thank the field staff of Resource Management Division, Fisheries Operations Branch for preparing the daily reports, Economics Branch for data collection, Statistics and Computing Services for data processing, Neil Hefford for drafting, and K. Harding for typing.

REFERENCES

Ash, E.G.M., and R. J. Tucker. 1984. Angled catch and effort data for Atlantic salmon in Newfoundland and Labrador, and for other fishes in Labrador, 1982. Can. Data Rep. Fish. Aquat. Sci. 465: xv + 96 p.

Button, C. E., and T. J. Wells. 1974. Atlantic salmon angled catch and effort data, Newfoundland and Labrador, 1973. Fish. Mar. Serv. Data Record Ser. No. NEW/D-74-10. 57 p.

1975. Atlantic salmon angled catch and effort data, Newfoundland and Labrador, 1974. Fish. Mar. Serv. Data Record Ser. No. NEW/D-75-4. 58 p.

Moores, R. B. 1976. Atlantic salmon angled catch and effort data, Newfoundland and Labrador, 1975. Fish. Mar. Serv. Data Record Ser. No. NEW/D-76-1. 298 p.

Moores, R. B., E.M.P. Chadwick, and R. J. Tucker. 1977. Atlantic salmon angled catch and effort data, Newfoundland and Labrador, 1976. Fish. Mar. Serv. Data Rep. No. 24. 181 p.

Moores, R. B., R. W. Penny, and R. J. Tucker. 1978. Atlantic salmon angled catch and effort data, Newfoundland and Labrador, 1953-77. Fish. Mar. Serv. Data Rep. No. 84. 274 p.

Moores, R. B., and R. J. Tucker. 1978. Atlantic salmon angled catch and effort data, Newfoundland and Labrador, 1977. Fish. Mar. Serv. Data Rep. No. 60. 180 p.

1979. Atlantic salmon angled catch and effort data, Newfoundland and Labrador, 1978. Fish. Mar. Serv. Data Rep. 147. 106 p.

1980. Atlantic salmon angled catch and effort data, Newfoundland and Labrador, 1979. Can. Data Rep. Fish. Aquat. Sci. 212: xiv + 86 p.

1981. Angled catch and effort data in the Atlantic salmon recreational fishery, Newfoundland and Labrador, 1980. Can. Data Rep. Fish. Aquat. Sci. 263: xiv + 85 p.

Moores, R. B., and E.G.M. Ash. 1984. Angled catch and effort data for Atlantic salmon in Newfoundland and Labrador, and for other fishes in Labrador, 1981. Can. Data Rep. Fish. Aquat. Sci. 451: xv + 88 p.

Waldron, D. E. 1974. Codes used in the Newfoundland commercial and recreational fisheries. Fish. Mar. Serv. Data Record Series No. NEW/D-74-2. 128 p.

Table 1. Periods of salmon angling for all scheduled rivers in Newfoundland and Labrador for 1983.

Waters	Period
Conne River and tributaries	June 10 - Aug 31
Garnish River and tributaries	June 10 - Aug 31
Upper Humber River and tributaries	June 10 - Aug 31
Fox Island River and tributaries	July 1 - July 16
Little Codroy River and tributaries	July 1 - Aug 15
Little Barachois Brook and tributaries	July 1 - Aug 15
Harry's River and tributaries	July 1 - Aug 15
Serpentine River and tributaries	July 1 - Aug 31
Anchor Brook	July 9 - July 22
Deadman's Bay River and tributaries	July 9 - July 22
Tides Brook, Mortier Bay, and tributaries	July 9 - July 22
Colinet River	No Open Season
Highlands River and tributaries	
Cook's Brook	
Hughes Brook	
Torrent River and tributaries	
Watson's Brook, St. Barbe	
Other scheduled salmon rivers in insular Newfoundland	June 20 - Aug 31
Scheduled salmon rivers in Labrador	June 20 - Sept 15

Table 2. Angled catch, effort and catch per unit effort of Atlantic salmon in Newfoundland and Labrador, 1953-83. Five-year means and standard deviations are included.

Year	Effort (rod days)	Grilse (< 2.7 kg)	Salmon (≥ 2.7 kg)	Total catch	CPUE	Percent grilse
1953	43024	13564	2461	16025	0.37	
1954	28672	7409	2050	9459	0.33	87
1955	22628	9942	1718	11660	0.52	81
1956	53499	14423	2561	16984	0.32	80
1957	33897	18739	3306	22045	0.65	81
1958	35085	18768	3521	22289	0.64	84
1959	37038	17007	2813	19820	0.54	87
1960	36393	16302	2068	18370	0.50	89
1961	37129	14492	2560	17052	0.46	86
1962	49982	23501	2680	26181	0.52	84
1963	62072	29258	4024	33282	0.54	85
1964	74330	37872	4610	42482	0.57	86
1965	70069	31151	3796	34947	0.50	91
1966	71033	31068	3558	34626	0.49	90
1967	75894	24719	3157	27876	0.37	91
1968	79629	33195	2549	35744	0.45	91
1969	85692	37842	2703	40545	0.47	92
1970	90220	34472	2695	37167	0.41	93
1971	80686	30623	2088	32711	0.41	94
1972	74384	27371	1804	29175	0.39	94
1973	96706	43004	2932	45936	0.48	90
1974	113691	28986	2016	31002	0.27	96
1975	107116	37362	1568	38930	0.36	95
1976	123002	40189	1881	42070	0.34	95
1977	119070	38946	4041	42987	0.36	91
1978	102905	31310	2330	33640	0.33	94
1979	87911	35287	1170	36457	0.41	96
1980	109280	39649	2811	42460	0.39	93
1981	127674	51861	1889	53750	0.42	95
1982	135769	45975	1869	47844	0.35	97
1983	132965	36792	1810	38602	0.29	96
Means and standard deviations						
1953-57	36344.0	12833.8	2419.2	15253.0	0.42	82
S.D.	12164.4	4359.5	599.2	4912.5	0.06	1
N	5	5	5	5	5	4
1958-62	37125.4	18014.0	2728.4	20742.4	0.53	86
S.D.	8242.4	3428.7	524.9	3607.9	0.04	1
N	5	5	5	5	5	5
1963-67	70679.6	30813.6	3829.0	34642.6	0.49	88
S.D.	5364.3	4731.9	541.8	5224.6	0.04	1
N	5	5	5	5	5	5
1968-72	82122.2	32700.6	2367.8	35068.4	0.43	93
S.D.	6051.4	3954.0	402.6	4334.3	0.01	1
N	5	5	5	5	5	5
1973-77	111917.0	37697.4	2487.6	40185.0	0.36	93
S.D.	10387.7	5289.8	1005.8	5709.2	0.03	1
N	5	5	5	5	5	5
1978-82	112707.8	40816.4	2013.8	42830.2	0.38	95
S.D.	19225.8	8229.6	609.1	8209.7	0.02	1
N	5	5	5	5	5	5

Table 3. Angled catch, effort and catch per unit effort of Atlantic salmon in insular Newfoundland, 1953-83. Five-year means and standard deviations are included.

Year	Effort (rod days)	Grilse (< 2.7 kg)	Salmon ($\geq$ 2.7 kg)	Total catch	CPUE	Percent grilse
1953	43024	13564	2461	16025	0.37	
1954	28505	6933	1772	8705	0.31	88
1955	21974	9662	1466	11128	0.51	83
1956	53092	14246	2364	16610	0.31	80
1957	33211	17489	2969	20458	0.62	83
1958	34444	17393	3451	20844	0.61	84
1959	36277	15687	2681	18368	0.51	87
1960	35750	15359	1977	17336	0.48	89
1961	36024	13312	2322	15634	0.43	87
1962	49035	22251	2557	24808	0.51	84
1963	60769	27465	3827	31292	0.51	85
1964	71541	35122	4154	39276	0.55	87
1965	66647	28806	3169	31975	0.48	92
1966	66414	27753	2852	30605	0.46	91
1967	72557	22513	2568	25081	0.35	92
1968	75575	29419	1884	31303	0.41	92
1969	82046	34965	2310	37275	0.45	93
1970	84912	30459	2133	32592	0.38	94
1971	75788	26689	1602	28291	0.37	95
1972	69219	24424	1380	25804	0.37	95
1973	88435	35512	1923	37435	0.42	93
1974	108199	26485	1213	27698	0.26	97
1975	102907	33390	1241	34631	0.34	96
1976	115847	34463	1051	35514	0.31	97
1977	111836	34352	2755	37107	0.33	93
1978	96657	28619	1563	30182	0.31	96
1979	82503	31165	561	31726	0.38	98
1980	104332	35849	1922	37771	0.36	94
1981	122476	46670	1369	48039	0.39	96
1982	129369	41871	1248	43119	0.32	97
1983	126308	32420	1382	33802	0.27	97
Means and standard deviations						
1953-57	35961.2	12378.8	2206.4	14585.2	0.42	84
S.D.	12269.3	4124.4	593.3	4668.8	0.06	1
N	5	5	5	5	5	4
1958-62	38306.0	16800.4	2597.6	19398.0	0.51	86
S.D.	6039.1	3374.4	547.3	3565.1	0.03	1
N	5	5	5	5	5	5
1963-67	67585.6	28330.4	3314.0	31644.4	0.47	89
S.D.	4719.1	4507.5	663.3	5065.3	0.04	1
N	5	5	5	5	5	5
1968-72	77508.0	29191.2	1861.8	31053.0	0.40	94
S.D.	6140.3	3999.5	379.0	4368.2	0.02	1
N	5	5	5	5	5	5
1973-77	105444.8	32840.4	1636.6	34477.0	0.33	95
S.D.	10635.0	3631.4	709.2	3959.8	0.02	1
N	5	5	5	5	5	5
1978-82	107067.4	36834.8	1332.6	38167.4	0.35	96
S.D.	19066.0	7461.8	501.08	7539.6	0.02	1
N	5	5	5	5	5	5

Table 4. Angled catch, effort and catch per unit effort of Atlantic salmon in Labrador, 1954-83. Five-year means and standard deviations are included.

Year	Effort (rod days)	Grilse (< 2.7 kg)	Salmon ($\geq$ 2.7 kg)	Total catch	CPUE	Percent grilse
1954	167	476	278	754	4.51	
1955	654	280	252	532	0.81	65
1956	407	177	197	374	0.92	59
1957	686	1250	337	1587	2.31	34
1958	641	1375	70	1445	2.25	95
1959	761	1320	132	1452	1.91	91
1960	643	943	91	1034	1.61	94
1961	1105	1180	238	1418	1.28	80
1962	947	1250	123	1373	1.45	91
1963	1303	1793	197	1990	1.53	86
1964	2789	2750	456	3206	1.15	80
1965	3422	2345	627	2972	0.87	81
1966	4619	3315	706	4021	0.87	77
1967	3337	2206	589	2795	0.84	85
1968	4054	3776	665	4441	1.10	77
1969	3646	2877	393	3270	0.90	91
1970	5308	4013	562	4575	0.86	84
1971	4898	3934	486	4420	0.90	89
1972	5165	2947	424	3371	0.65	90
1973	8271	7492	1009	8501	1.03	74
1974	5492	2501	803	3304	0.60	90
1975	4209	3972	327	4299	1.02	88
1976	7155	5726	830	6556	0.92	33
1977	7234	4594	1286	5880	0.81	82
1978	6248	2691	767	3458	0.55	86
1979	5333	4118	609	4727	0.89	81
1980	4948	3800	889	4689	0.95	82
1981	5198	5191	520	5711	1.10	88
1982	6400	4104	621	4725	0.74	89
1983	6657	4372	428	4800	0.72	91
Means and standard deviations						
1953-57	478.5	545.8	266.0	811.8	1.70	54
S.D.	242.2	485.6	58.1	539.8	0.55	9
N	4	4	4	4	4	3
1958-62	819.4	1213.6	130.8	1344.4	1.64	90
S.D.	202.6	168.1	64.9	176.3	0.17	2
N	5	5	5	5	5	5
1963-67	3094.0	2481.8	515.0	2996.8	0.97	82
S.D.	1203.4	477.8	199.4	732.8	0.08	2
N	5	5	5	5	5	5
1968-72	4614.2	3509.4	506.0	4015.4	0.87	87
S.D.	727.4	552.5	109.9	638.1	0.07	2
N	5	5	5	5	5	5
1973-77	6472.2	4857.0	851.0	5708.0	0.88	84
S.D.	1609.7	1877.6	350.5	2019.5	0.07	3
N	5	5	5	5	5	5
1978-82	5625.4	3980.8	681.2	4662.0	0.83	86
S.D.	654.7	893.7	146.1	799.8	0.09	2
N	5	5	5	5	5	5

Appendix 10 -- Geographical and Alphabetical River Index


RIVER NUMBERS, 1 - 269
|1-49| STATISTICAL SECTIONS
A-N STATISTICAL AREAS
14 0 14 28 42 56
KILOMETERS
N
A
B
C
D
E
F
G
H
I
J
K
L
M
N
WHITE BAY
NOTRE DAME BAY
BONAVISTA BAY
PLACENTIA BAY
FORTUNE BAY
ST. GEORGE'S BAY
BAY OF ISLANDS

Fig. 1. Location of rivers in insular Newfoundland with existing and historic (▲) Atlantic salmon populations. Boundaries of statistical areas and statistical sections are also indicated.


RIVER NUMBERS 270-321
50-53 STATISTICAL SECTIONS
0 STATISTICAL AREAS
25 0 25 50 75
KILOMETERS
-N-
53
AREA
0
NAIN
HOPEDALE
CAPE HARRISON
52
HAMILTON INLET
SANDWICH BAY
51
50
LABRADOR
QUEBEC

Fig. 2 Location of rivers in Labrador with existing Atlantic salmon populations. Boundaries of statistical areas and statistical sections are indicated.

RIVER INDEX

GEOGRAPHICAL

River Name	River code	Map #	Drainage area (km^2)	Sched- uled	Angling* data	Page**
Pensons Brook	0105640	001	65			ND
Parker River (West River)	0105680	002	46	x	x	179
Bartletts River	0105710	003	40	x	x	179
Upper Brook	0105720	004	39		x	ND
East River (Pistolet Bay)	0105800	005	61	x	x	180
Northwest Brook	0200330	006	5		x	ND
Ireland's Brook	0300590	007	63			ND
West Brook	0300800	008	254	x	x	180
Salmon River (Ariege R.) (Hare Bay)	0300850	009	730	x	x	181
East Brook (Easter Brook)	0401640	010	90	x	x	181
Northeast Brook	0401670	011	257	x	x	182
Beaver Brook (Western Brook)	0401690	012	242	x	x	182
Shoal Brook	0401770	013	44			ND
Northwest Brook (Canada Bay)	0401790	014	108	x	x	183
Cloud River	0401850	015	533	x	x	183
Soufflets River	0402340	016	393	x	x	ND
Little Harbour Deep River	0402500	017	489	x	x	184
Cat Arm River	0402660	018	745		x	ND
Coney Arm Brook	0402840	019	33			ND
Coney Arm River	0402880	020	146	x	x	184
Main River (Sops Arm)	0403110	021	1048	x	x	185
Doucers Brook	0403120	022	65	x		ND
Corner Brook	0403140	023	49	x		ND
Natlins Brook	0403160	024	27	x		ND
Saltwater Brook	0403250	025	56			ND
Hampden River	0403360	026	126	x	x	ND
Big Chouse Brook	0403410	027	112			ND
Purbeck's Brook	0403520	028	60			ND
Wild Cove Brook (White Bay)	0403580	029	132	x	x	185
Western Arm Brook	0403620	030	74	x	x	186
Middle Arm Brook	0403670	031	328	x	x	186
Southern Arm Brook	0403700	032	65	x	x	187
South West Brook	0504040	033	195	x	x	187
Pacquet Brook (Woodstock Brook)	0504280	034	119	x	x	188
East Brook (Burlington Brook)	0604820	035	178	x	x	188
South Brook	0605060	036	30			ND
Indian Brook (Indian River)	0605570	037	1261	x	x	189
Riverhead Brook (West River)	0605640	038	484	x	x	189
South Brook	0605680	039	672	x	x	190
Tommy's Arm Brook	0605940	040	242	x	x	190
Sops Arm Brook	0605990	041	62		x	ND
Shoal Arm Brook	0606050	042	87			ND
Pennys Brook	0606100	043	57			ND
Northwest Arm Brook	0606570	044	65	x	x	191
West Arm Brook (Western Arm)	0606720	045	260	x	x	191
New Bay River	0606820	046	205	x	x	192
Charles Brook	0707660	047	65	x	x	192
Northern Arm Brook	0707760	048	181	x	x	193
Peters River	0707780	049	116	x	x	193
Exploits River	0707790	050	11272	x	x	194
Rattling Brook	0707810	051	385	x	x	ND
Southwest River	0708150	052	44			ND
Indian Arm Brook (Campbellton River)	0708210	053	296	x	x	194
Jumpers Brook	0708310	054	46			ND
Dog Bay River (Horwood River)	0708480	055	364	x	x	195
Southwest Brook	0708490	056	65			ND
Gander River	0908610	057	6398	x	x	195
Barry's Brook	0908620	058	74			ND
Ragged Harbour River	0908820	059	440	x	x	196
Anchor Brook	0908940	060	13	x	x	196
Deadman's Brook (Deadman's Bay)	0908950	061	333	x	x	197
Windmill Brook	0909030	062	12	x	x	197
Southwest River	1009300	063	98		x	ND

River Name	River code	Map #	Drainage area (km^2)	Sched-uled	Angling* data	Page**
Northwest River (Indian Bay)	1109480	064	65	x		ND
Indian Bay Brook	1109490	065	703	x	x	198
Northwest River (Trinity)	1109560	066	65	x	x	ND
Traverse Brook	1109750	067	404	x	x	198
Middle Brook (Gambo)	1109760	068	276	x	x	199
Gambo Brook	1109780	069	1152	x	x	199
Northwest Brook (Alexander Bay)	1110130	070	97	x	x	200
Terra Nova River	1110220	071	1883	x	x	200
Big Brook	1210570	072	60		x	ND
Northwest River (Port Blandford)	1210880	073	689	x	x	201
Salmon Brook (Port Blandford)	1210890	074	110	x	x	201
Middle Brook	1210910	075	63			ND
Southwest Brook (Port Blandford)	1210930	076	491	x	x	202
Southwest Brook	1211080	077	181			ND
Southern Bay River	1211600	078	65			ND
Port Union River	1412240	079	45			ND
Salmon Cove River (Champneys)	1512520	080	74	x	x	202
Lockston River	1512550	081	71			ND
Trouty River	1512620	082	90	x	x	203
Popes Harbour River	1612750	083	132	x	x	203
Hickmans Harbour River	1612780	084	102			ND
Shoal Harbour River	1613060	085	129	x	x	204
Deer Harbour Brook	1713950	086	67	x	x	204
Bellevue Brook (Trout Brook)	1714680	087	49	x	x	205
Spread Eagle Brook	1714870	088	57		x	205
Heart's Delight Brook	1815060	089	45			ND
Heart's Content Brook	1815150	090	48			ND
Salmon Cove River	2115720	091	68	x	x	206
Harbour Grace Brook	2115810	092	65			ND
South River	2115820	093	38		x	ND
Spaniard's Bay Brook	2215880	094	65			ND
Shearstown Brook	2215910	095	31			ND
North River	2215970	096	61	x	x	206
South River	2215990	097	67	x	x	207
Salmon River	2216180	098	62			ND
North Arm River (Holyrood)	2216220	099	86	x	x	207
South Brook	2216240	100	37			ND
Seal Cove River	2216270	101	53			ND
Lower Gullies River	2216290	102	21			ND
Manuels River	2216370	103	68			ND
Pierres Brook	2517140	104	65			ND
Cape Broyle River	2517350	105	66		x	208
Renews River	2617640	106	76	x	x	208
Chance Cove Brook	2617740	107	88			ND
Biscay Bay River	2700230	108	239	x	x	209
Northeast Brook (Trepassey)	2700360	109	21	x	x	209
Northwest Brook (Trepassey)	2700380	110	178	x	x	210
St. Shott's River	2800650	111	97			ND
Peter's River (St. Mary's Bay (SMB))	2800860	112	144	x	x	210
Crossing Place River	2801050	113	216			ND
Little Harbour River	2801650	114	184			ND
Salmonier River	2801690	115	257	x	x	211
Colinet River	2801920	116	158	x	x	ND
Rocky River	2801930	117	296			ND
North Harbour River (SMB)	2802060	118	74	x	x	211
Little Salmonier River (SMB)	2802170	119	123	x	x	212
Big Barachois River (SMB)	2802210	120	83	x	x	212
Little Barachois Brook	2802240	121	50			ND
Red Head River	2802330	122	71			ND
Beckford River	2802350	123	43			ND
Branch River	2802380	124	118	x	x	213
Lance River	2802480	125	53			ND
Cuslett Brook	2802690	126	36			ND
Great Barasway Brook (Placentia Bay)	2902820	127	68	x	x	213
Little Barasway Brook	2902880	128	39			ND
Southeast River (Placentia)	2902980	129	140	x	x	214

River Name	River code	Map #	Drainage area (km^2)	Sched-uled	Angling* data	Page**
Northeast River (Placentia)	2903070	130	94	x	x	214
Placentia Sound River	2903150	131	34			ND
Ship Harbour Brook	2903190	132	34			ND
Come By Chance River	3003740	133	64	x	x	215
Watsons Brook	3003830	134	65	x	x	215
North Harbour River	3003880	135	96	x	x	216
Black River	3004090	136	200	x	x	216
Pipers Hole River	3004160	137	781	x	x	217
Sandy Harbour River	3004480	138	462			ND
Channel Harbour River	3105060	139	65		x	ND
Paradise River	3105180	140	490			ND
Black River	3105210	141	205			ND
Nonsuch Brook	3105470	142	30	x	x	217
Cape Roger Brook	3105560	143	93	x	x	218
Bay de l'Eau River	3105760	144	152	x	x	218
Rushoon River	3105920	145	59			ND
Northeast Branch (Red Harbour)	3105990	146	65	x	x	219
Red Harbour River	3106000	147	73	x	x	219
Northwest Brook	3206370	148	85	x	x	220
Tides Brook	3206410	149	179	x	x	220
Big Salmonier Brook	3206950	150	33	x	x	221
St. Lawrence River	3207150	151	63	x	x	221
Lawn River	3207280	152	38	x	x	222
Taylor Bay Brook	3207520	153	70	x	x	222
Salmonier River (Lamaline)	3207570	154	115	x	x	223
Pierceys Brook	3207670	155	65	x	x	223
Grand Bank Brook	3308040	156	67	x	x	224
Garnish River	3308440	157	212	x	x	224
Devil Brook	3308540	158	58			ND
Terrenceville Brook	3409170	159	115		x	ND
Long Harbour River (Fortune Bay)	3409780	160	1102	x	x	225
Rencontre Brook	3410270	161	195			ND
Belle Harbour River	3410430	162	46			ND
Northeast Brook	3410650	163	142			ND
Northwest Brook	3410700	164	86			ND
Bay du Nord River	3410790	165	1171	x	x	225
Salmon River	3410920	166	196			ND
Simmons Brook	3410940	167	39	x	x	226
Southwest Brook	3411000	168	6	x	x	226
Mose Ambrose Brook	3411240	169	65		x	ND
Old Brook (Old Bay Brook)	3511530	170	40	x	x	227
Taylor's Bay Brook	3511560	171	31	x	x	227
Little River	3613110	172	183		x	ND
Conne River	3613350	173	602	x	x	228
Southeast Brook	3613410	174	84		x	ND
Northwest Brook	3613490	175	111			ND
Long Reach Brook	3614020	176	4	x	x	228
Salmon River (East Bay)	3614070	177	2708		x	229
Hughes Brook	3614230	178	65		x	ND
D'Espoir Brook (North Bay)	3614260	179	285	x	x	229
Allan's Cove Brook	3614760	180	41	x	x	230
Bottom Brook (Facheaux Bay R.)	3614850	181	175	x	x	230
Brent Cove Brook	3614930	182	44		x	ND
Morgan Brook	3615220	183	178	x	x	ND
Dolland Brook	3615270	184	688	x	x	231
Grey River	3716620	185	2394	x	x	231
White Bear River	3717440	186	2027	x	x	232
Bay de Loup Brook	3717720	187	55	x	x	232
Kelly Brook	3717740	188	65		x	ND
Kings Harbour Brook	3717770	189	128	x	x	233
Grandy Brook	3817890	190	264	x	x	233
Connoire Brook	3818190	191	311			ND
Couteau Brook	3818340	192	65			ND
Cinq Cerf Brook	3818490	193	205	x	x	234
East Bay Brook (La Poile)	3818760	194	57	x	x	ND
La Poile River	3818800	195	588	x	x	234

River Name	River code	Map #	Drainage area (km^2)	Scheduled	Angling* data	Page**
Farmers Brook (Farmers Arm)	3819030	196	89	x	x	235
Garia Brook (River)	3819100	197	228	x	x	235
Northwest River (Garia Bay)	3819120	198	119	x	x	236
Rose Blanche Brook	3919460	199	84			ND
Grandys Brook (Burnt Island R.)	3919590	200	273	x	x	236
Isle aux Morts River	3919820	201	214	x	x	237
Grand Bay River	3920100	202	134	x	x	237
Northwest Brook	3920110	203	65	x		ND
Southwest Brook	3920250	204	49		x	ND
Bear Cove Brook	4000020	205	30	x	x	238
Little Codroy River	4000140	206	224	x	x	238
Grand Codroy River	4000330	207	956	x	x	239
Ryans Brook	4000360	208	65	x		ND
Brooms Brook	4000370	209	65	x		ND
Highlands River	4000830	210	183	x	x	ND
Crabbes Brook	4000860	211	551	x	x	239
Barachois Brook	4000900	212	241	x	x	240
Robinsons River	4000920	213	439	x	x	240
Fischells Brook	4000960	214	360	x	x	241
Barry Brook	4000970	215	31			ND
Middle Brook	4000980	216	30			ND
Journois Brook	4000990	217	64			ND
Flat Bay Brook	4101080	218	635	x	x	241
Little Barachois Brook	4101110	219	354	x	x	242
Southwest and Bottom Brooks	4101150	220	814	x	x	242
Harrys River	4101200	221	816	x	x	243
Blanche Brook	4101260	222	124			ND
Gaudon's Brook	4101270	223	65			ND
Romaines Brook	4101300	224	98			ND
Georges Brook (Mainland Brook)	4201510	225	65			ND
John Whites Brook (Lourdes Brook)	4301570	226	65			ND
Victors Brook	4301580	227	65			ND
Harrys Brook	4301600	228	65		x	ND
Fox Island River (Fox Brook)	4301920	229	194	x	x	243
Little River	4301940	230	65			ND
Lewis Brook	4402010	231	33			ND
Serpentine River (Coal River)	4402090	232	433	x	x	244
Wild Cove Brook	4402100	233	80			ND
Blow Me Down Brook	4402250	234	64			ND
Clarkes Brook	4402340	235	34			ND
Cooks Brook	4402370	236	101	x	x	ND
Humber River	4402430	237	7679	x	x	244
Hughes Brook	4402450	238	132	x	x	ND
Gillams Brook	4402520	239	45			ND
Cox's Brook	4402640	240	55			ND
Goose Arm Brook	4402740	241	212	x	x	245
Liverpool Brook	4403210	242	64			ND
Lower Crabb Brook	4403280	243	83		x	ND
Trout River	4503520	244	254	x	x	245
Lomond River	4503920	245	470	x	x	246
Deer Brook	4504040	246	126	x	x	ND
Western Brook	4604220	247	192	x	x	ND
Parsons Pond River	4604560	248	388	x	x	246
Portland Head Creek	4604590	249	65			ND
Portland Creek	4604620	250	985	x	x	247
Bowing Brook	4704650	251	55			ND
Bound Brook	4704660	252	66			ND
Table Point Brook	4704670	253	65			ND
River of Ponds	4704740	254	861	x	x	247
Little Brook Pond	4704750	255	76	x	x	248
Torrent River	4704800	256	619	x	x	248
Little East River	4704810	257	20			ND
East River (Big East River)	4704840	258	136	x	x	249
Castors River	4805030	259	544	x	x	249
Doctors Brook	4905090	260	65			ND
Cy's Brook	4905120	261	65			ND

River Name	River code	Map #	Drainage area (km^2)	Sched-uled	Angling* data	Page**
Otter Brook	4905150	262	65			ND
St. Genevieve River	4905170	263	318	x	x	250
West Brook (Western Arm Brook)	4905190	264	149	x	x	250
East River (Eastern Arm Brook)	4905200	265	43	x	x	251
Green Island Brook	4905370	266	14			ND
Eddies Cove Brook	4905390	267	90		x	ND
Big Brook	4905460	268	212	x	x	251
Watts Bight Brook (Watsons Brook)	4905510	269	95	x	x	ND
Forteau Brook	5000120	270	389	x	x	252
L'Anse-a-Loup River	5000220	271	130		x	ND
Pinware River	5000360	272	2486	x	x	252
Temple Brook	5000940	273	181			ND
St. Charles River	5101420	274	311			ND
Trout River (St. Mary's River)	5101520	275	414	x	x	253
St. Lewis River	5101720	276	2590		x	253
Alexis River	5102500	277	3160		x	254
Shinneys Waters	5102680	278	313	x	x	254
Gilbert River	5102820	279	642	x	x	255
Hawke River	5104500	280	1891	x	x	255
Black Bear River	5105240	281	645			ND
Reed's Pond River	5105560	282	233	x		ND
Sand Hill River	5205820	283	1614	x	x	256
Dykes River	5206440	284	337			ND
Paradise River	5206600	285	5276			ND
Eagle River	5206820	286	10824	x	x	256
White Bear River	5206880	287	1075		x	ND
North River	5207320	288	1389			ND
Flatwater Brook	5207740	289	51			ND
English River	5209000	290	640			ND
Kenemich River	5210020	291	699			ND
Kenamu River	5210100	292	4403			ND
Goose River	5210760	293	3432			ND
Naskaupi River	5211040	294	12691			ND
Sebaskachu River	5211500	295	580			ND
Mulligan River	5211620	296	1062			ND
Double Mer Brook	5212880	297	1425	x	x	257
Double Mer River	5212910	298	855			ND
Tom Luscombe Brook	5213520	299	1010	x		ND
West Brook (Double Brook)	5213620	300	149			ND
Middle Brook (Double Brook)	5213660	301	323			ND
St. Michael's River (Shellbird River)	5214280	302	285	x	x	257
Jeannette Bay Brook	5214440	303	67			ND
Tuklalik Brook	5214840	304	47			ND
Pamiulik River	5314880	305	394			ND
Stag Bay Brook	5314940	306	155			ND
Rattling Brook	5315020	307	285			ND
Big River	5315040	308	2849	x	x	258
Adlavik River	5315080	309	233			ND
Adlavik Bay Brook	5315120	310	39			ND
Makkovik Brook	5315520	311	111			ND
Makkovik River	5315640	312	259		x	ND
Unnamed	5316060	313	399			ND
Kaipokak River	5316080	314	2499			ND
Unnamed	5316260	315	326			ND
Little Bay River	5317600	316	243	x		ND
Adlatok River	5317900	317	11106	x	x	ND
Hunt River	5319220	318	1344	x	x	258
Flowers River	5319480	319	1443	x	x	259
Sango Brook	5319660	320	805			ND
Notakwanon River	5319740	321	4999			ND

* Letter x indicates that angling data are available prior to 1983.

** Letters ND indicate that angling data were not obtained in 1983.

RIVER INDEX

ALPHABETICAL

River Name	River code	Map #	Drainage area (km²)	Sched-uled	Angling* data	Page**
Adlatok River	5317900	317	11106	x	x	ND
Adlavik Bay Brook	5315120	310	39			ND
Adlavik River	5315080	309	233			ND
Alexis River	5102500	277	3160		x	254
Allan's Cove Brook	3614760	180	41	x	x	230
Anchor Brook	0908940	060	13	x	x	196
Barachois Brook	4000900	212	241	x	x	240
Barry Brook	4000970	215	31			ND
Barry's Brook	0908620	058	74			ND
Bartletts River	0105710	003	40	x	x	179
Bay de Loup Brook	3717720	187	55	x	x	232
Bay de l'Eau River	3105760	144	152	x	x	218
Bay du Nord River	3410790	165	1171	x	x	225
Bear Cove Brook	4000020	205	30	x	x	238
Beaver Brook (Western Brook)	0401690	012	242	x	x	182
Beckford River	2802350	123	43			ND
Belle Harbour River	3410430	162	46			ND
Bellevue Brook (Trout Brook)	1714680	087	49	x	x	205
Big Barachois River (SMB)	2802210	120	83	x	x	212
Big Brook	4905460	268	212	x	x	251
Big Brook	1210570	072	60		x	ND
Big Chouse Brook	0403410	027	112			ND
Big River	5315040	308	2849	x	x	258
Big Salmonier Brook	3206950	150	33	x	x	221
Biscay Bay River	2700230	108	239	x	x	209
Black Bear River	5105240	281	645			ND
Black River	3004090	136	200	x	x	216
Black River	3105210	141	205			ND
Blanche Brook	4101260	222	124			ND
Blow Me Down Brook	4402250	234	64			ND
Bottom Brook (Facheaux Bay R.)	3614850	181	175	x	x	230
Bound Brook	4704660	252	66			ND
Bowing Brook	4704650	251	55			ND
Branch River	2802380	124	118	x	x	213
Brent Cove Brook	3614930	182	44		x	ND
Brooms Brook	4000370	209	65	x		ND
Cape Broyle River	2517350	·105	66		x	208
Cape Roger Brook	3105560	143	93	x	x	218
Castors River	4805030	259	544	x	x	249
Cat Arm River	0402660	018	745		x	ND
Chance Cove Brook	2617740	107	88			ND
Channel Harbour River	3105060	139	65		x	ND
Charles Brook	0707660	047	65	x	x	192
Cinq Cerf Brook	3818490	193	205	x	x	234
Clarkes Brook	4402340	235	34			ND
Cloud River	0401850	015	533	x	x	183
Colinet River	2801920	116	158	x	x	ND
Come By Chance River	3003740	133	64	x	x	215
Coney Arm Brook	0402840	019	33			ND
Coney Arm River	0402880	020	146	x	x	184
Conne River	3613350	173	602	x	x	228
Connoire Brook	3818190	191	311			ND
Cooks Brook	4402370	236	101	x	x	ND
Corner Brook	0403140	023	49	x		ND
Couteau Brook	3818340	192	65			ND
Cox's Brook	4402640	240	55			ND
Crabbes Brook	4000860	211	551	x	x	239
Crossing Place River	2801050	113	216			ND
Cuslett Brook	2802690	126	36			ND
Cy's Brook	4905120	261	65			ND
Deadman's Brook (Deadman's Bay)	0908950	061	333	x	x	197
Deer Brook	4504040	246	126	x	x	ND

River Name	River code	Map #	Drainage area (km^2)	Sched- uled	Angling* data	Page**
Deer Harbour Brook	1713950	086	67	x	x	204
Devil Brook	3308540	158	58			ND
Doctors Brook	4905090	260	65			ND
Dog Bay River (Horwood River)	0708480	055	364	x	x	195
Dolland Brook	3615270	184	688	x	x	231
Double Mer Brook	5212880	297	1425	x	x	257
Double Mer River	5212910	298	855			ND
Doucers Brook	0403120	022	65	x		ND
Dykes River	5206440	284	337			ND
D'Espoir Brook (North Bay)	3614260	179	285	x	x	229
Eagle River	5206820	286	10824	x	x	256
East Bay Brook (La Poile)	3818760	194	57	x	x	ND
East Brook (Burlington Brook)	0604820	035	178	x	x	188
East Brook (Easter Brook)	0401640	010	90	x	x	181
East River (Big East River)	4704840	258	136	x	x	249
East River (Eastern Arm Brook)	4905200	265	43	x	x	251
East River (Pistolet Bay)	0105800	005	61	x	x	180
Eddies Cove Brook	4905390	267	90		x	ND
English River	5209000	290	640			ND
Exploits River	0707790	050	11272	x	x	194
Farmers Brook (Farmers Arm)	3819030	196	89	x	x	235
Fischells Brook	4000960	214	360	x	x	241
Flat Bay Brook	4101080	218	635	x	x	241
Flatwater Brook	5207740	289	51			ND
Flowers River	5319480	319	1443	x	x	259
Forteau Brook	5000120	270	389	x	x	252
Fox Island River (Fox Brook)	4301920	229	194	x	x	243
Gambo Brook	1109780	069	1152	x	x	199
Gander River	0908610	057	6398	x	x	195
Garia Brook (River)	3819100	197	228	x	x	235
Garnish River	3308440	157	212	x	x	224
Gaudon's Brook	4101270	223	65			ND
Georges Brook (Mainland Brook)	4201510	225	65			ND
Gilbert River	5102820	279	642	x	x	255
Gillams Brook	4402520	239	45			ND
Goose Arm Brook	4402740	241	212	x	x	245
Goose River	5210760	293	3432			ND
Grand Bank Brook	3308040	156	67	x	x	224
Grand Bay River	3920100	202	134	x	x	237
Grand Codroy River	4000330	207	956	x	x	239
Grandy Brook	3817890	190	264	x	x	233
Grandys Brook (Burnt Island R.)	3919590	200	273	x	x	236
Great Barasway Brook (Placentia Bay)	2902820	127	68	x	x	213
Green Island Brook	4905370	266	14			ND
Grey River	3716620	185	2394	x	x	231
Hampden River	0403360	026	126	x	x	ND
Harbour Grace Brook	2115810	092	65			ND
Harrys Brook	4301600	228	65		x	ND
Harrys River	4101200	221	816	x	x	243
Hawke River	5104500	280	1891	x	x	255
Heart's Content Brook	1815150	090	48			ND
Heart's Delight Brook	1815060	089	45			ND
Hickmans Harbour River	1612780	084	102			ND
Highlands River	4000830	210	183	x	x	ND
Hughes Brook	3614230	178	65		x	ND
Hughes Brook	4402450	238	132	x	x	ND
Humber River	4402430	237	7679	x	x	244
Hunt River	5319220	318	1344	x	x	258
Indian Arm Brook (Campbellton River)	0708210	053	296	x	x	194
Indian Bay Brook	1109490	065	703	x	x	198
Indian Brook (Indian River)	0605570	037	1261	x	x	189
Ireland's Brook	0300590	007	63			ND
Isle aux Morts River	3919820	201	214	x	x	237
Jeannette Bay Brook	5214440	303	67			ND
John Whites Brook (Lourdes Brook)	4301570	226	65			ND
Journois Brook	4000990	217	64			ND

River Name	River code	Map #	Drainage area (km^2)	Sched-uled	Angling* data	Page**
Jumpers Brook	0708310	054	46			ND
Kaipokak River	5316080	314	2499			ND
Kelly Brook	3717740	188	65		x	ND
Kenamu River	5210100	292	4403			ND
Kenemich River	5210020	291	699			ND
Kings Harbour Brook	3717770	189	128	x	x	233
La Poile River	3818800	195	588	x	x	234
Lance River	2802480	125	53			ND
Lawn River	3207280	152	38	x	x	222
Lewis Brook	4402010	231	33			ND
Little Barachois Brook	2802240	121	50			ND
Little Barachois Brook	4101110	219	354	x	x	242
Little Barasway Brook	2902880	128	39			ND
Little Bay River	5317600	316	243	x		ND
Little Brook Pond	4704750	255	76	x	x	248
Little Codroy River	4000140	206	224	x	x	238
Little East River	4704810	257	20			ND
Little Harbour Deep River	0402500	017	489	x	x	184
Little Harbour River	2801650	114	184			ND
Little River	4301940	230	65			ND
Little River	3613110	172	183		x	ND
Little Salmonier River (SMB)	2802170	119	123	x	x	212
Liverpool Brook	4403210	242	64			ND
Lockston River	1512550	081	71			ND
Lomond River	4503920	245	470	x	x	246
Long Harbour River (Fortune Bay)	3409780	160	1102	x	x	225
Long Reach Brook	3614020	176	4	x	x	228
Lower Crabb Brook	4403280	243	83		x	ND
Lower Gullies River	2216290	102	21			ND
L'Anse-a-Loup River	5000220	271	130		x	ND
Main River (Sops Arm)	0403110	021	1048	x	x	185
Makkovik Brook	5315520	311	111			ND
Makkovik River	5315640	312	259		x	ND
Manuels River	2216370	103	68			ND
Middle Arm Brook	0403670	031	328	x	x	186
Middle Brook	1210910	075	63			ND
Middle Brook	4000980	216	30			ND
Middle Brook (Double Brook)	5213660	301	323			ND
Middle Brook (Gambo)	1109760	068	276	x	x	199
Morgan Brook	3615220	183	178	x	x	ND
Mose Ambrose Brook	3411240	169	65		x	ND
Mulligan River	5211620	296	1062			ND
Naskaupi River	5211040	294	12691			ND
Natlins Brook	0403160	024	27	x		ND
New Bay River	0606820	046	205	x	x	192
Nonsuch Brook	3105470	142	30	x	x	217
North Arm River (Holyrood)	2216220	099	86	x	x	207
North Harbour River	3003880	135	96	x	x	216
North Harbour River (SMB)	2802060	118	74	x	x	211
North River	5207320	288	1389			ND
North River	2215970	096	61	x	x	206
Northeast Branch (Red Harbour)	3105990	146	65	x	x	219
Northeast Brook	0401670	011	257	x	x	182
Northeast Brook	3410650	163	142			ND
Northeast Brook (Trepassey)	2700360	109	21	x	x	209
Northeast River (Placentia)	2903070	130	94	x	x	214
Northern Arm Brook	0707760	048	181	x	x	193
Northwest Arm Brook	0606570	044	65	x	x	191
Northwest Brook	0200330	006	5		x	ND
Northwest Brook	3410700	164	86			ND
Northwest Brook	3206370	148	85	x	x	220
Northwest Brook	3613490	175	111			ND
Northwest Brook	3920110	203	65	x		ND
Northwest Brook (Alexander Bay)	1110130	070	97	x	x	200
Northwest Brook (Canada Bay)	0401790	014	108	x	x	183
Northwest Brook (Trepassey)	2700380	110	178	x	x	210

River Name	River code	Map #	Drainage area (km^2)	Sched-uled	Angling* data	Page**
Northwest River (Garia Bay)	3819120	198	119	x	x	236
Northwest River (Indian Bay)	1109480	064	65	x		ND
Northwest River (Port Blandford)	1210880	073	689	x	x	201
Northwest River (Trinity)	1109560	066	65	x	x	ND
Notakwanon River	5319740	321	4999			ND
Old Brook (Old Bay Brook)	3511530	170	40	x	x	227
Otter Brook	4905150	262	65			ND
Pacquet Brook (Woodstock Brook)	0504280	034	119	x	x	188
Pamiulik River	5314880	305	394			ND
Paradise River	5206600	285	5276			ND
Paradise River	3105180	140	490			ND
Parker River (West River)	0105680	002	46	x	x	179
Parsons Pond River	4604560	248	388	x	x	246
Pennys Brook	0606100	043	57			ND
Pensons Brook	0105640	001	65			ND
Peters River	0707780	049	116	x	x	193
Peter's River (St. Mary's Bay (SMB))	2800860	112	144	x	x	210
Pierceys Brook	3207670	155	65	x	x	223
Pierres Brook	2517140	104	65			ND
Pinware River	5000360	272	2486	x	x	252
Pipers Hole River	3004160	137	781	x	x	217
Placentia Sound River	2903150	131	34			ND
Popes Harbour River	1612750	083	132	x	x	203
Port Union River	1412240	079	45			ND
Portland Creek	4604620	250	985	x	x	247
Portland Head Creek	4604590	249	65			ND
Purbeck's Brook	0403520	028	60			ND
Ragged Harbour River	0908820	059	440	x	x	196
Rattling Brook	5315020	307	285			ND
Rattling Brook	0707810	051	385	x	x	ND
Red Harbour River	3106000	147	73	x	x	219
Red Head River	2802330	122	71			ND
Reed's Pond River	5105560	282	233	x		ND
Rencontre Brook	3410270	161	195			ND
Renews River	2617640	106	76	x	x	208
River of Ponds	4704740	254	861	x	x	247
Riverhead Brook (West River)	0605640	038	484	x	x	189
Robinsons River	4000920	213	439	x	x	240
Rocky River	2801930	117	296			ND
Romaines Brook	4101300	224	98			ND
Rose Blanche Brook	3919460	199	84			ND
Rushoon River	3105920	145	59			ND
Ryans Brook	4000360	208	65	x		ND
Salmon Brook (Port Blandford)	1210890	074	110	x	x	201
Salmon Cove River	2115720	091	68	x	x	206
Salmon Cove River (Champneys)	1512520	080	74	x	x	202
Salmon River	2216180	098	62			ND
Salmon River	3410920	166	196			ND
Salmon River (Ariege R.) (Hare Bay)	0300850	009	730	x	x	181
Salmon River (East Bay)	3614070	177	2708		x	229
Salmonier River	2801690	115	257	x	x	211
Salmonier River (Lamaline)	3207570	154	115	x	x	223
Saltwater Brook	0403250	025	56			ND
Sand Hill River	5205820	283	1614	x	x	256
Sandy Harbour River	3004480	138	462			ND
Sango Brook	5319660	320	805			ND
Seal Cove River	2216270	101	53			ND
Sebaskachu River	5211500	295	580			ND
Serpentine River (Coal River)	4402090	232	433	x	x	244
Shearstown Brook	2215910	095	31			ND
Shinneys Waters	5102680	278	313	x	x	254
Ship Harbour Brook	2903190	132	34			ND
Shoal Arm Brook	0606050	042	87			ND
Shoal Brook	0401770	013	44			ND
Shoal Harbour River	1613060	085	129	x	x	204
Simmons Brook	3410940	167	39	x	x	226

River Name	River code	Map #	Drainage area (km^2)	Sched-uled	Angling* data	Page**
Sops Arm Brook	0605990	041	62		x	ND
Soufflets River	0402340	016	393	x	x	ND
South Brook	2216240	100	37			ND
South Brook	0605060	036	30			ND
South Brook	0605680	039	672	x	x	190
South River	2115820	093	38		x	ND
South River	2215990	097	67	x	x	207
South West Brook	0504040	033	195	x	x	187
Southeast Brook	3613410	174	84		x	ND
Southeast River (Placentia)	2902980	129	140	x	x	214
Southern Arm Brook	0403700	032	65	x	x	187
Southern Bay River	1211600	078	65			ND
Southwest and Bottom Brooks	4101150	220	814	x	x	242
Southwest Brook	0708490	056	65			ND
Southwest Brook	1211080	077	181			ND
Southwest Brook	3411000	168	6	x	x	226
Southwest Brook	3920250	204	49		x	ND
Southwest Brook (Port Blandford)	1210930	076	491	x	x	202
Southwest River	1009300	063	98		x	ND
Southwest River	0708150	052	44			ND
Spaniard's Bay Brook	2215880	094	65			ND
Spread Eagle Brook	1714870	088	57		x	205
Stag Bay Brook	5314940	306	155			ND
St. Charles River	5101420	274	311			ND
St. Genevieve River	4905170	263	318	x	x	250
St. Lawrence River	3207150	151	63	x	x	221
St. Lewis River	5101720	276	2590		x	253
St. Michael's River (Shellbird River)	5214280	302	285	x	x	257
St. Shott's River	2800650	111	97			ND
Table Point Brook	4704670	253	65			ND
Taylor Bay Brook	3207520	153	70	x	x	222
Taylor's Bay Brook	3511560	171	31	x	x	227
Temple Brook	5000940	273	181			ND
Terra Nova River	1110220	071	1883	x	x	200
Terrenceville Brook	3409170	159	115		x	ND
Tides Brook	3206410	149	179	x	x	220
Tom Luscombe Brook	5213520	299	1010	x		ND
Tommy's Arm Brook	0605940	040	242	x	x	190
Torrent River	4704800	256	619	x	x	248
Traverse Brook	1109750	067	404	x	x	198
Trout River	4503520	244	254	x	x	245
Trout River (St. Mary's River)	5101520	275	414	x	x	253
Trouty River	1512620	082	90	x	x	203
Tukialik Brook	5214840	304	47			ND
Unnamed	5316260	315	326			ND
Unnamed	5316060	313	399			ND
Upper Brook	0105720	004	39		x	ND
Victors Brook	4301580	227	65			ND
Watsons Brook	3003830	134	65	x	x	215
Watts Bight Brook (Watsons Brook)	4905510	269	95	x	x	ND
West Arm Brook (Western Arm)	0606720	045	260	x	x	191
West Brook	0300800	008	254	x	x	180
West Brook (Double Brook)	5213620	300	149			ND
West Brook (Western Arm Brook)	4905190	264	149	x	x	250
Western Arm Brook	0403620	030	74	x	x	186
Western Brook	4604220	247	192	x	x	ND
White Bear River	5206880	287	1075		x	ND
White Bear River	3717440	186	2027	x	x	232
Wild Cove Brook	4402100	233	80			ND
Wild Cove Brook (White Bay)	0403580	029	132	x	x	185
Windmill Brook	0909030	062	12	x	x	197

* Letter x indicates that angling data are available prior to 1983.

** Letters ND indicate that angling data were not obtained in 1983.

Appendix 11 -- 1983 Atlantic Salmon Recreational Catch and Effort - Rivers

0105680
PARKER RIVER (WEST RIVER)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END	WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE		DAYS	
DA MO YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19 06 83	HI	15	21	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	MED	10	15	1	1	0	0	1	1	0.10	0.07	100.00	2	0	5
03 07 83	LOW	75	103	0	0	1	1	1	1	0.01	0.01	0.00	0	0	7
10 07 83	LOW	13	23	0	0	0	0	0	0	0.00	0.00	0.00	0	3	4
17 07 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	3	4
24 07 83	HI	21	26	8	8	0	0	8	8	0.38	0.31	100.00	2	0	5
31 07 83	HI	28	33	14	17	0	0	14	17	0.50	0.52	100.00	2	0	5
07 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
14 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
21 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28 08 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	3
TOTAL	MED	162	221	23	26	1	1	24	27	0.15	0.12	96.30	6	6	63

0105710
BARTLETT'S RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END	WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE		DAYS	
DA MO YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19 06 83	HI	8	15	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	HI	8	14	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83	LOW	5	5	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83	LOW	6	9	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
17 07 83	MED	14	22	2	2	0	0	2	2	0.14	0.09	100.00	2	0	5
24 07 83	MED	11	13	3	4	0	0	3	4	0.27	0.31	100.00	2	0	5
31 07 83	HI	13	15	5	7	0	0	5	7	0.38	0.47	100.00	2	0	5
07 08 83	HI	6	19	5	8	0	0	5	8	0.83	0.42	100.00	0	0	7
14 08 83	HI	6	10	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
21 08 83	HI	16	23	6	10	0	0	6	10	0.38	0.43	100.00	0	0	7
28 08 83	MED	5	7	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	3
TOTAL	MED	98	152	21	31	0	0	21	31	0.21	0.20	100.00	6	0	69

0105800
EAST RIVER (PISTOLET BAY)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26	06	83	MED	41	51	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03	07	83	LOW	31	31	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10	07	83	LOW	47	72	4	5	0	0	4	5	0.09	0.07	100.00	0	0	7
17	07	83	LOW	65	95	15	20	1	1	16	21	0.25	0.22	95.24	0	0	7
24	07	83	HI	61	90	4	5	0	0	4	5	0.07	0.06	100.00	0	0	7
31	07	83	HI	39	65	8	14	0	0	8	14	0.21	0.22	100.00	0	0	7
07	08	83	HI	25	35	13	18	0	0	13	18	0.52	0.51	100.00	0	0	7
14	08	83	HI	19	28	5	7	0	0	5	7	0.26	0.25	100.00	0	0	7
21	08	83	HI	9	13	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28	08	83	MED	6	12	3	4	0	0	3	4	0.50	0.33	100.00	0	0	7
04	09	83	MED	2	3	1	2	0	0	1	2	0.50	0.67	100.00	0	0	3
TOTAL			MED	345	495	53	75	1	1	54	76	0.16	0.15	98.68	0	0	75

0300800
WEST BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	0
26	06	83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03	07	83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
10	07	83	LOW	4	5	0	0	0	0	0	0	0.00	0.00	0.00	6	0	1
17	07	83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
24	07	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
31	07	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
07	08	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
14	08	83		0	8	0	10	0	0	0	10	0.00	1.25	100.00	7	0	0
21	08	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
28	08	83	HI	0	3	0	1	0	0	0	1	0.00	0.33	100.00	7	0	0
04	09	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL			MED	4	16	0	11	0	0	0	11	0.00	0.69	100.00	51	0	22

0300850
SALMON(ARIEGE)RIVER (HARE BAY)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26	06	83	MED	5	14	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03	07	83	MED	10	15	5	8	0	0	5	8	0.50	0.53	100.00	0	0	7
10	07	83	LOW	12	17	4	10	0	0	4	10	0.33	0.59	100.00	0	0	7
17	07	83	LOW	48	68	80	110	0	0	80	110	1.67	1.62	100.00	0	0	7
24	07	83	MED	64	74	51	63	0	0	51	63	0.80	0.85	100.00	0	0	7
31	07	83	HI	30	38	33	48	0	0	33	48	1.10	1.26	100.00	0	0	7
07	08	83	HI	23	31	27	37	0	0	27	37	1.17	1.19	100.00	0	0	7
14	08	83	HI	19	29	20	28	0	0	20	28	1.05	0.97	100.00	0	0	7
21	08	83	HI	14	22	18	22	0	0	18	22	1.29	1.00	100.00	0	0	7
28	08	83	HI	12	15	4	5	0	0	4	5	0.33	0.33	100.00	0	0	7
04	09	83	HI	2	3	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL			MED	239	326	242	331	0	0	242	331	1.01	1.02	100.00	0	0	73

0401640
EAST BROOK (EASTER BROOK)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26	06	83	MED	2	5	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03	07	83	LOW	20	20	4	4	0	0	4	4	0.20	0.20	100.00	0	0	7
10	07	83	LOW	15	19	6	6	0	0	6	6	0.40	0.32	100.00	0	0	7
17	07	83	LOW	46	52	17	17	0	0	17	17	0.37	0.33	100.00	0	0	7
24	07	83	LOW	19	26	9	12	0	0	9	12	0.47	0.46	100.00	0	0	7
31	07	83	MED	19	23	6	8	0	0	6	8	0.32	0.35	100.00	0	0	7
07	08	83	HI	4	6	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
14	08	83	MED	3	5	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
21	08	83	MED	3	5	2	3	0	0	2	3	0.67	0.60	100.00	0	0	7
28	08	83	MED	4	5	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04	09	83	MED	2	3	0	1	0	0	0	1	0.00	0.33	100.00	0	0	1
TOTAL			MED	137	169	44	51	0	0	44	51	0.32	0.30	100.00	0	0	73

0401670
NORTHEAST BROOK (CHIMNEY BAY)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	MED	2	6	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	MED	18	25	17	17	0	0	17	17	0.94	0.68	100.00	0	0	7
03 07 83	LOW	41	41	16	16	0	0	16	16	0.39	0.39	100.00	0	0	7
10 07 83	MED	25	30	15	15	0	0	15	15	0.60	0.50	100.00	0	0	7
17 07 83	MED	27	27	12	12	0	0	12	12	0.44	0.44	100.00	0	0	7
24 07 83	LOW	24	30	18	22	0	0	18	22	0.75	0.73	100.00	0	0	7
31 07 83	MED	53	65	24	24	0	0	24	24	0.45	0.37	100.00	0	0	7
07 08 83	MED	26	32	22	32	1	1	23	33	0.88	1.03	96.97	0	0	7
14 08 83	MED	25	31	15	17	0	0	15	17	0.60	0.55	100.00	0	0	7
21 08 83	MED	19	23	12	15	0	0	12	15	0.63	0.65	100.00	0	0	7
28 08 83	MED	10	12	5	8	0	0	5	8	0.50	0.67	100.00	0	0	7
04 09 83	MED	2	3	2	2	0	0	2	2	1.00	0.67	100.00	0	0	1
TOTAL	MED	272	325	158	180	1	1	159	181	0.58	0.56	99.45	0	0	73

0401690
BEAVER BROOK (WESTERN BROOK)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	MED	8	11	2	2	0	0	2	2	0.25	0.18	100.00	0	0	2
26 06 83	MED	13	17	5	5	0	0	5	5	0.38	0.29	100.00	0	0	7
03 07 83	LOW	33	47	15	15	0	0	15	15	0.45	0.32	100.00	0	0	7
10 07 83	LOW	37	47	14	14	0	0	14	14	0.38	0.30	100.00	0	0	7
17 07 83	MED	25	35	16	16	0	0	16	16	0.64	0.46	100.00	0	0	7
24 07 83	LOW	21	27	9	9	0	0	9	9	0.43	0.33	100.00	0	0	7
31 07 83	HI	53	63	32	39	0	0	32	39	0.60	0.62	100.00	0	0	7
07 08 83	HI	17	21	12	16	0	0	12	16	0.71	0.76	100.00	0	0	7
14 08 83	HI	9	11	4	6	0	0	4	6	0.44	0.55	100.00	0	0	7
21 08 83	MED	9	12	4	6	0	0	4	6	0.44	0.50	100.00	0	0	7
28 08 83	MED	8	10	4	6	0	0	4	6	0.50	0.60	100.00	0	0	7
04 09 83	MED	0	1	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL	MED	233	302	117	134	0	0	117	134	0.50	0.44	100.00	0	0	73

0401790
NORTHWEST BROOK (CANADA BAY)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END	WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE	DAYS		
DA MO YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19 06 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
17 07 83	LOW	4	4	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
24 07 83	LOW	7	9	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
31 07 83	MED	9	11	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
07 08 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
14 08 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
21 08 83	MED	2	3	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28 08 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL	MED	22	27	0	0	0	0	0	0	0.00	0.00	0.00	0	0	73

0401850
CLOUD RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END	WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE	DAYS		
DA MO YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19 06 83	MED	2	3	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	MED	5	8	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83	LOW	10	10	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83	LOW	12	16	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
17 07 83	LOW	7	9	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
24 07 83	MED	29	35	25	34	0	0	25	34	0.86	0.97	100.00	0	0	7
31 07 83	HI	41	51	18	24	0	0	18	24	0.44	0.47	100.00	0	0	7
07 08 83	HI	6	8	3	4	0	0	3	4	0.50	0.50	100.00	0	0	7
14 08 83	HI	7	9	2	5	0	0	2	5	0.29	0.56	100.00	0	0	7
21 08 83	MED	4	6	1	1	0	0	1	1	0.25	0.17	100.00	0	0	7
28 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL	MED	123	155	49	68	0	0	49	68	0.40	0.44	100.00	0	0	73

0402500
LITTLE HARBOUR DEEP RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NO FISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	0
26 06 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
03 07 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
10 07 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
17 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
24 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
31 07 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
07 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
14 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
21 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
28 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	73	0	0

0402880
CONEY ARM RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NOFISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	LOW	45	87	3	5	0	0	3	5	0.07	0.06	100.00	0	0	7
03 07 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
17 07 83	LOW	42	59	5	7	0	0	5	7	0.12	0.12	100.00	0	0	7
24 07 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
31 07 83	HI	8	13	20	24	0	0	20	24	2.50	1.85	100.00	0	0	7
07 08 83	HI	37	49	19	29	0	0	19	29	0.51	0.59	100.00	0	0	7
14 08 83	HI	18	18	12	12	0	0	12	12	0.67	0.67	100.00	0	0	7
21 08 83	MED	10	10	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28 08 83	LOW	10	10	3	3	0	0	3	3	0.30	0.30	100.00	0	0	7
04 09 83	LOW	5	8	2	4	0	0	2	4	0.40	0.50	100.00	0	0	1
TOTAL	MED	175	254	64	84	0	0	64	84	0.37	0.33	100.00	0	0	73

0403110
MAIN RIVER (SOPS ARM)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DATA
19 06 83	MED	45	63	0	0	1	1	1	1	0.02	0.02	0.00	0	0	2
26 06 83	LOW	204	251	5	11	0	0	5	11	0.02	0.04	100.00	0	0	7
03 07 83	LOW	259	315	54	75	0	0	54	[illegible]	0.21	0.24	100.00	0	0	7
10 07 83	LOW	165	227	27	39	0	0	27	39	0.16	0.17	100.00	0	0	7
17 07 83	LOW	320	400	95	125	0	0	95	125	0.30	0.31	100.00	0	0	7
24 07 83	MED	187	250	112	140	0	0	112	140	0.60	0.56	100.00	0	0	7
31 07 83	HI	138	164	31	46	0	0	31	46	0.22	0.28	100.00	0	0	7
07 08 83	HI	99	124	28	44	0	0	28	44	0.28	0.35	100.00	0	0	7
14 08 83	HI	10	10	2	2	0	0	2	2	0.20	0.20	100.00	0	0	7
21 08 83	MED	8	8	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28 08 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL	MED	1435	1812	354	482	1	1	355	483	0.25	0.27	99.79	0	0	73

0403580
WILD COVE BROOK (WHITE BAY)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DATA
19 06 83	MED	0	2	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	MED	0	14	1	3	0	0	1	3	0.00	0.21	100.00	0	0	7
03 07 83	LOW	0	22	0	5	0	0	0	5	0.00	0.23	100.00	0	0	7
10 07 83	LOW	10	20	3	9	0	0	3	9	0.30	0.45	100.00	0	0	7
17 07 83	LOW	13	28	0	20	0	0	0	20	0.00	0.71	100.00	0	0	7
24 07 83	LOW	3	13	0	20	0	0	0	20	0.00	1.54	100.00	0	0	7
31 07 83	MED	2	22	1	11	0	0	1	11	0.50	0.50	100.00	0	0	7
07 08 83	HI	6	21	3	13	0	0	3	13	0.50	0.62	100.00	0	0	7
14 08 83	MED	7	17	2	2	0	0	2	2	0.29	0.12	100.00	0	0	7
21 08 83	MED	4	14	2	6	0	0	2	6	0.50	0.43	100.00	0	0	7
28 08 83	MED	2	6	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL	MED	47	179	12	89	0	0	12	89	0.26	0.50	100.00	0	0	73

0403620
WESTERN ARM RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DATA
19 06 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	LOW	2	6	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83	LOW	0	6	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83	LOW	0	10	0	4	0	0	0	4	0.00	0.40	100.00	0	0	7
17 07 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
24 07 83	LOW	4	14	1	5	0	0	1	5	0.25	0.36	100.00	0	0	7
31 07 83	MED	1	7	0	10	0	0	0	10	0.00	1.43	100.00	0	0	7
07 08 83	HI	0	10	0	2	0	0	0	2	0.00	0.20	100.00	0	0	7
14 08 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
21 08 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28 08 83	MED	0	6	0	2	0	0	0	2	0.00	0.33	100.00	0	0	7
04 09 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL	MED	7	59	1	23	0	0	1	23	0.14	0.39	100.00	0	0	73

0403670
MIDDLE ARM BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DATA
19 06 83	MED	4	8	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	LOW	2	11	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83	LOW	4	18	1	4	0	0	1	4	0.25	0.22	100.00	0	0	7
10 07 83	LOW	7	22	4	14	0	0	4	14	0.57	0.64	100.00	0	0	7
17 07 83	LOW	11	27	0	20	0	0	0	20	0.00	0.74	100.00	0	0	7
24 07 83	LOW	0	20	0	20	0	0	0	20	0.00	1.00	100.00	0	0	7
31 07 83	MED	8	28	0	15	0	0	0	15	0.00	0.54	100.00	0	0	7
07 08 83	HI	6	16	0	5	0	0	0	5	0.00	0.31	100.00	0	0	7
14 08 83	MED	7	9	4	7	0	0	4	7	0.57	0.78	100.00	0	0	7
21 08 83	MED	3	9	0	2	0	0	0	2	0.00	0.22	100.00	0	0	7
28 08 83	MED	4	9	0	1	0	0	0	1	0.00	0.11	100.00	0	0	7
04 09 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL	MED	56	177	9	88	0	0	9	88	0.16	0.50	100.00	0	0	73

0403700
SOUTHERN ARM BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END	WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE	DAYS		
DA MO YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	0
26 06 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
17 07 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
24 07 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
31 07 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
07 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
14 08 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
21 08 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28 08 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	71

0504040
SOUTH WEST BROOK (BAIE VERTE)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END	WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE	DAYS		
DA MO YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19 06 83	LOW	0	4	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	LOW	4	25	1	6	0	0	1	6	0.25	0.24	100.00	0	0	7
03 07 83	LOW	15	24	5	7	0	0	5	7	0.33	0.29	100.00	0	0	7
10 07 83	LOW	14	22	0	4	0	0	0	4	0.00	0.18	100.00	0	0	7
17 07 83	LOW	0	20	0	10	0	0	0	10	0.00	0.50	100.00	0	0	7
24 07 83	LOW	6	21	2	17	0	0	2	17	0.33	0.81	100.00	0	0	7
31 07 83	MED	0	10	0	6	0	0	0	6	0.00	0.60	100.00	0	0	7
07 08 83	HI	3	19	2	7	0	0	2	7	0.67	0.37	100.00	0	0	7
14 08 83	MED	10	16	3	9	0	0	3	9	0.30	0.56	100.00	0	0	7
21 08 83	MED	6	13	2	6	0	0	2	6	0.33	0.46	100.00	0	0	7
28 08 83	MED	4	14	1	2	0	0	1	2	0.25	0.14	100.00	0	0	7
04 09 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL	MED	62	188	16	74	0	0	16	74	0.26	0.39	100.00	0	0	73

0504280
WOODSTOCK BROOK (PACQUET BK.)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DATA
19 06 83	MED	2	4	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	MED	3	12	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83	MED	6	8	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83	LOW	2	7	0	0	0	0	0	0	0.00	0.00	0.00	5	0	2
17 07 83	LOW	3	8	0	0	0	0	0	0	0.00	0.00	0.00	5	0	2
24 07 83	LOW	18	27	0	2	0	0	0	0	0.00	0.00	0.00	4	0	3
31 07 83	HI	14	20	0	0	0	0	0	2	0.00	0.07	100.00	0	0	7
07 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
14 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
21 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL	MED	48	86	0	2	0	0	0	2	0.00	0.02	100.00	14	0	59

0604820
EAST BROOK (BURLINGTON RIVER)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DATA
19 06 83	MED	6	8	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	LOW	23	27	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83	LOW	16	24	5	8	0	0	5	8	0.31	0.33	100.00	0	0	7
10 07 83	LOW	37	47	9	14	0	0	9	14	0.24	0.30	100.00	0	0	7
17 07 83	LOW	121	121	65	65	0	0	65	65	0.54	0.54	100.00	0	0	7
24 07 83	LOW	122	127	56	71	0	0	56	71	0.46	0.56	100.00	0	0	7
31 07 83	MED	49	59	24	34	0	0	24	34	0.49	0.58	100.00	0	0	7
07 08 83	HI	32	42	10	15	0	0	10	15	0.31	0.36	100.00	0	0	7
14 08 83	MED	23	31	4	10	0	0	4	10	0.17	0.32	100.00	0	0	7
21 08 83	MED	15	21	6	8	0	0	6	8	0.40	0.38	100.00	0	0	7
28 08 83	MED	17	22	3	7	0	0	3	7	0.18	0.32	100.00	0	0	7
04 09 83	MED	4	5	1	2	0	0	1	2	0.25	0.40	100.00	0	0	1
TOTAL	MED	465	534	183	234	0	0	183	234	0.39	0.44	100.00	0	0	73

0605570
INDIAN BROOK (INDIAN RIVER)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	12	16	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
26	06	83	MED	76	90	4	4	0	0	4	4	0.05	0.04	100.00	0	0	8
03	07	83	MED	148	189	15	22	1	1	16	23	0.11	0.12	95.65	0	0	7
10	07	83	LOW	182	220	34	46	0	0	34	46	0.19	0.21	100.00	0	0	7
17	07	83	LOW	338	418	63	94	0	0	63	94	0.19	0.22	100.00	0	0	7
24	07	83	MED	279	366	89	117	0	0	89	117	0.32	0.32	100.00	0	0	7
31	07	83	HI	264	335	69	97	0	0	69	97	0.26	0.29	100.00	0	0	7
07	08	83	HI	182	234	43	59	0	0	43	59	0.24	0.25	100.00	0	0	7
14	08	83	HI	72	112	22	53	0	0	22	53	0.31	0.47	100.00	0	0	7
21	08	83	HI	37	63	18	32	0	0	18	32	0.49	0.51	100.00	0	0	7
28	08	83	HI	28	42	8	10	0	0	8	10	0.29	0.24	100.00	0	0	7
04	09	83	HI	6	8	2	3	0	0	2	3	0.33	0.38	100.00	0	0	1
TOTAL			MED	1624	2093	367	537	1	1	368	538	0.23	0.26	99.81	0	0	73

0605640
WEST RIVER (RIVERHEAD BROOK)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	0	38	0	0	0	0	0	0	0.00	0.00	0.00	0	0	4
26	06	83	MED	90	113	12	23	0	0	12	23	0.13	0.20	100.00	0	0	14
03	07	83	MED	146	176	50	63	2	2	52	65	0.36	0.37	96.92	0	0	14
10	07	83	MED	196	243	98	132	0	0	98	132	0.50	0.54	100.00	0	0	14
17	07	83	MED	214	295	114	147	0	0	114	147	0.53	0.50	100.00	0	0	14
24	07	83	MED	216	257	105	131	0	0	105	131	0.49	0.51	100.00	0	0	14
31	07	83	HI	168	239	87	132	0	0	87	132	0.52	0.55	100.00	0	0	14
07	08	83	HI	129	167	68	94	0	0	68	94	0.53	0.56	100.00	0	0	14
14	08	83	HI	62	93	32	49	0	0	32	49	0.52	0.53	100.00	0	0	14
21	08	83	HI	50	71	33	48	0	0	33	48	0.66	0.68	100.00	0	0	14
28	08	83	HI	40	52	8	10	0	0	8	10	0.20	0.19	100.00	0	0	14
04	09	83	HI	4	5	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
TOTAL			MED	1315	1749	607	829	2	2	609	831	0.46	0.48	99.76	0	0	146

0605680
SOUTH BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DATA
19 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	0
26 06 83	MED	0	48	0	0	0	1	0	1	0.00	0.02	0.00	0	0	7
03 07 83	MED	70	97	33	44	1	1	34	45	0.49	0.46	97.78	0	0	7
10 07 83	MED	129	172	52	79	1	1	53	80	0.41	0.47	98.75	0	0	7
17 07 83	MED	128	173	62	92	0	0	62	92	0.48	0.53	100.00	0	0	7
24 07 83	HI	193	256	117	166	1	1	118	167	0.61	0.65	99.40	0	0	7
31 07 83	HI	121	172	56	82	4	4	60	86	0.50	0.50	95.35	0	0	7
07 08 83	HI	76	108	39	57	2	2	41	59	0.54	0.55	96.61	0	0	7
14 08 83	HI	45	60	11	17	0	0	11	17	0.24	0.28	100.00	0	0	7
21 08 83	HI	22	32	9	13	0	0	9	13	0.41	0.41	100.00	0	0	7
28 08 83	HI	21	29	9	12	0	0	9	12	0.43	0.41	100.00	0	0	7
04 09 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL	HI	805	1147	388	562	9	10	397	572	0.49	0.50	98.25	2	0	71

0605940
TOMMY'S ARM RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DATA
19 06 83	HI	0	8	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	MED	22	36	2	2	2	2	4	4	0.18	0.11	50.00	2	0	5
03 07 83	MED	35	56	0	0	8	22	8	22	0.23	0.39	0.00	2	0	5
10 07 83	MED	26	47	4	14	0	0	4	14	0.15	0.30	100.00	2	0	5
17 07 83	MED	29	48	9	23	0	0	9	23	0.31	0.48	100.00	2	0	5
24 07 83	MED	29	50	10	20	2	2	12	22	0.41	0.44	90.91	2	0	5
31 07 83	HI	33	54	8	17	2	12	10	29	0.30	0.54	58.62	2	0	5
07 08 83	HI	29	54	7	12	3	3	10	15	0.34	0.28	80.00	2	0	5
14 08 83	HI	31	49	5	10	0	0	5	10	0.16	0.20	100.00	2	0	5
21 08 83	HI	17	25	2	2	0	0	2	2	0.12	0.08	100.00	2	0	5
28 08 83	HI	9	17	1	1	0	0	1	1	0.11	0.06	100.00	2	0	5
04 09 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL	HI	260	444	48	101	17	41	65	142	0.25	0.32	71.13	20	0	53

0606570
NORTHWEST ARM BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	4	6	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26	06	83	MED	5	10	2	4	0	0	2	4	0.40	0.40	100.00	0	0	7
03	07	83	MED	8	10	3	3	0	0	3	3	0.38	0.30	100.00	0	0	7
10	07	83	LOW	10	13	1	2	0	0	1	2	0.10	0.15	100.00	0	0	7
17	07	83	LOW	7	21	5	13	0	0	5	13	0.71	0.62	100.00	0	0	7
24	07	83	LOW	12	17	5	10	0	0	5	10	0.42	0.59	100.00	0	0	7
31	07	83	MED	12	17	3	7	0	0	3	7	0.25	0.41	100.00	0	0	7
07	08	83	MED	10	13	4	8	0	0	4	8	0.40	0.62	100.00	0	0	7
14	08	83	MED	12	18	2	7	0	0	2	7	0.17	0.39	100.00	0	0	7
21	08	83	HI	5	9	2	4	0	0	2	4	0.40	0.44	100.00	0	0	7
28	08	83	MED	3	6	2	4	0	0	2	4	0.67	0.67	100.00	0	0	7
04	09	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL			MED	88	140	29	62	0	0	29	62	0.33	0.44	100.00	0	0	73

0606720
WEST ARM BROOK (WESTERN ARM)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	12	16	4	4	0	0	4	4	0.33	0.25	100.00	0	0	2
26	06	83	MED	108	131	78	96	0	0	78	96	0.72	0.73	100.00	0	0	7
03	07	83	MED	123	160	70	84	0	0	70	84	0.57	0.52	100.00	0	0	7
10	07	83	MED	33	50	13	24	0	0	13	24	0.39	0.48	100.00	0	0	7
17	07	83	MED	58	78	17	31	0	0	17	31	0.29	0.40	100.00	0	0	7
24	07	83	MED	46	62	17	27	0	0	17	27	0.37	0.44	100.00	0	0	7
31	07	83	MED	46	62	18	28	0	0	18	28	0.39	0.45	100.00	0	0	7
07	08	83	HI	43	53	11	20	0	0	11	20	0.26	0.38	100.00	0	0	7
14	08	83	HI	31	39	9	13	0	0	9	13	0.29	0.33	100.00	0	0	7
21	08	83	HI	16	23	7	10	0	0	7	10	0.44	0.43	100.00	0	0	7
28	08	83	MED	16	25	7	10	0	0	7	10	0.44	0.40	100.00	0	0	7
04	09	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL			MED	532	699	251	347	0	0	251	347	0.47	0.50	100.00	0	0	73

0606820
NEW BAY RIVER (PT. LEAMINGTON)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	MED	25	45	4	4	0	0	4	4	0.16	0.09	100.00	0	0	2
26 06 83	MED	80	148	19	33	0	0	19	33	0.24	0.22	100.00	0	0	7
03 07 83	MED	129	170	46	65	2	2	48	67	0.37	0.39	97.01	0	0	7
10 07 83	MED	89	107	35	48	0	0	35	48	0.39	0.45	100.00	0	0	7
17 07 83	MED	72	82	16	28	0	0	16	28	0.22	0.34	100.00	0	0	7
24 07 83	MED	63	84	18	31	0	0	18	31	0.29	0.37	100.00	0	0	7
31 07 83	MED	63	84	18	31	0	0	18	31	0.29	0.37	100.00	0	0	7
07 08 83	HI	55	65	12	29	0	0	12	29	0.22	0.45	100.00	0	0	7
14 08 83	HI	31	47	15	27	0	0	15	27	0.48	0.57	100.00	0	0	7
21 08 83	HI	13	25	7	9	0	0	7	9	0.54	0.36	100.00	0	0	7
28 08 83	MED	8	14	5	8	0	0	5	8	0.63	0.57	100.00	0	0	7
04 09 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL	MED	628	871	195	313	2	2	197	315	0.31	0.36	99.37	0	0	73

0707660
CHARLES BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83	LOW	5	64	25	25	0	0	25	25	5.00	0.39	100.00	0	0	7
10 07 83	LOW	47	91	60	60	0	0	60	60	1.28	0.66	100.00	0	0	7
17 07 83	LOW	95	160	95	95	0	0	95	95	1.00	0.59	100.00	0	0	7
24 07 83	LOW	68	68	42	42	0	0	42	42	0.62	0.62	100.00	0	0	7
31 07 83	MED	47	47	15	27	0	0	15	27	0.32	0.57	100.00	0	0	7
07 08 83	MED	57	77	56	67	0	0	56	67	0.98	0.87	100.00	0	0	7
14 08 83	HI	13	26	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
21 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL	MED	332	533	293	316	0	0	293	316	0.88	0.59	100.00	0	0	73

0707760
NORTHERN ARM BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NO FISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	DAYS NP	CL	DATA
19 06 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83	LOW	67	92	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83	LOW	40	75	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
17 07 83	LOW	94	134	70	94	0	0	70	94	0.74	0.70	100.00	0	0	7
24 07 83	LOW	137	137	106	106	0	0	106	106	0.77	0.77	100.00	0	0	7
31 07 83	MED	95	122	75	101	0	0	75	101	0.79	0.83	100.00	0	0	7
07 08 83	MED	88	126	42	64	0	0	42	64	0.48	0.51	100.00	0	0	7
14 08 83	HI	27	41	2	3	0	0	2	3	0.07	0.07	100.00	0	0	7
21 08 83	HI	10	19	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL	MED	558	746	295	368	0	0	295	368	0.53	0.49	100.00	0	0	73

0707780
PETERS RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NOFISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	DAYS NP	CL	DATA
19 06 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83	LOW	45	71	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83	LOW	25	50	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
17 07 83	LOW	67	97	52	87	0	0	52	87	0.78	0.90	100.00	0	0	7
24 07 83	LOW	80	80	58	58	0	0	58	58	0.72	0.72	100.00	0	0	7
31 07 83	MED	104	171	24	24	0	0	24	24	0.23	0.14	100.00	0	0	7
07 08 83	MED	111	143	13	21	0	0	13	21	0.12	0.15	100.00	0	0	7
14 08 83	HI	18	32	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
21 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL	MED	450	644	147	190	0	0	147	190	0.33	0.30	100.00	0	0	73

0707790
EXPLOITS RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA	MO	YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NO FISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	DAYS NP	CL	DATA
19	06	83	MED	34	34	0	0	0	0	0	0	0.00	0.00	0.00	0	0	6
26	06	83	MED	97	107	10	10	0	0	10	10	0.10	0.09	100.00	0	0	21
03	07	83	LOW	943	943	164	164	0	0	164	164	0.17	0.17	100.00	0	0	21
10	07	83	MED	614	718	101	101	0	0	101	101	0.16	0.14	100.00	0	0	21
17	07	83	MED	1311	1311	399	399	0	0	399	399	0.30	0.30	100.00	0	0	21
24	07	83	MED	553	553	160	160	0	0	160	160	0.29	0.29	100.00	0	0	21
31	07	83	HI	875	935	377	377	0	0	377	377	0.43	0.40	100.00	0	0	21
07	08	83	HI	262	262	126	126	0	0	126	126	0.48	0.48	100.00	0	0	21
14	08	83	HI	161	161	7	7	0	0	7	7	0.04	0.04	100.00	0	0	21
21	08	83	HI	50	50	4	4	0	0	4	4	0.08	0.08	100.00	0	0	21
28	08	83	HI	5	5	5	5	0	0	5	5	1.00	1.00	100.00	0	0	21
04	09	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	1
TOTAL			MED	4905	5079	1353	1353	0	0	1353	1353	0.28	0.27	100.00	2	0	217

0708210
CAMPBELLTON RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA	MO	YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NOFISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	DAYS NP	CL	DATA
19	06	83	MED	18	18	0	0	0	0	0	0	0.00	0.00	0.00	0	0	6
26	06	83	MED	56	102	12	15	0	0	12	15	0.21	0.15	100.00	2	0	19
03	07	83	MED	92	247	34	62	0	0	34	62	0.37	0.25	100.00	0	0	21
10	07	83	MED	108	219	70	90	0	0	70	90	0.65	0.41	100.00	0	0	21
17	07	83	MED	144	203	91	104	0	0	91	104	0.63	0.51	100.00	0	0	21
24	07	83	MED	107	180	82	94	0	0	82	94	0.77	0.52	100.00	0	0	21
31	07	83	MED	125	185	55	76	0	0	55	76	0.44	0.41	100.00	0	0	21
07	08	83	HI	69	131	16	45	0	0	16	45	0.23	0.34	100.00	0	0	21
14	08	83	HI	66	126	12	46	0	0	12	46	0.18	0.37	100.00	0	0	21
21	08	83	HI	81	137	17	39	0	0	17	39	0.21	0.28	100.00	1	0	20
28	08	83	HI	34	66	6	23	0	0	6	23	0.18	0.35	100.00	8	0	13
04	09	83	HI	3	5	3	3	0	0	3	3	1.00	0.60	100.00	1	0	2
TOTAL			MED	903	1619	398	597	0	0	398	597	0.44	0.37	100.00	12	0	207

0708480

DOG BAY RIVER (HORWOOD RIVER)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	0
26	06	83	MED	13	46	2	8	0	0	2	8	0.15	0.17	100.00	2	0	5
03	07	83	MED	36	98	6	27	0	0	6	27	0.17	0.28	100.00	2	0	5
10	07	83	LOW	83	206	31	97	0	0	31	97	0.37	0.47	100.00	0	0	7
17	07	83	LOW	57	137	15	45	0	0	15	45	0.26	0.33	100.00	2	0	5
24	07	83	LOW	78	214	45	118	0	0	45	118	0.58	0.55	100.00	0	0	7
31	07	83	MED	55	142	21	62	0	0	21	62	0.38	0.44	100.00	2	0	5
07	08	83	HI	45	114	15	50	0	0	15	50	0.33	0.44	100.00	2	0	5
14	08	83	HI	25	65	19	50	0	0	19	50	0.76	0.77	100.00	2	0	5
21	08	83	HI	5	21	1	4	0	0	1	4	0.20	0.19	100.00	2	0	5
28	08	83	HI	10	27	3	9	0	0	3	9	0.30	0.33	100.00	2	0	5
04	09	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL			MED	407	1070	158	470	0	0	158	470	0.39	0.44	100.00	19	0	54

0908610

GANDER RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	9	26	0	0	0	0	0	0	0.00	0.00	0.00	6	0	6
26	06	83	MED	56	144	1	4	1	1	2	5	0.04	0.03	80.00	15	0	27
03	07	83	MED	235	440	36	79	0	0	36	79	0.15	0.18	100.00	9	0	33
10	07	83	MED	628	825	135	174	75	75	210	249	0.33	0.30	69.88	7	0	35
17	07	83	MED	1145	1398	263	322	10	10	273	332	0.24	0.24	96.99	8	0	34
24	07	83	MED	1250	1448	350	462	15	25	365	487	0.29	0.34	94.87	6	0	36
31	07	83	MED	913	1099	295	384	13	25	308	409	0.34	0.37	93.89	6	0	36
07	08	83	MED	459	618	170	243	17	36	187	279	0.41	0.45	87.10	6	0	36
14	08	83	HI	254	326	131	147	19	23	150	170	0.59	0.52	86.47	2	0	40
21	08	83	HI	313	397	86	106	26	31	112	137	0.36	0.35	77.37	5	0	37
28	08	83	HI	162	213	85	112	10	13	95	125	0.59	0.59	89.60	7	0	35
04	09	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	4	0	2
TOTAL			MED	5424	6934	1552	2033	186	239	1738	2272	0.32	0.33	89.48	81	0	357

0908820
RAGGED HARBOUR RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DATA
19 06 83	MED	29	79	0	0	0	0	0	0	0.00	0.00	0.00	0	0	4
26 06 83	MED	47	82	1	1	0	0	1	1	0.02	0.01	100.00	0	0	14
03 07 83	MED	114	185	4	5	0	0	4	5	0.04	0.03	100.00	0	0	14
10 07 83	LOW	88	111	26	36	0	0	26	36	0.30	0.32	100.00	0	0	14
17 07 83	LOW	76	114	20	35	0	0	20	35	0.26	0.31	100.00	0	0	14
24 07 83	LOW	102	130	47	70	0	0	47	70	0.46	0.54	100.00	0	0	14
31 07 83	LOW	68	105	45	69	0	0	45	69	0.66	0.66	100.00	0	0	14
07 08 83	MED	99	143	45	62	0	0	45	62	0.45	0.43	100.00	0	0	14
14 08 83	HI	63	84	19	29	0	0	19	29	0.30	0.35	100.00	0	0	14
21 08 83	HI	46	70	24	37	0	0	24	37	0.52	0.53	100.00	0	0	14
28 08 83	HI	48	70	38	46	1	1	39	47	0.81	0.67	97.87	2	0	12
04 09 83	HI	10	14	9	13	1	1	10	14	1.00	1.00	92.86	0	0	2
TOTAL	MED	790	1187	278	403	2	2	280	405	0.35	0.34	99.51	2	0	144

0908940
ANCHOR BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DATA
10 07 83	MED	70	78	4	6	0	0	4	6	0.06	0.08	100.00	0	0	2
17 07 83	MED	75	100	8	17	0	0	8	17	0.11	0.17	100.00	0	0	7
24 07 83	MED	53	60	7	9	0	0	7	9	0.13	0.15	100.00	0	0	5
TOTAL	MED	198	238	19	32	0	0	19	32	0.10	0.13	100.00	0	0	14

0908950
DEADMAN'S BROOK (DEADMAN'S BAY)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NO FISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
10 07 83	MED	21	25	6	7	0	0	6	7	0.29	0.28	100.00	0	0	2
17 07 83	LOW	37	43	15	19	0	0	15	19	0.41	0.44	100.00	0	0	7
24 07 83	LOW	29	34	20	20	0	0	20	20	0.69	0.59	100.00	0	0	5
TOTAL	LOW	87	102	41	46	0	0	41	46	0.47	0.45	100.00	0	0	14

0909030
WINDMILL BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NOFISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	MED	1	1	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	MED	1	11	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
03 07 83	MED	14	27	0	0	0	0	0	0	0.00	0.00	0.00	3	0	4
10 07 83	MED	89	121	3	3	0	0	3	3	0.03	0.02	100.00	1	0	6
17 07 83	MED	132	182	45	58	0	0	45	58	0.34	0.32	100.00	0	0	7
24 07 83	MED	115	138	24	32	0	0	24	32	0.21	0.23	100.00	2	0	5
31 07 83	MED	84	114	26	35	0	0	26	35	0.31	0.31	100.00	0	0	7
07 08 83	MED	57	78	8	11	0	0	8	11	0.14	0.14	100.00	2	0	5
14 08 83	MED	48	72	6	11	0	0	6	11	0.13	0.15	100.00	2	0	5
21 08 83	MED	35	50	1	1	0	0	1	1	0.03	0.02	100.00	2	0	5
28 08 83	HI	20	26	6	10	0	0	6	10	0.30	0.38	100.00	2	0	5
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL	MED	596	820	119	161	0	0	119	161	0.20	0.20	100.00	17	0	56

1109490
INDIAN BAY BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	MED	14	19	1	1	0	0	1	1	0.07	0.05	100.00	2	0	2
26 06 83	MED	68	93	12	15	0	0	12	15	0.18	0.16	100.00	2	0	12
03 07 83	MED	160	192	40	50	0	0	40	50	0.25	0.26	100.00	2	0	12
10 07 83	MED	170	203	45	60	0	0	45	60	0.26	0.30	100.00	2	0	12
17 07 83	MED	264	345	101	127	2	2	103	129	0.39	0.37	98.45	2	0	12
24 07 83	MED	223	290	72	94	0	0	72	94	0.32	0.32	100.00	2	0	12
31 07 83	MED	127	180	36	48	0	0	36	48	0.28	0.27	100.00	2	0	12
07 08 83	MED	131	183	50	69	0	0	50	69	0.38	0.38	100.00	2	0	12
14 08 83	MED	94	125	29	35	0	0	29	35	0.31	0.28	100.00	2	0	12
21 08 83	MED	62	89	15	27	0	0	15	27	0.24	0.30	100.00	2	0	12
28 08 83	MED	16	36	8	12	0	0	8	12	0.50	0.33	100.00	9	0	5
04 09 83	MED	3	4	0	0	0	0	0	0	0.00	0.00	0.00	1	0	1
TOTAL	MED	1332	1759	409	538	2	2	411	540	0.31	0.31	99.63	30	0	116

1109750
TRAVERSE BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	0
26 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
03 07 83	LOW	11	54	2	20	0	0	2	20	0.18	0.37	100.00	1	0	6
10 07 83	LOW	13	65	3	36	0	1	3	37	0.23	0.57	97.30	0	0	7
17 07 83	LOW	46	151	16	86	0	1	16	87	0.35	0.58	98.85	0	0	7
24 07 83	LOW	10	90	6	65	0	2	6	67	0.60	0.74	97.01	0	0	7
31 07 83	LOW	24	149	6	57	0	6	6	63	0.25	0.42	90.48	0	0	7
07 08 83	LOW	17	157	1	44	0	3	1	47	0.06	0.30	93.62	4	0	3
14 08 83	MED	8	66	0	22	0	3	0	25	0.00	0.38	88.00	4	0	3
21 08 83	MED	0	40	0	9	0	2	0	11	0.00	0.27	81.82	0	0	7
28 08 83	HI	4	26	0	3	0	0	0	3	0.00	0.12	100.00	0	0	7
04 09 83	HI	2	3	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL	LOW	135	801	34	342	0	18	34	360	0.25	0.45	95.00	18	0	55

1109760
MIDDLE BROOK (GAMBO)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	35	40	0	0	0	0	0	0	0.00	0.00	0.00	2	0	2
26	06	83	MED	89	117	0	3	0	0	0	3	0.00	0.03	100.00	0	0	14
03	07	83	LOW	85	114	1	9	0	0	1	9	0.01	0.08	100.00	0	0	14
10	07	83	MED	117	151	46	57	0	0	46	57	0.39	0.38	100.00	0	0	14
17	07	83	MED	317	375	76	96	1	9	77	105	0.24	0.28	91.43	0	0	14
24	07	83	LOW	214	271	39	57	0	3	39	60	0.18	0.22	95.00	0	0	14
31	07	83	MED	145	205	49	60	3	5	52	65	0.36	0.32	92.31	0	0	14
07	08	83	MED	82	117	32	39	3	3	35	42	0.43	0.36	92.86	0	0	14
14	08	83	MED	50	70	29	36	0	0	29	36	0.58	0.51	100.00	0	0	14
21	08	83	HI	22	35	8	15	0	0	8	15	0.36	0.43	100.00	2	0	12
28	08	83	HI	10	10	0	0	0	0	0	0	0.00	0.00	0.00	7	0	7
04	09	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	0
TOTAL			MED	1166	1505	280	372	7	20	287	392	0.25	0.26	94.90	13	0	133

1109780
GAMBO BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	8	0	0
26	06	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	23	0	5
03	07	83	LOW	9	9	9	9	0	0	9	9	1.00	1.00	100.00	23	0	5
10	07	83	LOW	52	52	19	19	0	19	19	38	0.37	0.73	50.00	23	0	5
17	07	83	LOW	213	240	24	106	0	0	24	106	0.11	0.44	100.00	7	0	21
24	07	83	LOW	271	341	97	97	0	0	97	97	0.36	0.28	100.00	4	0	24
31	07	83	MED	220	220	52	52	0	0	52	52	0.24	0.24	100.00	11	0	17
07	08	83	LOW	293	293	70	70	0	0	70	70	0.24	0.24	100.00	4	0	24
14	08	83	MED	161	170	31	31	0	0	31	31	0.19	0.18	100.00	4	0	24
21	08	83	HI	133	133	34	34	0	0	34	34	0.26	0.26	100.00	4	0	24
28	08	83	HI	38	38	10	10	0	0	10	10	0.26	0.26	100.00	14	0	14
04	09	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	4	0	0
TOTAL			MED	1390	1496	346	428	0	19	346	447	0.25	0.30	95.75	129	0	163

1110130

NORTHWEST BROOK (ALEXANDER BAY)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	0
26 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
03 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
10 07 83	LOW	15	33	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
17 07 83	LOW	28	28	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
24 07 83	LOW	46	59	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
31 07 83	LOW	56	58	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
07 08 83	MED	90	90	2	2	0	0	2	2	0.02	0.02	100.00	0	0	7
14 08 83	MED	130	130	2	2	0	0	2	2	0.02	0.02	100.00	0	0	7
21 08 83	HI	24	24	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
													0	0	1
TOTAL	MED	389	422	4	4	0	0	4	4	0.01	0.01	100.00	23	0	50

1110220

TERRA NOVA RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	MED	42	58	0	0	0	0	0	0	0.00	0.00	0.00	4	0	4
26 06 83	MED	79	79	9	9	1	1	10	10	0.13	0.13	90.00	14	0	14
03 07 83	LOW	162	192	39	39	8	8	47	47	0.29	0.24	82.98	14	0	14
10 07 83	LOW	175	210	45	45	0	0	45	45	0.26	0.21	100.00	14	0	14
17 07 83	LOW	239	309	37	37	3	3	40	40	0.17	0.13	92.50	14	0	14
24 07 83	MED	218	310	57	63	2	2	59	65	0.27	0.21	96.92	14	0	14
31 07 83	LOW	227	292	73	93	7	7	80	100	0.35	0.34	93.00	7	0	21
07 08 83	LOW	224	277	58	82	3	13	61	95	0.27	0.34	86.32	14	0	14
14 08 83	MED	194	256	19	48	1	4	20	52	0.10	0.20	92.31	0	0	28
21 08 83	HI	56	130	13	49	2	4	15	53	0.27	0.41	92.45	0	0	28
28 08 83	MED	0	44	0	21	0	1	0	22	0.00	0.50	95.45	14	0	14
04 09 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	4	0	0
TOTAL	MED	1616	2157	350	486	27	43	377	529	0.23	0.25	91.87	113	0	179

1210880
NORTHWEST RIVER (PORT BLANDFORD)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	MED	28	33	3	4	0	0	3	4	0.11	0.12	100.00	0	0	2
26 06 83	MED	89	109	4	4	1	1	5	5	0.06	0.05	80.00	0	0	7
03 07 83	MED	157	189	13	16	0	0	13	16	0.08	0.08	100.00	0	0	7
10 07 83	MED	204	229	7	7	2	2	9	9	0.04	0.04	77.78	0	0	7
17 07 83	LOW	169	195	24	29	9	10	33	39	0.20	0.20	74.36	0	0	7
24 07 83	MED	214	237	31	35	13	15	44	50	0.21	0.21	70.00	0	0	7
31 07 83	MED	216	241	25	30	7	8	32	38	0.15	0.16	78.95	0	0	7
07 08 83	MED	135	153	10	11	6	7	16	18	0.12	0.12	61.11	0	0	7
14 08 83	HI	59	71	3	3	0	0	3	3	0.05	0.04	100.00	0	0	7
21 08 83	HI	34	40	4	4	0	0	4	4	0.12	0.10	100.00	0	0	7
28 08 83	HI	7	9	1	1	1	1	2	2	0.29	0.22	50.00	0	0	7
04 09 83	HI	9	11	1	1	1	1	2	2	0.22	0.18	50.00	0	0	1
TOTAL	MED	1321	1517	126	145	40	45	166	190	0.13	0.13	76.32	0	0	73

1210890
SALMON BROOK (PORT BLANDFORD)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	MED	6	8	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83	MED	9	14	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
17 07 83	LOW	9	11	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
24 07 83	LOW	7	10	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
31 07 83	MED	27	38	3	4	2	2	5	6	0.19	0.16	66.67	0	0	7
07 08 83	MED	34	45	5	5	2	2	7	7	0.21	0.16	71.43	0	0	7
14 08 83	HI	21	25	1	1	0	0	1	1	0.05	0.04	100.00	0	0	7
21 08 83	HI	16	16	1	1	0	0	1	1	0.06	0.06	100.00	0	0	7
28 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL	MED	129	167	10	11	4	4	14	15	0.11	0.09	73.33	0	0	73

1210930
SOUTHWEST BROOK (PORT BLANDFORD)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	MED	1	1	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	MED	2	4	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83	MED	26	35	1	1	0	0	1	1	0.04	0.03	100.00	0	0	7
10 07 83	MED	13	20	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
17 07 83	LOW	24	35	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
24 07 83	MED	45	55	4	6	1	1	5	7	0.11	0.13	85.71	0	0	7
31 07 83	MED	50	64	10	14	5	7	15	21	0.30	0.33	66.67	0	0	7
07 08 83	MED	73	86	9	9	8	9	17	18	0.23	0.21	50.00	0	0	7
14 08 83	HI	31	38	1	1	2	2	3	3	0.10	0.08	33.33	0	0	7
21 08 83	HI	22	23	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28 08 83	HI	5	6	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83	HI	3	4	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL	MED	295	371	25	31	16	19	41	50	0.14	0.13	62.00	0	0	73

1512520
SALMON COVE RIVER (CHAMPNEYS)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	LOW	0	18	1	3	0	0	1	3	0.00	0.17	100.00	0	0	2
26 06 83	LOW	13	61	1	2	0	0	1	2	0.08	0.03	100.00	0	0	7
03 07 83	LOW	6	62	0	1	0	0	0	1	0.00	0.02	100.00	0	0	7
10 07 83	LOW	26	80	2	6	0	0	2	6	0.08	0.07	100.00	0	0	7
17 07 83	LOW	39	109	4	11	0	0	4	11	0.10	0.10	100.00	0	0	7
24 07 83	LOW	10	92	4	10	0	0	4	10	0.40	0.11	100.00	0	0	7
31 07 83	LOW	14	77	3	8	0	0	3	8	0.21	0.10	100.00	0	0	7
07 08 83	LOW	9	59	0	3	0	0	0	3	0.00	0.05	100.00	0	0	7
14 08 83	LOW	2	30	0	1	0	0	0	1	0.00	0.03	100.00	0	0	7
21 08 83	MED	7	43	2	5	0	0	2	5	0.29	0.12	100.00	0	0	7
28 08 83	HI	4	30	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL	LOW	130	661	17	50	0	0	17	50	0.13	0.08	100.00	1	0	72

1512620
TROUTY RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA	MO	YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NO FISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	DAYS NP	CL	DATA
19	06	83	LOW	3	3	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26	06	83	LOW	18	32	1	1	0	0	1	1	0.06	0.03	100.00	1	0	6
03	07	83	LOW	32	44	1	4	0	0	1	4	0.03	0.09	100.00	1	0	6
10	07	83	LOW	14	29	2	4	0	0	2	4	0.14	0.14	100.00	2	0	5
17	07	83	LOW	34	88	6	16	0	0	6	16	0.18	0.18	100.00	0	0	7
24	07	83	LOW	14	67	4	13	0	0	4	13	0.29	0.19	100.00	0	0	7
31	07	83	LOW	18	69	4	14	0	0	4	14	0.22	0.20	100.00	0	0	7
07	08	83	LOW	13	61	3	9	0	0	3	9	0.23	0.15	100.00	0	0	7
14	08	83	LOW	20	79	4	7	0	0	4	7	0.20	0.09	100.00	0	0	7
21	08	83	HI	9	31	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28	08	83	HI	2	2	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04	09	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL			LOW	177	505	25	68	0	0	25	68	0.14	0.13	100.00	4	0	69

1612750
POPES HARBOUR RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA	MO	YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NOFISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	DAYS NP	CL	DATA
19	06	83	MED	10	16	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26	06	83	MED	24	31	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
03	07	83	LOW	27	29	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
10	07	83	LOW	49	63	7	8	0	2	7	10	0.14	0.16	80.00	2	0	5
17	07	83	LOW	29	40	5	6	0	0	5	6	0.17	0.15	100.00	2	0	5
24	07	83	LOW	43	50	6	6	1	1	7	7	0.16	0.14	85.71	3	0	4
31	07	83	LOW	60	75	8	9	2	2	10	11	0.17	0.15	81.82	2	0	5
07	08	83	LOW	43	51	3	5	0	0	3	5	0.07	0.10	100.00	2	0	5
14	08	83	LOW	52	62	6	8	0	0	6	8	0.12	0.13	100.00	2	0	5
21	08	83	LOW	29	38	6	6	0	0	6	6	0.21	0.16	100.00	3	0	4
28	08	83	MED	38	49	7	8	4	4	11	12	0.29	0.24	66.67	2	0	5
04	09	83	MED	5	7	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL			LOW	409	511	48	56	7	9	55	65	0.13	0.13	86.15	22	0	51

1613060
SHOAL HARBOUR RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DATA
19 06 83	MED	6	6	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	LOW	31	41	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83	LOW	78	109	1	2	0	0	1	2	0.01	0.02	100.00	0	0	7
10 07 83	MED	59	82	5	7	0	0	5	7	0.08	0.09	100.00	0	0	7
17 07 83	MED	48	57	5	6	0	0	5	6	0.10	0.11	100.00	0	0	7
24 07 83	LOW	88	107	4	6	0	0	4	6	0.05	0.06	100.00	0	0	7
31 07 83	MED	35	46	3	4	1	1	4	5	0.11	0.11	80.00	0	0	7
07 08 83	MED	48	52	1	2	0	0	1	2	0.02	0.04	100.00	0	0	7
14 08 83	HI	3	3	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
21 08 83	HI	2	2	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL	MED	398	505	19	27	1	1	20	28	0.05	0.06	96.43	0	0	73

1713950
DEER HARBOUR BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DATA
19 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	0
26 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
03 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
10 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
17 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
24 07 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	6	0	1
31 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
07 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
14 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
21 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
28 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	72	0	1

1714680
BELLEVUE BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DATA
19 06 83	MED	15	26	0	0	0	0	0	0	0.00	0.00	0.00	0	0	4
26 06 83	MED	38	81	0	0	0	0	0	0	0.00	0.00	0.00	4	0	10
03 07 83	LOW	36	68	0	0	0	0	0	0	0.00	0.00	0.00	4	0	10
10 07 83	MED	34	67	0	0	0	0	0	0	0.00	0.00	0.00	4	0	10
17 07 83	MED	80	123	2	4	0	0	2	4	0.02	0.03	100.00	2	0	12
24 07 83	MED	82	129	3	6	0	0	3	6	0.04	0.05	100.00	2	0	12
31 07 83	MED	196	268	11	20	0	0	11	20	0.06	0.07	100.00	4	0	10
07 08 83	MED	113	152	10	21	0	0	10	21	0.09	0.14	100.00	2	0	12
14 08 83	MED	94	130	14	24	0	0	14	24	0.15	0.18	100.00	2	0	12
21 08 83	HI	59	96	5	7	0	0	5	7	0.08	0.07	100.00	4	0	10
28 08 83	HI	45	68	4	6	0	0	4	6	0.09	0.09	100.00	9	0	5
04 09 83	HI	6	7	0	0	0	0	0	0	0.00	0.00	0.00	1	0	1
TOTAL	MED	798	1215	49	88	0	0	49	88	0.06	0.07	100.00	38	0	108

1714870
SPREAD EAGLE BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DATA
19 06 83	MED	18	27	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	MED	28	42	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
03 07 83	MED	26	37	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
10 07 83	MED	16	27	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
17 07 83	MED	20	33	1	4	0	0	1	4	0.05	0.12	100.00	2	0	5
24 07 83	MED	15	26	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
31 07 83	MED	16	25	1	3	0	0	1	3	0.06	0.12	100.00	2	0	5
07 08 83	MED	11	22	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
14 08 83	MED	14	24	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
21 08 83	MED	15	24	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
28 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL	MED	179	287	2	7	0	0	2	7	0.01	0.02	100.00	26	0	47

2115720
SALMON COVE RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA	MO	YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DATA
19	06	83	MED	14	14	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26	06	83	LOW	16	23	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03	07	83	LOW	24	32	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10	07	83	LOW	24	31	2	2	0	0	2	2	0.08	0.06	100.00	0	0	7
17	07	83	MED	18	29	3	7	0	0	3	7	0.17	0.24	100.00	0	0	7
24	07	83	MED	30	37	4	5	0	0	4	5	0.13	0.14	100.00	0	0	7
31	07	83	MED	22	33	3	7	0	0	3	7	0.14	0.21	100.00	0	0	7
07	08	83	LOW	28	37	3	5	0	0	3	5	0.11	0.14	100.00	0	0	7
14	08	83	LOW	29	36	2	4	0	0	2	4	0.07	0.11	100.00	0	0	7
21	08	83	MED	23	32	2	3	0	0	2	3	0.09	0.09	100.00	0	0	7
28	08	83	MED	5	33	1	1	0	0	1	1	0.20	0.03	100.00	0	0	7
04	09	83	MED	0	5	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL			LOW	233	342	20	34	0	0	20	34	0.09	0.10	100.00	1	0	72

2215970
NORTH RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA	MO	YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DATA
19	06	83	MED	14	21	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26	06	83	MED	43	56	1	1	0	0	1	1	0.02	0.02	100.00	0	0	7
03	07	83	LOW	53	66	3	4	0	2	3	6	0.06	0.09	66.67	0	0	7
10	07	83	MED	64	77	3	6	0	2	3	8	0.05	0.10	75.00	0	0	7
17	07	83	LOW	66	83	4	8	0	2	4	10	0.06	0.12	80.00	0	0	7
24	07	83	MED	79	96	7	10	1	4	8	14	0.10	0.15	71.43	0	0	7
31	07	83	HI	52	65	4	7	0	4	4	11	0.08	0.17	63.64	0	0	7
07	08	83	MED	25	30	2	3	0	1	2	4	0.08	0.13	75.00	0	0	7
14	08	83	MED	20	25	0	1	0	1	0	2	0.00	0.08	50.00	0	0	7
21	08	83	HI	9	12	0	2	0	1	0	3	0.00	0.25	66.67	0	0	7
28	08	83	MED	21	28	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04	09	83	HI	4	5	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL			MED	450	564	24	42	1	17	25	59	0.06	0.10	71.19	0	0	73

2215990
SOUTH RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK	END		WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	7	10	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26	06	83	MED	21	31	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03	07	83	LOW	26	44	1	2	1	3	2	5	0.08	0.11	40.00	0	0	7
10	07	83	MED	21	35	3	4	1	2	4	6	0.19	0.17	66.67	0	0	7
17	07	83	LOW	25	33	1	2	0	1	1	3	0.04	0.09	66.67	0	0	7
24	07	83	MED	42	53	8	11	2	5	10	16	0.24	0.30	68.75	0	0	7
31	07	83	HI	29	38	4	6	1	3	5	9	0.17	0.24	66.67	0	0	7
07	08	83	MED	11	16	1	2	0	2	1	4	0.09	0.25	50.00	0	0	7
14	08	83	MED	8	13	0	2	0	1	0	3	0.00	0.23	66.67	0	0	7
21	08	83	HI	9	10	0	1	0	0	0	1	0.00	0.10	100.00	0	0	7
28	08	83	MED	18	28	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04	09	83	HI	3	4	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL			MED	220	315	18	30	5	17	23	47	0.10	0.15	63.83	0	0	73

2216220
NORTH ARM RIVER (HOLYROOD)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK	END		WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	20	28	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26	06	83	LOW	35	42	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03	07	83	LOW	35	41	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10	07	83	MED	59	79	2	3	0	0	2	3	0.03	0.04	100.00	0	0	7
17	07	83	MED	41	61	4	7	0	0	4	7	0.10	0.11	100.00	0	0	7
24	07	83	MED	54	76	5	7	0	0	5	7	0.09	0.09	100.00	0	0	7
31	07	83	MED	45	71	5	7	0	0	5	7	0.11	0.10	100.00	0	0	7
07	08	83	MED	49	74	3	4	0	0	3	4	0.06	0.05	100.00	0	0	7
14	08	83	MED	34	51	3	5	0	0	3	5	0.09	0.10	100.00	0	0	7
21	08	83	MED	17	27	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28	08	83	MED	20	28	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04	09	83	HI	3	5	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL			MED	412	583	22	33	0	0	22	33	0.05	0.06	100.00	0	0	73

2517350
CAPE BROYLE RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	MED	0	4	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	MED	5	7	0	1	0	0	0	1	0.00	0.14	100.00	0	0	7
03 07 83	LOW	4	7	0	1	0	0	0	1	0.00	0.14	100.00	0	0	7
10 07 83	MED	4	5	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
17 07 83	MED	2	7	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
24 07 83	MED	2	6	0	1	0	0	0	1	0.00	0.17	100.00	0	0	7
31 07 83	MED	2	7	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
07 08 83	MED	3	5	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
14 08 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
21 08 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL	MED	22	48	0	3	0	0	0	3	0.00	0.06	100.00	0	0	73

2617640
RENEWS RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	MED	9	12	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	LOW	23	32	2	2	1	1	3	3	0.13	0.09	66.67	0	0	7
03 07 83	LOW	28	36	3	4	0	0	3	4	0.11	0.11	100.00	0	0	7
10 07 83	MED	27	36	5	7	0	1	5	8	0.19	0.22	87.50	0	0	7
17 07 83	MED	38	52	2	4	0	1	2	5	0.05	0.10	80.00	0	0	7
24 07 83	MED	42	63	3	6	1	1	4	7	0.10	0.11	85.71	0	0	7
31 07 83	MED	24	37	2	4	0	0	2	4	0.08	0.11	100.00	0	0	7
07 08 83	MED	24	36	2	3	1	1	3	4	0.13	0.11	75.00	0	0	7
14 08 83	MED	13	23	2	3	0	0	2	3	0.15	0.13	100.00	0	0	7
21 08 83	MED	17	24	2	2	0	0	2	2	0.12	0.08	100.00	0	0	7
28 08 83	HI	10	15	2	3	0	0	2	3	0.20	0.20	100.00	0	0	7
04 09 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL	MED	255	366	25	38	3	5	28	43	0.11	0.12	88.37	0	0	73

2700230
BISCAY BAY RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	120	137	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26	06	83	MED	195	224	6	8	0	0	6	8	0.03	0.04	100.00	0	0	7
03	07	83	LOW	89	120	33	54	9	10	42	64	0.47	0.53	84.38	0	0	7
10	07	83	MED	98	131	53	81	0	0	53	81	0.54	0.62	100.00	0	0	7
17	07	83	MED	83	110	54	77	0	0	54	77	0.65	0.70	100.00	0	0	7
24	07	83	MED	80	102	40	55	0	0	40	55	0.50	0.54	100.00	0	0	7
31	07	83	MED	69	93	36	56	0	0	36	56	0.52	0.60	100.00	0	0	7
07	08	83	MED	68	86	35	52	0	0	35	52	0.51	0.60	100.00	0	0	7
14	08	83	MED	26	36	12	18	0	0	12	18	0.46	0.50	100.00	0	0	7
21	08	83	MED	14	18	8	10	0	0	8	10	0.57	0.56	100.00	0	0	7
28	08	83	LOW	5	7	3	3	0	0	3	3	0.60	0.43	100.00	0	0	7
04	09	83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL			MED	847	1064	280	414	9	10	289	424	0.34	0.40	97.64	0	0	73

2700360
NORTHEAST BROOK (TREPASSEY)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	18	23	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26	06	83	MED	40	49	1	1	1	1	2	2	0.05	0.04	50.00	0	0	7
03	07	83	LOW	40	51	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10	07	83	MED	63	81	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
17	07	83	MED	199	238	2	2	0	0	2	2	0.01	0.01	100.00	0	0	7
24	07	83	HI	108	139	3	4	0	0	3	4	0.03	0.03	100.00	0	0	7
31	07	83	HI	49	56	9	11	2	2	11	13	0.22	0.23	84.62	0	0	7
07	08	83	MED	32	43	4	4	0	0	4	4	0.13	0.09	100.00	0	0	7
14	08	83	MED	49	64	7	10	1	1	8	11	0.16	0.17	90.91	0	0	7
21	08	83	MED	42	54	6	6	0	0	6	6	0.14	0.11	100.00	0	0	7
28	08	83	MED	23	36	3	4	0	0	3	4	0.13	0.11	100.00	0	0	7
04	09	83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL			MED	663	834	35	42	4	4	39	46	0.06	0.06	91.30	0	0	73

2700380
NORTHWEST BROOK (TREPASSEY)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	26	32	1	1	0	0	1	1	0.04	0.03	100.00	0	0	2
26	06	83	MED	116	135	4	5	2	2	6	7	0.05	0.05	71.43	0	0	7
03	07	83	LOW	188	213	22	25	4	4	26	29	0.14	0.14	86.21	0	0	7
10	07	83	MED	342	389	27	33	5	5	32	38	0.09	0.10	86.84	0	0	7
17	07	83	MED	327	369	41	46	9	9	50	55	0.15	0.15	83.64	0	0	7
24	07	83	HI	270	306	24	25	6	6	30	31	0.11	0.10	80.65	0	0	7
31	07	83	HI	109	130	20	23	2	2	22	25	0.20	0.19	92.00	0	0	7
07	08	83	MED	65	79	9	9	2	2	11	11	0.17	0.14	81.82	0	0	7
14	08	83	MED	79	91	8	8	1	1	9	9	0.11	0.10	88.89	0	0	7
21	08	83	MED	44	56	3	3	0	0	3	3	0.07	0.05	100.00	0	0	7
28	08	83	MED	35	50	5	5	0	0	5	5	0.14	0.10	100.00	0	0	7
04	09	83	MED	6	8	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL			MED	1607	1858	164	183	31	31	195	214	0.12	0.12	85.51	0	0	73

2800860
PETER'S RIVER (ST. MARY'S BAY)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	12	18	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26	06	83	LOW	28	38	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03	07	83	LOW	47	60	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10	07	83	MED	43	61	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
17	07	83	MED	39	51	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
24	07	83	MED	27	36	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
31	07	83	MED	26	35	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
07	08	83	LOW	14	20	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
14	08	83	LOW	11	14	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
21	08	83	MED	12	14	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28	08	83	MED	11	14	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04	09	83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL			MED	270	361	0	0	0	0	0	0	0.00	0.00	0.00	0	0	73

2801690
SALMONIER RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	HI	257	289	71	71	0	0	71	71	0.28	0.25	100.00	0	0	6
26	06	83	MED	794	896	285	301	0	0	285	301	0.36	0.34	100.00	0	0	21
03	07	83	MED	635	751	234	254	0	0	234	254	0.37	0.34	100.00	0	0	21
10	07	83	MED	534	594	130	147	0	0	130	147	0.24	0.25	100.00	0	0	21
17	07	83	MED	363	430	92	107	1	1	93	108	0.26	0.25	99.07	0	0	21
24	07	83	MED	249	264	53	54	0	0	53	54	0.21	0.20	100.00	0	0	21
31	07	83	MED	208	260	40	46	0	0	40	46	0.19	0.18	100.00	0	0	21
07	08	83	MED	148	192	16	20	1	1	17	21	0.11	0.11	95.24	0	0	21
14	08	83	MED	83	95	13	15	0	0	13	15	0.16	0.16	100.00	0	0	21
21	08	83	MED	40	44	6	7	0	0	6	7	0.15	0.16	100.00	0	0	21
28	08	83	HI	45	45	9	9	1	1	10	10	0.22	0.22	90.00	0	0	21
04	09	83	MED	7	7	0	0	0	0	0	0	0.00	0.00	0.00	0	0	3
TOTAL			MED	3363	3867	949	1031	3	3	952	1034	0.28	0.27	99.71	0	0	219

2802060
NORTH HARBOUR R (ST.MARY'S BAY)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	4	4	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26	06	83	LOW	6	8	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03	07	83	LOW	10	12	1	1	0	0	1	1	0.10	0.08	100.00	0	0	7
10	07	83	MED	19	22	4	5	0	0	4	5	0.21	0.23	100.00	0	0	7
17	07	83	HI	20	23	4	4	0	0	4	4	0.20	0.17	100.00	0	0	7
24	07	83	HI	16	18	4	5	0	0	4	5	0.25	0.28	100.00	0	0	7
31	07	83	HI	22	27	3	4	4	4	7	8	0.32	0.30	50.00	0	0	7
07	08	83	HI	24	33	5	7	3	3	8	10	0.33	0.30	70.00	0	0	7
14	08	83	MED	19	22	5	6	1	1	6	7	0.32	0.32	85.71	0	0	7
21	08	83	MED	17	24	3	3	1	1	4	4	0.24	0.17	75.00	0	0	7
28	08	83	HI	23	31	1	1	0	0	1	1	0.04	0.03	100.00	0	0	7
04	09	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL			MED	180	224	30	36	9	9	39	45	0.22	0.20	80.00	1	0	72

2802170
LITTLE SALMONIER RIVER (S.M.B.)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NO FISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	DAYS NP	CL	DATA
19 06 83	HI	8	8	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	LOW	26	26	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83	LOW	56	56	14	14	0	0	14	14	0.25	0.25	100.00	0	0	7
10 07 83	MED	122	122	30	30	0	0	30	30	0.25	0.25	100.00	0	0	7
17 07 83	MED	95	95	30	30	0	0	30	30	0.32	0.32	100.00	0	0	7
24 07 83	HI	103	103	31	31	3	3	34	34	0.33	0.33	91.18	0	0	7
31 07 83	MED	77	77	16	16	1	1	17	17	0.22	0.22	94.12	0	0	7
07 08 83	MED	36	36	5	5	1	1	6	6	0.17	0.17	83.33	0	0	7
14 08 83	MED	30	30	5	5	0	0	5	5	0.17	0.17	100.00	0	0	7
21 08 83	HI	16	16	1	1	0	0	1	1	0.06	0.06	100.00	1	0	6
28 08 83	HI	12	17	3	4	0	0	3	4	0.25	0.24	100.00	0	0	7
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL	MED	581	586	135	136	5	5	140	141	0.24	0.24	96.45	2	0	71

2802210
BIG BARACHOIS RIVER (S.M.B.)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NOFISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	DAYS NP	CL	DATA
19 06 83	LOW	13	13	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	LOW	34	34	2	2	0	0	2	2	0.06	0.06	100.00	0	0	7
03 07 83	LOW	68	74	21	23	0	0	21	23	0.31	0.31	100.00	0	0	7
10 07 83	MED	102	122	16	25	0	0	16	25	0.16	0.20	100.00	0	0	7
17 07 83	MED	47	63	8	13	0	0	8	13	0.17	0.21	100.00	0	0	7
24 07 83	MED	30	43	5	10	0	0	5	10	0.17	0.23	100.00	0	0	7
31 07 83	MED	20	27	3	4	0	0	3	4	0.15	0.15	100.00	0	0	7
07 08 83	MED	15	20	3	5	0	0	3	5	0.20	0.25	100.00	0	0	7
14 08 83	MED	8	13	3	3	0	0	3	3	0.38	0.23	100.00	0	0	7
21 08 83	HI	6	9	1	2	0	0	1	2	0.17	0.22	100.00	1	0	6
28 08 83	HI	5	5	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL	MED	348	423	62	87	0	0	62	87	0.18	0.21	100.00	2	0	71

2802380
BRANCH RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	LOW	100	112	.0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26	06	83	LOW	161	189	40	40	0	0	40	40	0.25	0.21	100.00	0	0	7
03	07	83	LOW	130	159	20	22	0	0	20	22	0.15	0.14	100.00	0	0	7
10	07	83	MED	149	178	42	54	0	0	42	54	0.28	0.30	100.00	0	0	7
17	07	83	MED	166	186	42	51	0	0	42	51	0.25	0.27	100.00	0	0	7
24	07	83	MED	167	227	55	78	0	2	55	80	0.33	0.35	97.50	0	0	7
31	07	83	MED	109	137	51	68	2	4	53	72	0.49	0.53	94.44	0	0	7
07	08	83	MED	71	91	14	22	0	0	14	22	0.20	0.24	100.00	0	0	7
14	08	83	MED	78	98	21	28	1	2	22	30	0.28	0.31	93.33	0	0	7
21	08	83	HI	44	56	5	8	1	1	6	9	0.14	0.16	88.89	0	0	7
28	08	83	HI	74	97	0	3	0	0	0	3	0.00	0.03	100.00	0	0	7
04	09	83	HI	3	7	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL			MED	1252	1537	290	374	4	9	294	383	0.23	0.25	97.65	0	0	73

2902820
GREAT BARASWAY BROOK (P.BAY)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	23	23	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26	06	83	LOW	35	47	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
03	07	83	LOW	29	37	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
10	07	83	MED	78	78	0	0	2	2	2	2	0.03	0.03	0.00	0	0	7
17	07	83	MED	68	68	0	5	0	0	0	5	0.00	0.07	100.00	0	0	7
24	07	83	MED	44	64	3	7	0	0	3	7	0.07	0.11	100.00	2	0	5
31	07	83	MED	32	45	0	2	0	0	0	2	0.00	0.04	100.00	2	0	5
07	08	83	MED	29	29	4	4	0	0	4	4	0.14	0.14	100.00	0	0	7
14	08	83	MED	20	30	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
21	08	83	HI	12	12	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
28	08	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04	09	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL			MED	370	433	7	18	2	2	9	20	0.02	0.05	90.00	12	0	61

2902980
SOUTHEAST RIVER (PLACENTIA)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	41	50	2	2	0	0	2	2	0.05	0.04	100.00	0	0	2
26	06	83	LOW	107	125	7	10	0	0	7	10	0.07	0.08	100.00	0	0	7
03	07	83	LOW	108	124	10	14	0	0	10	14	0.09	0.11	100.00	0	0	7
10	07	83	MED	132	165	16	20	0	0	16	20	0.12	0.12	100.00	0	0	7
17	07	83	MED	122	142	10	16	1	2	11	18	0.09	0.13	88.89	0	0	7
24	07	83	MED	126	153	12	18	0	0	12	18	0.10	0.12	100.00	0	0	7
31	07	83	MED	123	150	18	24	0	0	18	24	0.15	0.16	100.00	0	0	7
07	08	83	MED	109	134	10	14	1	1	11	15	0.10	0.11	93.33	0	0	7
14	08	83	MED	100	123	11	16	0	0	11	16	0.11	0.13	100.00	0	0	7
21	08	83	MED	94	112	9	14	0	0	9	14	0.10	0.13	100.00	0	0	7
28	08	83	MED	72	78	9	11	0	0	9	11	0.13	0.14	100.00	2	0	5
04	09	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL			MED	1134	1356	114	159	2	3	116	162	0.10	0.12	98.15	3	0	70

2903070
NORTHEAST RIVER (PLACENTIA)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	125	172	10	12	0	0	10	12	0.08	0.07	100.00	0	0	6
26	06	83	LOW	137	172	4	5	0	0	4	5	0.03	0.03	100.00	4	0	17
03	07	83	LOW	163	191	14	14	0	0	14	14	0.09	0.07	100.00	0	0	21
10	07	83	LOW	255	296	23	27	0	0	23	27	0.09	0.09	100.00	0	0	21
17	07	83	LOW	265	291	17	20	0	0	17	20	0.06	0.07	100.00	4	0	17
24	07	83	MED	208	241	28	34	0	0	28	34	0.13	0.14	100.00	0	0	21
31	07	83	MED	195	229	22	22	0	0	22	22	0.11	0.10	100.00	0	0	21
07	08	83	MED	152	177	16	16	0	0	16	16	0.11	0.09	100.00	0	0	21
14	08	83	MED	103	115	9	9	0	0	9	9	0.09	0.08	100.00	0	0	21
21	08	83	HI	90	101	3	3	0	0	3	3	0.03	0.03	100.00	0	0	21
28	08	83	HI	46	52	3	3	0	0	3	3	0.07	0.06	100.00	2	0	19
04	09	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	3
TOTAL			MED	1739	2037	149	165	0	0	149	165	0.09	0.08	100.00	10	0	209

3003740
COME BY CHANCE RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DAYS DATA
19 06 83	MED	38	55	0	1	0	0	0	1	0.00	0.02	100.00	0	0	2
26 06 83	MED	80	106	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83	LOW	58	87	0	2	0	0	0	2	0.00	0.02	100.00	0	0	7
10 07 83	LOW	56	80	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
17 07 83	LOW	67	105	0	2	0	0	0	2	0.00	0.02	100.00	0	0	7
24 07 83	LOW	84	132	5	9	0	0	5	9	0.06	0.07	100.00	0	0	7
31 07 83	MED	74	116	9	18	0	0	9	18	0.12	0.16	100.00	0	0	7
07 08 83	MED	64	100	9	15	0	0	9	15	0.14	0.15	100.00	0	0	7
14 08 83	HI	40	64	4	8	0	0	4	8	0.10	0.13	100.00	0	0	7
21 08 83	HI	24	35	1	2	0	0	1	2	0.04	0.06	100.00	0	0	7
28 08 83	HI	8	12	0	1	0	0	0	1	0.00	0.08	100.00	2	0	5
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL	MED	593	892	28	58	0	0	28	58	0.05	0.07	100.00	3	0	70

3003830
WATSONS BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DAYS DATA
19 06 83	HI	1	1	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	LOW	8	12	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83	LOW	28	36	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83	LOW	27	34	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
17 07 83	LOW	28	41	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
24 07 83	LOW	26	35	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
31 07 83	HI	28	33	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
07 08 83	HI	20	31	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
14 08 83	HI	15	23	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
21 08 83	HI	8	11	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28 08 83	HI	3	3	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL	MED	192	260	0	0	0	0	0	0	0.00	0.00	0.00	3	0	70

3003880
NORTH HARBOUR RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	HI	3	3	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	LOW	21	31	1	1	0	0	1	1	0.05	0.03	100.00	0	0	7
03 07 83	LOW	70	88	2	5	0	0	2	5	0.03	0.06	100.00	0	0	7
10 07 83	LOW	53	69	9	9	0	0	9	9	0.17	0.13	100.00	0	0	7
17 07 83	LOW	64	89	15	18	0	0	15	18	0.23	0.20	100.00	0	0	7
24 07 83	LOW	58	68	11	16	0	0	11	16	0.19	0.24	100.00	0	0	7
31 07 83	HI	53	67	10	14	0	0	10	14	0.19	0.21	100.00	0	0	7
07 08 83	HI	38	47	9	15	0	0	9	15	0.24	0.32	100.00	0	0	7
14 08 83	HI	35	43	5	5	0	0	5	5	0.14	0.12	100.00	0	0	7
21 08 83	HI	14	23	3	4	0	0	3	4	0.21	0.17	100.00	0	0	7
28 08 83	HI	11	14	2	2	0	0	2	2	0.18	0.14	100.00	2	0	5
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL	MED	420	542	67	89	0	0	67	89	0.16	0.16	100.00	3	0	70

3004090
BLACK RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	MED	9	9	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	MED	29	36	2	2	0	0	2	2	0.07	0.06	100.00	2	0	5
03 07 83	MED	29	36	5	5	0	0	5	5	0.17	0.14	100.00	2	0	5
10 07 83	MED	66	83	10	10	3	3	13	13	0.20	0.16	76.92	0	0	7
17 07 83	LOW	34	44	8	10	0	0	8	10	0.24	0.23	100.00	2	0	5
24 07 83	HI	59	81	12	18	2	3	14	21	0.24	0.26	85.71	2	0	5
31 07 83	HI	34	45	5	6	2	3	7	9	0.21	0.20	66.67	2	0	5
07 08 83	HI	18	21	5	5	2	2	7	7	0.39	0.33	71.43	2	0	5
14 08 83	HI	24	24	5	7	2	2	7	9	0.29	0.38	77.78	0	0	7
21 08 83	HI	11	15	3	5	0	0	3	5	0.27	0.33	100.00	2	0	5
28 08 83	HI	8	8	2	2	0	0	2	2	0.25	0.25	100.00	2	0	5
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL	HI	321	402	57	70	11	13	68	83	0.21	0.21	84.34	17	0	56

3004160
PIPERS HOLE RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	36	36	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26	06	83	MED	74	96	3	3	0	0	3	3	0.04	0.03	100.00	2	0	5
03	07	83	MED	99	113	4	6	0	0	4	6	0.04	0.05	100.00	0	0	7
10	07	83	MED.	99	131	12	12	3	3	15	15	0.15	0.11	80.00	0	0	7
17	07	83	LOW	61	83	7	11	0	0	7	11	0.11	0.13	100.00	2	0	5
24	07	83	HI	59	85	8	12	0	0	8	12	0.14	0.14	100.00	2	0	5
31	07	83	HI	45	56	4	6	0	0	4	6	0.09	0.11	100.00	2	0	5
07	08	83	HI	39	47	4	4	0	0	4	4	0.10	0.09	100.00	2	0	5
14	08	83	HI	22	26	2	2	0	0	2	2	0.09	0.08	100.00	2	0	5
21	08	83	HI	14	18	2	4	0	0	2	4	0.14	0.22	100.00	2	0	5
28	08	83	HI	12	12	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
04	09	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL			HI	560	703	46	60	3	3	49	63	0.09	0.09	95.24	17	0	56

3105470
NONSUCH BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	LOW	0	4	0	2	0	0	0	2	0.00	0.50	100.00	2	0	0
26	06	83	LOW	7	21	0	2	0	0	0	2	0.00	0.10	100.00	5	0	2
03	07	83	LOW	7	14	0	0	0	0	0	0	0.00	0.00	0.00	5	0	2
10	07	83	LOW	0	17	0	5	0	0	0	5	0.00	0.29	100.00	7	0	0
17	07	83	LOW	3	10	0	0	0	0	0	0	0.00	0.00	0.00	5	0	2
24	07	83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
31	07	83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
07	08	83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
14	08	83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
21	08	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
28	08	83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
04	09	83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL			MED	17	66	0	9	0	0	0	9	0.00	0.14	100.00	67	0	6

3105560
CAPE ROGER RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	LOW	23	23	27	27	0	0	27	27	1.17	1.17	100.00	0	0	2
26	06	83	LOW	46	46	39	39	0	0	39	39	0.85	0.85	100.00	0	0	7
03	07	83	LOW	59	59	31	31	0	0	31	31	0.53	0.53	100.00	0	0	7
10	07	83	LOW	14	14	11	11	0	0	11	11	0.79	0.79	100.00	3	0	4
17	07	83	LOW	52	70	29	33	0	0	29	33	0.56	0.47	100.00	0	0	7
24	07	83	MED	26	26	4	4	0	0	4	4	0.15	0.15	100.00	2	0	5
31	07	83	MED	24	24	12	12	0	0	12	12	0.50	0.50	100.00	0	0	7
07	08	83	MED	4	4	0	0	0	0	0	0	0.00	0.00	0.00	6	0	1
14	08	83	MED	13	13	1	1	0	0	1	1	0.08	0.08	100.00	3	0	4
21	08	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
28	08	83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
04	09	83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL			MED	261	279	154	158	0	0	154	158	0.59	0.57	100.00	29	0	44

3105760
BAY DE L'EAU RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	12	12	3	3	0	0	3	3	0.25	0.25	100.00	0	0	2
26	06	83	LOW	79	79	7	7	0	0	7	7	0.09	0.09	100.00	2	0	5
03	07	83	LOW	53	94	35	44	0	0	35	44	0.66	0.47	100.00	2	0	5
10	07	83	MED	239	239	89	89	0	0	89	89	0.37	0.37	100.00	0	0	7
17	07	83	LOW	176	176	47	47	0	0	47	47	0.27	0.27	100.00	0	0	7
24	07	83	MED	120	120	31	31	0	0	31	31	0.26	0.26	100.00	0	0	7
31	07	83	MED	63	63	20	20	0	0	20	20	0.32	0.32	100.00	0	0	7
07	08	83	MED	57	57	13	13	0	0	13	13	0.23	0.23	100.00	0	0	7
14	08	83	HI	35	35	6	6	0	0	6	6	0.17	0.17	100.00	0	0	7
21	08	83	HI	24	24	2	2	0	0	2	2	0.08	0.08	100.00	0	0	7
28	08	83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
04	09	83	MED	3	3	1	1	0	0	1	1	0.33	0.33	100.00	0	0	1
TOTAL			MED	861	902	254	263	0	0	254	263	0.30	0.29	100.00	11	0	62

3105990
NORTHEAST BRANCH(RED HARBOUR)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NO FISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	MED	2	2	2	2	0	0	2	2	1.00	1.00	100.00	0	0	2
26 06 83	LOW	161	189	0	0	40	40	40	40	0.25	0.21	0.00	0	0	7
03 07 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83	LOW	2	2	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
17 07 83	LOW	2	2	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
24 07 83	MED	4	4	1	1	0	0	1	1	0.25	0.25	100.00	0	0	7
31 07 83	MED	3	3	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
07 08 83	MED	3	3	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
14 08 83	MED	6	6	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
21 08 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28 08 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL	MED	183	211	3	3	40	40	43	43	0.23	0.20	6.98	1	0	72

3106000
RED HARBOUR RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NOFISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	MED	3	3	1	1	0	0	1	1	0.33	0.33	100.00	0	0	2
26 06 83	LOW	4	4	4	4	0	0	4	4	1.00	1.00	100.00	0	0	7
03 07 83	LOW	3	3	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83	LOW	4	4	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
17 07 83	LOW	34	37	11	11	0	0	11	11	0.32	0.30	100.00	0	0	7
24 07 83	MED	17	17	6	6	0	0	6	6	0.35	0.35	100.00	0	0	7
31 07 83	MED	9	9	5	5	0	0	5	5	0.56	0.56	100.00	0	0	7
07 08 83	MED	10	10	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
14 08 83	MED	2	2	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
21 08 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28 08 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL	MED	86	89	27	27	0	0	27	27	0.31	0.30	100.00	1	0	72

3206370
NORTHWEST BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DAYS DATA
19 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	0
26 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
03 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
10 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
17 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
24 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
31 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
07 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
14 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
21 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
28 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL		0	0	0	0	0	0	0	0	0.00	0.00	0.00	73	0	0

3206410
TIDES BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DAYS DATA
10 07 83	LOW	62	107	0	2	1	3	1	5	0.02	0.05	40.00	0	0	2
17 07 83	MED	67	191	7	10	3	5	10	15	0.15	0.08	66.67	2	0	5
24 07 83	MED	34	172	3	22	3	10	6	32	0.18	0.19	68.75	2	0	3
TOTAL	MED	163	470	10	34	7	18	17	52	0.10	0.11	65.38	4	0	10

3206950
BIG SALMONIER BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	0
26	06	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
03	07	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
10	07	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
17	07	83	MED	105	130	7	10	0	0	7	10	0.07	0.08	100.00	4	0	3
24	07	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
31	07	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
07	08	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
14	08	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
21	08	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
28	08	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
04	09	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL			MED	105	130	7	10	0	0	7	10	0.07	0.08	100.00	70	0	3

3207150
ST. LAWRENCE RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	0
26	06	83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
03	07	83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
10	07	83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
17	07	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
24	07	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
31	07	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
07	08	83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
14	08	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
21	08	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
28	08	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
04	09	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL			MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	73	0	0

3207280
LAWN RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	0
26 06 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
03 07 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
10 07 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
17 07 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
24 07 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
31 07 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
07 08 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
14 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
21 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
28 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	73	0	0

3207520
TAYLOR BAY BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	HI	3	9	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	LOW	5	19	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83	LOW	3	20	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83	LOW	14	32	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
17 07 83	HI	5	12	0	2	0	0	0	2	0.00	0.17	100.00	0	0	7
24 07 83	HI	6	16	2	2	0	0	2	2	0.33	0.13	100.00	0	0	7
31 07 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
07 08 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
14 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
21 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
28 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL	MED	36	108	2	4	0	0	2	4	0.06	0.04	100.00	36	0	37

3207570
SALMONIER RIVER (LAMALINE)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DAYS DATA
19 06 83	HI	10	24	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	LOW	6	34	2	2	0	0	2	2	0.33	0.06	100.00	0	0	7
03 07 83	LOW	2	22	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83	LOW	22	31	0	2	0	0	0	2	0.00	0.06	100.00	0	0	7
17 07 83	HI	9	46	1	5	0	0	1	5	0.11	0.11	100.00	0	0	7
24 07 83	HI	9	24	3	3	0	0	3	3	0.33	0.13	100.00	0	0	7
31 07 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
07 08 83	MED	4	7	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
14 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
21 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
28 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL	MED	62	188	6	12	0	0	6	12	0.10	0.06	100.00	31	0	42

3207670
PIERCEY'S BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DAYS DATA
19 06 83	HI	4	9	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	LOW	1	22	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83	LOW	1	15	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83	LOW	13	21	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
17 07 83	HI	7	26	0	1	0	0	0	1	0.00	0.04	100.00	0	0	7
24 07 83	HI	3	12	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
31 07 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
07 08 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
14 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
21 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
28 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL	MED	29	105	0	1	0	0	0	1	0.00	0.01	100.00	36	0	37

3308040
GRAND BANK BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA	MO	YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NO FISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19	06	83	HI	2	5	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26	06	83	LOW	19	34	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03	07	83	LOW	17	38	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10	07	83	LOW	42	54	3	3	0	0	3	3	0.07	0.06	100.00	0	0	7
17	07	83	HI	90	112	11	12	0	0	11	12	0.12	0.11	100.00	0	0	7
24	07	83	HI	29	60	11	11	0	0	11	11	0.38	0.18	100.00	0	0	7
31	07	83	HI	50	66	5	17	1	1	6	18	0.12	0.27	94.44	0	0	7
07	08	83	MED	17	39	1	1	0	0	1	1	0.06	0.03	100.00	0	0	7
14	08	83	HI	25	47	4	4	0	0	4	4	0.16	0.09	100.00	0	0	7
21	08	83	HI	12	18	2	2	0	0	2	2	0.17	0.11	100.00	0	0	5
28	08	83	MED	10	21	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
04	09	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL			MED	313	494	37	50	1	1	38	51	0.12	0.10	98.04	5	0	68

3308440
GARNISH RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA	MO	YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NOFISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
12	06	83	HI	322	407	94	122	0	0	94	122	0.29	0.30	100.00	0	0	6
19	06	83	LOW	399	480	87	108	0	0	87	108	0.22	0.22	100.00	4	0	10
26	06	83	LOW	262	338	74	100	0	0	74	100	0.28	0.30	100.00	4	0	10
03	07	83	LOW	186	226	45	59	0	0	45	59	0.24	0.26	100.00	1	0	13
10	07	83	LOW	96	121	19	33	0	0	19	33	0.20	0.27	100.00	2	0	12
17	07	83	MED	272	344	106	130	0	0	106	130	0.39	0.38	100.00	4	0	10
24	07	83	HI	153	194	47	61	0	0	47	61	0.31	0.31	100.00	4	0	10
31	07	83	MED	148	190	45	53	0	0	45	53	0.30	0.28	100.00	4	0	10
07	08	83	MED	81	107	18	23	0	0	18	23	0.22	0.21	100.00	4	0	10
14	08	83	HI	51	62	7	10	0	0	7	10	0.14	0.16	100.00	4	0	10
21	08	83	HI	22	38	8	13	0	0	8	13	0.36	0.34	100.00	9	0	5
28	08	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	14	0	0
04	09	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	0
TOTAL			MED	1992	2507	550	712	0	0	550	712	0.28	0.28	100.00	56	0	106

3409780
LONG HARBOUR RIVER (FORTUNE BAY)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	76	99	30	43	0	0	30	43	0.39	0.43	100.00	0	0	2
26	06	83	LOW	181	203	92	125	0	0	92	125	0.51	0.62	100.00	0	0	7
03	07	83	LOW	161	161	49	54	0	0	49	54	0.30	0.34	100.00	0	0	7
10	07	83	LOW	110	120	43	49	0	0	43	49	0.39	0.41	100.00	0	0	7
17	07	83	LOW	109	130	59	97	0	0	59	97	0.54	0.75	100.00	0	0	7
24	07	83	MED	49	76	2	22	0	0	2	22	0.04	0.29	100.00	0	0	7
31	07	83	HI	22	46	0	10	0	0	0	10	0.00	0.22	100.00	0	0	7
07	08	83	MED	22	28	2	8	0	0	2	8	0.09	0.29	100.00	0	0	7
14	08	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
21	08	83	HI	3	3	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28	08	83	MED	14	17	1	1	0	0	1	1	0.07	0.06	100.00	0	0	7
04	09	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL			MED	747	883	278	409	0	0	278	409	0.37	0.46	100.00	1	0	72

3410790
BAY DU NORD RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	40	48	6	6	1	1	7	7	0.17	0.15	85.71	0	0	2
26	06	83	MED	126	133	15	16	0	0	15	16	0.12	0.12	100.00	0	0	7
03	07	83	MED	145	150	19	21	1	1	20	22	0.14	0.15	95.45	0	0	7
10	07	83	MED	154	154	14	14	0	0	14	14	0.09	0.09	100.00	0	0	7
17	07	83	MED	94	94	15	15	0	0	15	15	0.16	0.16	100.00	0	0	7
24	07	83	MED	20	20	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
31	07	83	MED	32	32	3	3	0	0	3	3	0.09	0.09	100.00	0	0	7
07	08	83	MED	24	24	2	2	0	0	2	2	0.08	0.08	100.00	0	0	7
14	08	83	MED	12	12	2	2	0	0	2	2	0.17	0.17	100.00	0	0	7
21	08	83	MED	14	14	1	1	0	0	1	1	0.07	0.07	100.00	0	0	7
28	08	83	HI	2	2	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04	09	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL			MED	663	683	77	80	2	2	79	82	0.12	0.12	97.56	1	0	72

3410940
SIMMONS BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DAYS DATA
19 06 83	LOW	18	28	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	LOW	11	47	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83	LOW	9	9	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83	MED	39	39	9	9	0	0	9	9	0.23	0.23	100.00	0	0	7
17 07 83	MED	48	48	10	10	0	0	10	10	0.21	0.21	100.00	0	0	7
24 07 83	MED	30	30	6	6	0	0	6	6	0.20	0.20	100.00	0	0	7
31 07 83	MED	22	22	1	1	0	0	1	1	0.05	0.05	100.00	0	0	7
07 08 83	MED	16	16	1	1	0	0	1	1	0.06	0.06	100.00	0	0	7
14 08 83	MED	7	7	1	1	0	0	1	1	0.14	0.14	100.00	0	0	7
21 08 83	MED	3	3	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL	MED	203	249	28	28	0	0	28	28	0.14	0.11	100.00	1	0	72

3411000
SOUTHWEST BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DAYS DATA
19 06 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	LOW	10	28	0	3	0	0	0	3	0.00	0.11	100.00	0	0	7
03 07 83	LOW	5	5	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83	MED	12	14	6	7	0	0	6	7	0.50	0.50	100.00	0	0	7
17 07 83	MED	29	29	4	4	0	0	4	4	0.14	0.14	100.00	0	0	7
24 07 83	MED	52	60	15	22	0	0	15	22	0.29	0.37	100.00	0	0	7
31 07 83	MED	20	20	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
07 08 83	MED	13	13	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
14 08 83	MED	5	7	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
21 08 83	MED	2	2	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28 08 83	HI	4	4	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL	MED	152	182	25	36	0	0	25	36	0.16	0.20	100.00	1	0	72

3511530
OLD BROOK (OLD BAY BROOK)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END	WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE	DAYS		
DA MO YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19 06 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
03 07 83	MED	11	13	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
10 07 83	MED	16	23	13	15	0	0	13	15	0.81	0.65	100.00	2	0	5
17 07 83	HI	24	28	6	6	0	0	6	6	0.25	0.21	100.00	2	0	5
24 07 83	MED	26	26	3	3	0	0	3	3	0.12	0.12	100.00	2	0	5
31 07 83	MED	6	6	2	2	0	0	2	2	0.33	0.33	100.00	2	0	5
07 08 83	MED	14	14	3	3	0	0	3	3	0.21	0.21	100.00	2	0	5
14 08 83	HI	5	5	3	3	0	0	3	3	0.60	0.60	100.00	2	0	5
21 08 83	HI	7	7	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
28 08 83	MED	5	5	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL	MED	114	127	30	32	0	0	30	32	0.26	0.25	100.00	21	0	52

3511560
TAYLOR'S BAY BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END	WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE	DAYS		
DA MO YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19 06 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
03 07 83	LOW	4	4	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
10 07 83	MED	31	39	16	16	0	0	16	16	0.52	0.41	100.00	2	0	5
17 07 83	HI	29	35	12	12	0	0	12	12	0.41	0.34	100.00	2	0	5
24 07 83	MED	27	27	2	2	0	0	2	2	0.07	0.07	100.00	2	0	5
31 07 83	MED	14	14	3	3	0	0	3	3	0.21	0.21	100.00	2	0	5
07 08 83	MED	13	15	2	2	0	0	2	2	0.15	0.13	100.00	2	0	5
14 08 83	HI	3	3	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
21 08 83	HI	7	7	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
28 08 83	MED	2	2	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL	MED	130	146	35	35	0	0	35	35	0.27	0.24	100.00	21	0	52

3613350
CONNE RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA	MO	YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NO FISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	DAYS NP	CL	DATA
12	06	83	MED	515	625	178	203	3	3	181	206	0.35	0.33	98.54	0	0	3
19	06	83	LOW	1144	1254	218	261	5	5	223	266	0.19	0.21	98.12	0	0	7
26	06	83	LOW	1378	1528	609	699	2	2	611	701	0.44	0.46	99.71	0	0	7
03	07	83	LOW	1195	1375	331	413	8	8	339	421	0.28	0.31	98.10	0	0	7
10	07	83	MED	713	833	187	237	1	1	188	238	0.26	0.29	99.58	0	0	7
17	07	83	HI	433	503	114	149	2	2	116	151	0.27	0.30	98.68	0	0	7
24	07	83	HI	348	403	93	115	0	0	93	115	0.27	0.29	100.00	0	0	7
31	07	83	HI	178	198	46	50	0	0	46	50	0.26	0.25	100.00	0	0	7
07	08	83	MED	132	147	33	38	0	0	33	38	0.25	0.26	100.00	0	0	7
14	08	83	HI	48	48	9	9	0	0	9	9	0.19	0.19	100.00	0	0	7
21	08	83	HI	34	34	10	10	0	0	10	10	0.29	0.29	100.00	0	0	7
28	08	83	HI	24	24	6	8	0	0	6	8	0.25	0.33	100.00	0	0	7
04	09	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL			MED	6142	6972	1834	2192	21	21	1855	2213	0.30	0.32	99.05	1	0	80

3614020
LONG REACH BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA	MO	YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NOFISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	DAYS NP	CL	DATA
19	06	83	LOW	21	21	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26	06	83	LOW	31	31	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
03	07	83	LOW	74	74	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
10	07	83	MED	59	73	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
17	07	83	HI	92	92	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
24	07	83	MED	20	20	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
31	07	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
07	08	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
14	08	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
21	08	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
28	08	83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
04	09	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL			MED	297	311	0	0	0	0	0	0	0.00	0.00	0.00	17	0	56

3614070
SALMON RIVER (BAY D'EST)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END	WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE		DAYS	
DA MO YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19 06 83	LOW	16	16	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	LOW	8	8	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83	LOW	44	56	4	6	0	0	4	6	0.09	0.11	100.00	0	0	7
10 07 83	MED	12	12	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
17 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
24 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
31 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
07 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
14 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
21 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
28 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL	LOW	80	92	4	6	0	0	4	6	0.05	0.07	100.00	50	0	23

3614260
D'ESPOIR BROOK (BAY DU NORD)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END	WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE		DAYS	
DA MO YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	0
26 06 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83	LOW	16	16	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83	MED	20	20	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
17 07 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
24 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
31 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
07 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
14 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
21 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
28 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL	MED	36	36	0	0	0	0	0	0	0.00	0.00	0.00	45	0	28

3614760
ALLAN'S COVE BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	0
26 06 83	LOW	14	14	2	2	0	0	2	2	0.14	0.14	100.00	2	0	5
03 07 83	LOW	49	49	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
10 07 83	MED	36	50	1	1	0	0	1	1	0.03	0.02	100.00	0	0	7
17 07 83	HI	61	61	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
24 07 83	MED	10	10	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
31 07 83	HI	8	8	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
07 08 83	HI	4	4	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
14 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
21 08 83	HI	1	1	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
28 08 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL	MED	183	197	3	3	0	0	3	3	0.02	0.02	100.00	19	0	54

3614850
BOTTOM BROOK (FACHEAUX BAY R)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	0
26 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
03 07 83	LOW	16	18	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
10 07 83	MED	4	12	1	1	0	0	1	1	0.25	0.08	100.00	0	0	7
17 07 83	HI	16	16	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
24 07 83	MED	34	34	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
31 07 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
07 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
14 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
21 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
28 08 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL	MED	70	80	1	1	0	0	1	1	0.01	0.01	100.00	24	0	49

3615270
DOLLAND BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	16	20	6	9	0	0	6	9	0.38	0.45	100.00	0	0	2
26	06	83	LOW	30	30	13	13	0	0	13	13	0.43	0.43	100.00	0	0	7
03	07	83	MED	36	51	19	19	0	0	19	19	0.53	0.37	100.00	0	0	7
10	07	83	MED	20	22	6	6	0	0	6	6	0.30	0.27	100.00	0	0	7
17	07	83	HI	3	5	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
24	07	83	MED	4	4	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
31	07	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
07	08	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
14	08	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
21	08	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
28	08	83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
04	09	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL			MED	109	132	44	47	0	0	44	47	0.40	0.36	100.00	15	0	58

3716620
GREY RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26	06	83	LOW	44	44	11	36	0	0	11	36	0.25	0.82	100.00	0	0	7
03	07	83	LOW	93	93	139	139	0	0	139	139	1.49	1.49	100.00	0	0	7
10	07	83	MED	72	72	93	93	0	0	93	93	1.29	1.29	100.00	0	0	7
17	07	83	HI	30	30	49	49	0	0	49	49	1.63	1.63	100.00	0	0	7
24	07	83	HI	22	22	42	42	0	0	42	42	1.91	1.91	100.00	0	0	7
31	07	83	HI	41	41	38	38	0	0	38	38	0.93	0.93	100.00	0	0	7
07	08	83	HI	11	11	21	21	0	0	21	21	1.91	1.91	100.00	0	0	7
14	08	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
21	08	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28	08	83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
04	09	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL			MED	313	313	393	418	0	0	393	418	1.26	1.34	100.00	3	0	70

3717440
WHITE BEAR RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DAYS DATA
19 06 83	LOW	16	16	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	LOW	52	52	4	4	0	0	4	4	0.08	0.08	100.00	0	0	7
03 07 83	LOW	53	53	16	16	0	0	16	16	0.30	0.30	100.00	0	0	7
10 07 83	MED	76	76	26	26	1	1	27	27	0.36	0.36	96.30	0	0	7
17 07 83	HI	47	47	25	25	0	0	25	25	0.53	0.53	100.00	0	0	7
24 07 83	HI	13	13	5	5	0	0	5	5	0.38	0.38	100.00	0	0	7
31 07 83	HI	22	22	12	12	0	0	12	12	0.55	0.55	100.00	0	0	7
07 08 83	HI	14	14	8	8	0	0	8	8	0.57	0.57	100.00	0	0	7
14 08 83	HI	2	2	1	1	0	0	1	1	0.50	0.50	100.00	0	0	7
21 08 83	HI	3	3	1	1	0	0	1	1	0.33	0.33	100.00	0	0	7
28 08 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL	MED	298	298	98	98	1	1	99	99	0.33	0.33	98.99	3	0	70

3717720
BAY DE LOUP BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DAYS DATA
19 06 83	LOW	0	6	0	0	0	0	0	0	0.00	0.00	0.00	2	0	0
26 06 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
03 07 83	LOW	12	12	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83	MED	0	12	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
17 07 83	HI	0	14	0	1	0	0	0	1	0.00	0.08	100.00	7	0	0
24 07 83	HI	0	8	0	1	0	0	0	1	0.00	0.07	100.00	7	0	0
31 07 83	MED	0	10	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
07 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
14 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
21 08 83	HI	0	3	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
28 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL	MED	12	65	0	2	0	0	0	2	0.00	0.03	100.00	66	0	7

3717770
KINGS HARBOUR BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	LOW	0	9	0	0	0	0	0	0	0.00	0.00	0.00	2	0	0
26 06 83	LOW	2	6	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83	LOW	0	9	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83	MED	0	10	0	2	0	0	0	2	0.00	0.20	100.00	7	0	0
17 07 83	HI	0	9	0	2	0	0	0	2	0.00	0.22	100.00	7	0	0
24 07 83	HI	0	10	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
31 07 83	MED	7	12	4	5	0	0	4	5	0.57	0.42	100.00	5	0	2
07 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
14 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
21 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
28 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL	MED	9	65	4	9	0	0	4	9	0.44	0.14	100.00	57	0	16

3817890
GRANDY BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	LOW	131	131	37	37	0	0	37	37	0.28	0.28	100.00	0	0	2
26 06 83	LOW	261	261	62	62	1	1	63	63	0.24	0.24	98.41	0	0	7
03 07 83	LOW	249	286	87	95	0	0	87	95	0.35	0.33	100.00	0	0	7
10 07 83	MED	276	276	175	175	1	1	176	176	0.64	0.64	99.43	0	0	7
17 07 83	HI	209	209	89	89	0	0	89	89	0.43	0.43	100.00	0	0	7
24 07 83	HI	90	90	40	40	0	0	40	40	0.44	0.44	100.00	0	0	7
31 07 83	MED	97	97	36	36	0	0	36	36	0.37	0.37	100.00	0	0	7
07 08 83	HI	63	63	9	9	0	0	9	9	0.14	0.14	100.00	0	0	7
14 08 83	HI	31	31	7	7	0	0	7	7	0.23	0.23	100.00	0	0	7
21 08 83	HI	8	11	8	8	0	0	8	8	1.00	0.73	100.00	0	0	7
28 08 83	HI	17	21	5	5	0	0	5	5	0.29	0.24	100.00	0	0	7
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL	MED	1432	1476	555	563	2	2	557	565	0.39	0.38	99.65	1	0	72

3818490
CINQ CERF BROOK (RIVER)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA	MO	YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NO FISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	DAYS NP	CL	DATA
19	06	83	LOW	5	5	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26	06	83	LOW	8	8	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03	07	83	LOW	21	29	2	5	0	0	2	5	0.10	0.17	100.00	2	0	5
10	07	83	LOW	16	16	1	4	0	0	1	4	0.06	0.25	100.00	2	0	5
17	07	83	HI	25	35	15	33	0	0	15	33	0.60	0.94	100.00	2	0	5
24	07	83	MED	5	6	2	3	0	0	2	3	0.40	0.50	100.00	0	0	7
31	07	83	MED	6	9	1	3	0	0	1	3	0.17	0.33	100.00	2	0	5
07	08	83	MED	1	1	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
14	08	83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
21	08	83	MED	2	2	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
28	08	83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
04	09	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL			MED	89	111	21	48	0	0	21	48	0.24	0.43	100.00	17	0	56

3818800
LA POILE RIVER (NORTH BAY)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA	MO	YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NOFISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	DAYS NP	CL	DATA
19	06	83	LOW	8	8	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26	06	83	LOW	45	45	6	6	0	0	6	6	0.13	0.13	100.00	0	0	7
03	07	83	LOW	10	10	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10	07	83	LOW	21	21	4	4	0	0	4	4	0.19	0.19	100.00	0	0	7
17	07	83	MED	46	46	10	10	2	2	12	12	0.26	0.26	83.33	0	0	7
24	07	83	MED	50	50	9	9	0	0	9	9	0.18	0.18	100.00	0	0	7
31	07	83	MED	48	48	4	4	0	0	4	4	0.08	0.08	100.00	0	0	7
07	08	83	MED	25	25	1	1	0	0	1	1	0.04	0.04	100.00	0	0	7
14	08	83	MED	31	31	5	5	0	0	5	5	0.16	0.16	100.00	0	0	7
21	08	83	MED	22	22	2	2	0	0	2	2	0.09	0.09	100.00	0	0	7
28	08	83	MED	3	3	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04	09	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	3
TOTAL			MED	309	309	41	41	2	2	43	43	0.14	0,14	95.35	0	0	75

3819030
FARMERS BROOK (FARMERS ARM)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA	MO	YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NO FISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19	06	83	LOW	14	14	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26	06	83	LOW	14	16	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03	07	83	LOW	14	16	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10	07	83	LOW	36	36	14	14	0	0	14	14	0.39	0.39	100.00	0	0	7
17	07	83	MED	51	51	43	45	0	0	43	45	0.84	0.88	100.00	0	0	7
24	07	83	MED	34	39	47	51	0	0	47	51	1.38	1.31	100.00	0	0	7
31	07	83	MED	20	22	16	18	0	0	16	18	0.80	0.82	100.00	0	0	7
07	08	83	MED	30	32	6	6	0	0	6	6	0.20	0.19	100.00	0	0	7
14	08	83	HI	3	3	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
21	08	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28	08	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04	09	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	3
TOTAL			MED	216	229	126	134	0	0	126	134	0.58	0.59	100.00	0	0	75

3819100
GARIA BROOK (RIVER)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA	MO	YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NOFISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19	06	83	LOW	6	6	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26	06	83	LOW	10	10	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03	07	83	LOW	13	13	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10	07	83	LOW	8	8	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
17	07	83	HI	10	10	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
24	07	83	MED	27	27	5	5	0	0	5	5	0.19	0.19	100.00	0	0	7
31	07	83	HI	30	30	4	4	0	0	4	4	0.13	0.13	100.00	0	0	7
07	08	83	HI	4	4	1	1	0	0	1	1	0.25	0.25	100.00	0	0	7
14	08	83	HI	17	17	3	3	0	0	3	3	0.18	0.18	100.00	0	0	7
21	08	83	MED	2	2	0	0	0	0	0	0	0.00	0.00	0.00	3	0	4
28	08	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04	09	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	3
TOTAL			MED	127	127	13	13	0	0	13	13	0.10	0.10	100.00	3	0	72

3819120
NORTHWEST BROOK (GARIA BAY)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	LOW	5	5	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	LOW	5	5	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83	LOW	9	9	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83	LOW	15	15	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
17 07 83	HI	14	14	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
24 07 83	HI	39	39	7	7	0	0	7	7	0.18	0.18	100.00	0	0	7
31 07 83	HI	10	10	1	1	0	0	1	1	0.10	0.10	100.00	0	0	7
07 08 83	HI	6	6	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
14 08 83	HI	6	6	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
21 08 83	MED	5	5	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	3	0	4
04 09 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
TOTAL	MED	114	114	8	8	0	0	8	8	0.07	0.07	100.00	3	0	72

3919590
GRANDYS BROOK (BURNT ISLAND R)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	LOW	34	51	3	4	0	0	3	4	0.09	0.08	100.00	0	0	2
26 06 83	LOW	83	126	26	39	1	1	27	40	0.33	0.32	97.50	1	0	6
03 07 83	LOW	45	81	7	15	0	0	7	15	0.16	0.19	100.00	2	0	5
10 07 83	LOW	72	107	14	26	0	0	14	26	0.19	0.24	100.00	2	0	5
17 07 83	HI	107	158	35	53	1	2	36	55	0.34	0.35	96.36	1	0	6
24 07 83	HI	43	72	13	23	0	0	13	23	0.30	0.32	100.00	2	0	5
31 07 83	MED	29	44	5	9	0	0	5	9	0.17	0.20	100.00	2	0	5
07 08 83	MED	14	18	3	3	0	0	3	3	0.21	0.17	100.00	2	0	5
14 08 83	HI	16	25	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
21 08 83	HI	12	18	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
04 09 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	3
TOTAL	MED	455	700	106	172	2	3	108	175	0.24	0.25	98.29	14	0	61

3919820
ISLE AUX MORTS RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	LOW	35	51	5	6	0	0	5	6	0.14	0.12	100.00	0	0	2
26	06	83	LOW	47	90	3	5	0	0	3	5	0.06	0.06	100.00	2	0	5
03	07	83	LOW	55	77	8	11	0	0	8	11	0.15	0.14	100.00	0	0	7
10	07	83	LOW	101	134	23	29	1	1	24	30	0.24	0.22	96.67	0	0	7
17	07	83	HI	106	142	44	56	0	0	44	56	0.42	0.39	100.00	0	0	7
24	07	83	HI	44	57	8	12	0	0	8	12	0.18	0.21	100.00	0	0	7
31	07	83	MED	18	25	3	4	1	1	4	5	0.22	0.20	80.00	2	0	5
07	08	83	HI	10	13	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
14	08	83	HI	12	19	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
21	08	83	HI	14	22	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
28	08	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
04	09	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	3
TOTAL			MED	442	630	94	123	2	2	96	125	0.22	0.20	98.40	12	0	63

3920100
GRAND BAY RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	LOW	37	37	1	1	0	0	1	1	0.03	0.03	100.00	0	0	2
26	06	83	LOW	70	70	3	3	0	0	3	3	0.04	0.04	100.00	0	0	7
03	07	83	LOW	59	59	10	10	0	0	10	10	0.17	0.17	100.00	0	0	7
10	07	83	LOW	103	103	19	19	1	1	20	20	0.19	0.19	95.00	0	0	7
17	07	83	HI	105	105	59	59	0	0	59	59	0.56	0.56	100.00	0	0	7
24	07	83	HI	87	87	49	49	0	0	49	49	0.56	0.56	100.00	0	0	7
31	07	83	MED	54	54	28	28	0	0	28	28	0.52	0.52	100.00	0	0	7
07	08	83	HI	14	14	5	5	0	0	5	5	0.36	0.36	100.00	0	0	7
14	08	83	HI	9	9	2	2	0	0	2	2	0.22	0.22	100.00	0	0	7
21	08	83	MED	1	1	0	0	0	0	0	0	0.00	0.00	0.00	3	0	4
28	08	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04	09	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	3
TOTAL			MED	539	539	176	176	1	1	177	177	0.33	0.33	99.44	3	0	72

4000020
BEAR COVE BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	LOW	15	15	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26	06	83	LOW	45	45	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03	07	83	LOW	34	34	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10	07	83	LOW	44	44	2	2	0	0	2	2	0.05	0.05	100.00	0	0	7
17	07	83	MED	42	42	2	2	0	0	2	2	0.05	0.05	100.00	0	0	7
24	07	83	MED	52	52	10	10	0	0	10	10	0.19	0.19	100.00	0	0	7
31	07	83	LOW	32	32	2	2	0	0	2	2	0.06	0.06	100.00	0	0	7
07	08	83	MED	24	24	2	2	0	0	2	2	0.08	0.08	100.00	0	0	7
14	08	83	HI	34	34	7	7	0	0	7	7	0.21	0.21	100.00	0	0	7
21	08	83	MED	28	42	3	3	1	1	4	4	0.14	0.10	75.00	3	0	4
28	08	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04	09	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	3
TOTAL			MED	350	364	28	28	1	1	29	29	0.08	0.08	96.55	3	0	72

4000140
LITTLE CODROY RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
03	07	83	LOW	32	48	1	1	0	0	1	1	0.03	0.02	100.00	0	0	3
10	07	83	MED	42	46	11	12	5	5	16	17	0.38	0.37	70.59	0	0	7
17	07	83	HI	31	37	6	6	5	5	11	11	0.35	0.30	54.55	0	0	7
24	07	83	HI	21	25	8	8	1	1	9	9	0.43	0.36	88.89	0	0	7
31	07	83	HI	39	45	10	10	2	2	12	12	0.31	0.27	83.33	0	0	7
07	08	83	MED	48	54	6	7	1	1	7	8	0.15	0.15	87.50	0	0	7
14	08	83	HI	11	11	2	2	1	1	3	3	0.27	0.27	66.67	0	0	7
21	08	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL			HI	224	266	44	46	15	15	59	61	0.26	0.23	75.41	0	0	46

4000330
GRAND CODROY RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
12	06	83	MED	680	788	17	17	58	62	75	79	0.11	0.10	21.52	0	0	9
19	06	83	LOW	709	782	49	55	35	38	84	93	0.12	0.12	59.14	0	0	21
26	06	83	LOW	864	938	98	105	40	42	138	147	0.16	0.16	71.43	0	0	21
03	07	83	LOW	759	893	71	92	18	24	89	116	0.12	0.13	79.31	0	0	21
10	07	83	MED	400	441	67	70	9	9	76	79	0.19	0.18	88.61	0	9	12
17	07	83	HI	888	980	285	302	18	18	303	320	0.34	0.33	94.37	0	3	18
24	07	83	HI	362	397	66	72	6	6	72	78	0.20	0.20	92.31	0	0	21
31	07	83	HI	296	326	62	68	6	6	68	74	0.23	0.23	91.89	0	0	21
07	08	83	HI	146	161	35	35	3	3	38	38	0.26	0.24	92.11	0	0	21
14	08	83	HI	66	69	13	13	3	3	16	16	0.24	0.23	81.25	0	0	21
21	08	83	HI	115	122	22	22	6	6	28	28	0.24	0.23	78.57	0	0	21
28	08	83	HI	35	35	9	9	0	0	9	9	0.26	0.26	100.00	0	0	21
04	09	83	MED	27	27	7	7	2	2	9	9	0.33	0.33	77.78	0	0	9
TOTAL			MED	5347	5959	801	867	204	219	1005	1086	0.19	0.18	79.83	0	12	237

4000860
CRABBES BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	LOW	100	100	11	11	16	16	27	27	0.27	0.27	40.74	0	0	2
26	06	83	LOW	137	137	11	11	8	8	19	19	0.14	0.14	57.89	2	0	5
03	07	83	LOW	86	86	6	6	6	6	12	12	0.14	0.14	50.00	2	0	5
10	07	83	LOW	68	68	11	11	0	0	11	11	0.16	0.16	100.00	2	0	5
17	07	83	MED	67	67	6	6	2	2	8	8	0.12	0.12	75.00	3	0	4
24	07	83	HI	90	90	15	15	3	3	18	18	0.20	0.20	83.33	2	0	5
31	07	83	MED	62	62	12	12	3	3	15	15	0.24	0.24	80.00	2	0	5
07	08	83	HI	24	24	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
14	08	83	HI	51	51	15	15	0	0	15	15	0.29	0.29	100.00	2	0	5
21	08	83	MED	46	73	12	18	0	0	12	18	0.26	0.25	100.00	0	0	7
28	08	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04	09	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	3
TOTAL			MED	731	758	99	105	38	38	137	143	0.19	0.19	73.43	17	0	58

4000900
BARACHOIS BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DATA
19 06 83	LOW	52	52	19	19	0	0	19	19	0.37	0.37	100.00	0	0	2
26 06 83	LOW	41	41	9	9	0	0	9	9	0.22	0.22	100.00	2	0	5
03 07 83	LOW	41	41	12	12	0	0	12	12	0.29	0.29	100.00	2	0	5
10 07 83	LOW	46	46	11	11	0	0	11	11	0.24	0.24	100.00	2	0	5
17 07 83	LOW	34	34	10	10	0	0	10	10	0.29	0.29	100.00	3	0	4
24 07 83	HI	42	42	16	16	1	1	17	17	0.40	0.40	94.12	2	0	5
31 07 83	MED	25	25	7	7	0	0	7	7	0.28	0.28	100.00	2	0	5
07 08 83	MED	11	11	0	0	0	0	0	0	0.00	0.00	0.00	4	0	3
14 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
21 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	3
TOTAL	MED	292	292	84	84	1	1	85	85	0.29	0.29	98.82	17	0	58

4000920
ROBINSONS RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DATA
12 06 83	MED	695	695	21	21	176	176	197	197	0.28	0.28	10.66	0	0	3
19 06 83	LOW	304	304	22	22	25	25	47	47	0.15	0.15	46.81	0	0	7
26 06 83	LOW	505	505	51	51	6	6	57	57	0.11	0.11	89.47	0	0	7
03 07 83	LOW	280	280	28	28	2	2	30	30	0.11	0.11	93.33	0	0	7
10 07 83	LOW	246	246	58	58	0	0	58	58	0.24	0.24	100.00	0	0	7
17 07 83	MED	261	261	45	45	0	0	45	45	0.17	0.17	100.00	0	0	7
24 07 83	MED	104	104	11	11	1	1	12	12	0.12	0.12	91.67	0	0	7
31 07 83	MED	83	83	18	18	0	0	18	18	0.22	0.22	100.00	0	0	7
07 08 83	HI	22	22	3	3	0	0	3	3	0.14	0.14	100.00	0	0	7
14 08 83	HI	17	17	6	6	0	0	6	6	0.35	0.35	100.00	1	0	6
21 08 83	MED	41	63	11	15	0	0	11	15	0.27	0.24	100.00	4	0	3
28 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
TOTAL	MED	2558	2580	274	278	210	210	484	488	0.19	0.19	56.97	5	0	78

4000960
FISCHELLS RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	LOW	37	55	8	13	6	6	14	19	0.38	0.35	68.42	0	0	2
26	06	83	LOW	25	33	13	13	0	0	13	13	0.52	0.39	100.00	0	0	7
03	07	83	LOW	15	21	7	11	0	0	7	11	0.47	0.52	100.00	0	0	7
10	07	83	LOW	18	22	9	10	0	0	9	10	0.50	0.45	100.00	0	0	7
17	07	83	LOW	42	57	16	25	0	0	16	25	0.38	0.44	100.00	0	0	7
24	07	83	MED	29	35	12	18	1	1	13	19	0.45	0.54	94.74	0	0	7
31	07	83	MED	26	36	6	13	0	0	6	13	0.23	0.36	100.00	0	0	7
07	08	83	HI	11	26	5	10	0	0	5	10	0.45	0.38	100.00	2	0	5
14	08	83	HI	17	20	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
21	08	83	MED	45	49	8	8	0	0	8	8	0.18	0.16	100.00	0	0	7
28	08	83	HI	10	18	3	6	0	0	3	6	0.30	0.33	100.00	0	0	7
04	09	83	MED	3	5	1	1	0	0	1	1	0.33	0.20	100.00	0	0	3
TOTAL			MED	278	377	88	128	7	7	95	135	0.34	0.36	94.81	2	0	73

4101080
FLAT BAY BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	LOW	40	60	1	1	0	0	1	1	0.02	0.02	100.00	0	0	2
26	06	83	LOW	113	150	30	41	2	2	32	43	0.28	0.29	95.35	0	0	7
03	07	83	LOW	130	157	29	42	3	4	32	46	0.25	0.29	91.30	0	0	7
10	07	83	LOW	138	158	44	54	0	0	44	54	0.32	0.34	100.00	0	0	7
17	07	83	LOW	139	152	47	51	1	1	48	52	0.35	0.34	98.08	0	0	7
24	07	83	MED	81	101	27	32	0	0	27	32	0.33	0.32	100.00	0	0	7
31	07	83	MED	102	120	21	34	0	0	21	34	0.21	0.28	100.00	0	0	7
07	08	83	HI	49	55	12	16	0	0	12	16	0.24	0.29	100.00	0	0	7
14	08	83	HI	26	33	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
21	08	83	MED	83	92	16	21	0	0	16	21	0.19	0.23	100.00	0	0	7
28	08	83	HI	21	31	8	14	0	0	8	14	0.38	0.45	100.00	0	0	7
04	09	83	MED	12	14	2	2	0	0	2	2	0.17	0.14	100.00	0	0	3
TOTAL			MED	934	1123	237	308	6	7	243	315	0.26	0.28	97.78	0	0	75

4101110
LITTLE BARACHOIS BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END	WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE		DAYS	
DA MO YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
03 07 83	LOW	20	27	5	10	0	0	5	10	0.25	0.37	100.00	0	0	3
10 07 83	LOW	43	57	12	18	1	1	13	19	0.30	0.33	94.74	0	0	7
17 07 83	LOW	37	52	8	16	0	0	8	16	0.22	0.31	100.00	0	0	7
24 07 83	MED	32	41	11	18	0	0	11	18	0.34	0.44	100.00	0	0	7
31 07 83	MED	32	42	8	12	0	0	8	12	0.25	0.29	100.00	0	0	7
07 08 83	HI	20	31	5	9	0	0	5	9	0.25	0.29	100.00	0	0	7
14 08 83	HI	11	16	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
21 08 83	HI	3	4	1	1	0	0	1	1	0.33	0.25	100.00	0	0	1
TOTAL	MED	198	270	50	84	1	1	51	85	0.26	0.31	98.82	0	0	46

4101150
SOUTHWEST AND BOTTOM BROOKS

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END	WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE		DAYS	
DA MO YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19 06 83	LOW	317	408	61	106	0	0	61	106	0.19	0.26	100.00	0	0	2
26 06 83	LOW	308	358	68	95	1	1	69	96	0.22	0.27	98.96	0	0	7
03 07 83	LOW	210	295	44	65	3	3	47	68	0.22	0.23	95.59	0	0	7
10 07 83	LOW	153	186	60	67	1	1	61	68	0.40	0.37	98.53	0	0	7
17 07 83	MED	219	299	113	155	12	12	125	167	0.57	0.56	92.81	0	0	7
24 07 83	HI	105	126	41	47	1	1	42	48	0.40	0.38	97.92	0	0	7
31 07 83	HI	155	165	18	29	3	3	21	32	0.14	0.19	90.63	0	0	7
07 08 83	HI	27	41	9	9	0	0	9	9	0.33	0.22	100.00	0	0	7
14 08 83	HI	17	23	1	3	0	0	1	3	0.06	0.13	100.00	0	0	7
21 08 83	HI	35	41	6	8	1	1	7	9	0.20	0.22	88.89	0	0	7
28 08 83	HI	19	31	5	6	1	1	6	7	0.32	0.23	85.71	0	0	7
04 09 83	HI	65	79	19	24	2	2	21	26	0.32	0.33	92.31	0	0	3
TOTAL	MED	1630	2052	445	614	25	25	470	639	0.29	0.31	96.09	0	0	75

4101200
HARRY'S RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
03	07	83	LOW	338	383	66	104	2	5	68	109	0.20	0.28	95.41	0	0	12
10	07	83	LOW	347	492	58	99	3	15	61	114	0.18	0.23	86.84	0	0	28
17	07	83	MED	304	343	59	67	2	2	61	69	0.20	0.20	97.10	2	0	26
24	07	83	HI	279	319	74	86	3	3	77	89	0.28	0.28	96.63	0	0	28
31	07	83	HI	294	371	53	80	1	1	54	81	0.18	0.22	98.77	0	0	28
07	08	83	HI	231	276	41	44	2	2	43	46	0.19	0.17	95.65	0	0	28
14	08	83	HI	199	214	39	45	2	2	41	47	0.21	0.22	95.74	0	0	28
21	08	83	HI	33	41	6	8	0	0	6	8	0.18	0.20	100.00	0	0	4
TOTAL			MED	2025	2439	396	533	15	30	411	563	0.20	0.23	94.67	2	0	182

4301920
FOX ISLAND RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
03	07	83	LOW	60	90	6	9	1	1	7	10	0.12	0.11	90.00	0	0	3
10	07	83	LOW	38	53	3	9	0	0	3	9	0.08	0.17	100.00	0	0	7
17	07	83	MED	44	61	11	11	3	3	14	14	0.32	0.23	78.57	0	0	6
TOTAL			LOW	142	204	20	29	4	4	24	33	0.17	0.16	87.88	0	0	16

4402090
SERPENTINE RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
03	07	83	LOW	33	33	13	13	2	2	15	15	0.45	0.45	86.67	0	0	6
10	07	83	LOW	55	70	7	8	1	1	8	9	0.15	0.13	88.89	2	0	12
17	07	83	MED	43	53	3	6	0	0	3	6	0.07	0.11	100.00	2	0	12
24	07	83	HI	51	68	25	31	1	1	26	32	0.51	0.47	96.88	2	0	13
31	07	83	HI	71	79	6	6	1	1	7	7	0.10	0.09	85.71	0	0	13
07	08	83	HI	47	49	1	1	0	0	1	1	0.02	0.02	100.00	0	0	14
14	08	83	HI	18	25	2	3	0	0	2	3	0.11	0.12	100.00	0	0	14
21	08	83	HI	10	24	3	3	0	0	3	3	0.30	0.13	100.00	2	0	12
28	08	83	HI	35	35	1	1	0	0	1	1	0.03	0.03	100.00	0	0	14
04	09	83	HI	34	34	9	9	0	0	9	9	0.26	0.26	100.00	0	0	6
TOTAL			MED	397	470	70	81	5	5	75	86	0.19	0.18	94.19	8	0	116

4402430
HUMBER RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
12	06	83	MED	105	140	0	0	8	11	8	11	0.08	0.08	0.00	0	0	24
19	06	83	MED	233	298	15	19	12	12	27	31	0.12	0.10	61.29	0	0	56
26	06	83	LOW	613	740	245	304	0	0	245	304	0.40	0.41	100.00	0	0	56
03	07	83	LOW	636	732	205	245	3	3	208	248	0.33	0.34	98.79	0	0	56
10	07	83	LOW	563	737	179	223	3	4	182	227	0.32	0.31	98.24	0	18	38
17	07	83	LOW	861	1032	401	494	3	3	404	497	0.47	0.48	99.40	0	12	44
24	07	83	MED	955	1133	435	527	2	2	437	529	0.46	0.47	99.62	0	0	56
31	07	83	HI	769	902	481	554	3	3	484	557	0.63	0.62	99.46	0	0	56
07	08	83	HI	549	633	203	230	2	2	205	232	0.37	0.37	99.14	0	0	56
14	08	83	HI	310	352	48	48	0	0	48	48	0.15	0.14	100.00	0	0	56
21	08	83	MED	373	440	180	200	3	3	183	203	0.49	0.46	98.52	0	0	56
28	08	83	MED	356	429	164	183	3	3	167	186	0.47	0.43	98.39	0	0	56
04	09	83	LOW	160	178	79	83	1	1	80	84	0.50	0.47	98.81	0	0	24
TOTAL			MED	6483	7746	2635	3110	43	47	2678	3157	0.41	0.41	98.51	0	30	634

4402740
GOOSE ARM BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK	END		WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26	06	83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03	07	83	LOW	23	23	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10	07	83	LOW	31	31	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
17	07	83	LOW	52	76	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
24	07	83	MED	63	89	5	5	0	0	5	5	0.08	0.06	100.00	0	0	7
31	07	83	HI	85	89	6	6	0	0	6	6	0.07	0.07	100.00	0	0	7
07	08	83	HI	71	79	12	14	0	0	12	14	0.17	0.18	100.00	0	0	7
14	08	83	HI	34	49	10	10	0	0	10	10	0.29	0.20	100.00	0	0	7
21	08	83	MED	46	66	7	7	0	0	7	7	0.15	0.11	100.00	0	0	7
28	08	83	MED	46	54	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04	09	83	MED	11	17	0	0	0	0	0	0	0.00	0.00	0.00	0	0	3
TOTAL			MED	462	573	40	42	0	0	40	42	0.09	0.07	100.00	0	0	75

4503520
TROUT RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK	END		WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26	06	83	MED	22	28	1	1	0	0	1	1	0.05	0.04	100.00	0	0	7
03	07	83	MED	37	40	1	1	1	1	2	2	0.05	0.05	50.00	0	0	7
10	07	83	LOW	38	45	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
17	07	83	LOW	38	45	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
24	07	83	MED	46	53	2	2	0	0	2	2	0.04	0.04	100.00	0	0	7
31	07	83	MED	48	55	1	1	0	0	1	1	0.02	0.02	100.00	0	0	7
07	08	83	HI	17	17	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
14	08	83	HI	9	9	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
21	08	83	MED	7	7	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28	08	83	MED	7	9	1	1	0	0	1	1	0.14	0.11	100.00	0	0	7
04	09	83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	3
TOTAL			MED	269	308	6	6	1	1	7	7	0.03	0.02	85.71	0	0	75

4503920
LOMOND RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END	WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE	DAYS		
DA MO YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19 06 83	MED	18	28	2	4	0	0	2	4	0.11	0.14	100.00	0	0	2
26 06 83	MED	138	160	31	39	0	0	31	39	0.22	0.24	100.00	0	0	7
03 07 83	LOW	184	201	52	59	0	0	52	59	0.28	0.29	100.00	0	0	7
10 07 83	LOW	121	132	19	19	1	1	20	20	0.17	0.15	95.00	0	3	4
17 07 83	LOW	147	162	34	39	0	0	34	39	0.23	0.24	100.00	0	2	5
24 07 83	MED	102	114	15	20	1	1	16	21	0.16	0.18	95.24	0	0	7
31 07 83	MED	67	75	10	13	0	0	10	13	0.15	0.17	100.00	0	0	7
07 08 83	HI	58	65	12	15	0	0	12	15	0.21	0.23	100.00	0	0	7
14 08 83	HI	37	44	5	8	0	0	5	8	0.14	0.18	100.00	0	0	7
21 08 83	MED	50	60	10	16	0	0	10	16	0.20	0.27	100.00	0	0	7
28 08 83	MED	43	48	10	14	0	0	10	14	0.23	0.29	100.00	0	0	7
04 09 83	MED	19	23	4	5	1	1	5	6	0.26	0.26	83.33	0	0	3
TOTAL	MED	984	1112	204	251	3	3	207	254	0.21	0.23	98.82	0	5	70

4604560
PARSONS POND RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END	WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE	DAYS		
DA MO YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19 06 83	MED	15	22	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	MED	26	40	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83	LOW	23	34	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83	LOW	34	51	2	3	0	0	2	3	0.06	0.06	100.00	0	0	7
17 07 83	MED	29	42	2	3	0	0	2	3	0.07	0.07	100.00	0	0	7
24 07 83	HI	21	31	2	3	0	0	2	3	0.10	0.10	100.00	0	0	7
31 07 83	HI	32	48	4	6	0	0	4	6	0.13	0.13	100.00	0	0	7
07 08 83	HI	18	29	3	6	0	0	3	6	0.17	0.21	100.00	0	0	7
14 08 83	HI	24	35	2	4	0	0	2	4	0.08	0.11	100.00	0	0	7
21 08 83	MED	13	21	1	2	0	0	1	2	0.08	0.10	100.00	0	0	7
28 08 83	MED	16	24	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83	MED	7	11	0	0	0	0	0	0	0.00	0.00	0.00	0	0	3
TOTAL	MED	258	388	16	27	0	0	16	27	0.06	0.07	100.00	0	0	75

4604620
PORTLAND CREEK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END	WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE		DAYS	
DA MO YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TCT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19 06 83	MED	100	160	0	0	0	0	0	0	0.00	0.00	0.00	0	0	6
26 06 83	MED	350	528	8	9	1	2	9	11	0.03	0.02	81.82	0	0	21
03 07 83	LOW	391	539	12	16	1	1	13	17	0.03	0.03	94.12	0	0	21
10 07 83	LOW	371	508	14	19	1	2	15	21	0.04	0.04	90.48	0	0	21
17 07 83	LOW	383	491	49	61	2	3	51	64	0.13	0.13	95.31	0	0	21
24 07 83	MED	301	399	45	59	3	5	48	64	0.16	0.16	92.19	0	0	21
31 07 83	HI	262	363	28	34	1	1	29	35	0.11	0.10	97.14	0	0	21
07 08 83	HI	283	364	40	52	4	4	44	56	0.16	0.15	92.86	0	0	21
14 08 83	HI	252	310	37	43	4	4	41	47	0.16	0.15	91.49	0	0	21
21 08 83	MED	184	250	17	21	0	0	17	21	0.09	0.08	100.00	0	0	21
28 08 83	MED	192	252	35	40	3	3	38	43	0.20	0.17	93.02	0	0	21
04 09 83	MED	94	123	17	20	0	0	17	20	0.18	0.16	100.00	0	0	9
TOTAL	MED	3163	4287	302	374	20	25	322	399	0.10	0.09	93.73	0	0	225

4704740
RIVER OF PONDS

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END	WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE		DAYS	
DA MO YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19 06 83	MED	29	38	0	0	0	0	0	0	0.00	0.00	0.00	0	0	6
26 06 83	MED	87	105	0	0	0	0	0	0	0.00	0.00	0.00	2	0	19
03 07 83	MED	202	255	17	17	2	3	19	20	0.09	0.08	85.00	2	0	19
10 07 83	LOW	131	163	23	25	2	2	25	27	0.19	0.17	92.59	0	12	9
17 07 83	LOW	318	379	69	89	1	1	70	90	0.22	0.24	98.89	0	6	15
24 07 83	LOW	429	517	137	183	8	8	145	191	0.34	0.37	95.81	2	0	19
31 07 83	MED	363	448	139	183	1	1	140	184	0.39	0.41	99.46	2	0	19
07 08 83	HI	219	278	64	87	0	0	64	87	0.29	0.31	100.00	0	0	21
14 08 83	HI	170	193	61	73	0	0	61	73	0.36	0.38	100.00	2	0	19
21 08 83	HI	183	219	61	64	0	0	61	64	0.33	0.29	100.00	0	0	21
28 08 83	MED	131	139	20	20	0	0	20	20	0.15	0.14	100.00	0	0	21
04 09 83	MED	40	46	6	7	0	0	6	7	0.15	0.15	100.00	0	0	9
TOTAL	MED	2302	2780	597	748	14	15	611	763	0.27	0.27	98.03	10	18	197

4704750
LITTLE BROOK POND

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	5
03 07 83	LOW	20	34	0	0	0	0	0	0	0.00	0.00	0.00	1	0	6
10 07 83	LOW	24	32	0	0	0	0	0	0	0.00	0.00	0.00	1	0	6
17 07 83	LOW	69	91	8	13	0	0	8	13	0.12	0.14	100.00	0	0	7
24 07 83	MED	86	114	31	42	0	0	31	42	0.36	0.37	100.00	0	0	7
31 07 83	HI	72	87	19	28	0	0	19	28	0.26	0.32	100.00	0	0	7
07 08 83	HI	103	124	17	23	0	0	17	23	0.17	0.19	100.00	0	0	7
14 08 83	HI	100	117	15	21	0	0	15	21	0.15	0.18	100.00	0	0	7
21 08 83	MED	41	47	5	7	0	0	5	7	0.12	0.15	100.00	0	0	7
28 08 83	MED	18	23	2	2	0	0	2	2	0.11	0.09	100.00	0	0	7
04 09 83	MED	7	9	1	1	0	0	1	1	0.14	0.11	100.00	0	0	3
TOTAL	MED	540	678	98	137	0	0	98	137	0.18	0.20	100.00	4	0	71

4704800
TORRENT RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
07 08 83	HI	157	176	37	48	0	0	37	48	0.24	0.27	100.00	0	0	5
14 08 83	HI	63	79	14	17	0	0	14	17	0.22	0.22	100.00	0	0	7
21 08 83	MED	45	50	9	12	1	1	10	13	0.22	0.26	92.31	0	0	7
28 08 83	LOW	32	36	4	4	0	0	4	4	0.13	0.11	100.00	0	0	7
04 09 83	LOW	12	13	1	1	0	0	1	1	0.08	0.08	100.00	0	0	3
TOTAL	MED	309	354	65	82	1	1	66	83	0.21	0.23	98.80	0	0	29

4704840
EAST RIVER (BIG EAST RIVER)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	LOW	10	19	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26	06	83	LOW	30	63	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03	07	83	LOW	50	87	3	3	0	0	3	3	0.06	0.03	100.00	0	0	7
10	07	83	LOW	141	181	12	12	4	4	16	16	0.11	0.09	75.00	0	0	7
17	07	83	LOW	103	132	13	14	0	0	13	14	0.13	0.11	100.00	0	0	7
24	07	83	MED	134	172	22	24	1	1	23	25	0.17	0.15	96.00	0	0	7
31	07	83	MED	71	111	17	23	0	0	17	23	0.24	0.21	100.00	0	0	7
07	08	83	MED	69	92	16	17	0	0	16	17	0.23	0.18	100.00	0	0	7
14	08	83	MED	21	34	3	3	1	1	4	4	0.19	0.12	75.00	0	0	7
21	08	83	LOW	6	17	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28	08	83	LOW	5	13	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04	09	83	LOW	3	4	0	0	0	0	0	0	0.00	0.00	0.00	0	0	3
TOTAL			LOW	643	925	86	96	6	6	92	102	0.14	0.11	94.12	0	0	75

4805030
CASTORS RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	7	9	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26	06	83	MED	37	42	0	1	0	0	0	1	0.00	0.02	100.00	0	0	7
03	07	83	MED	82	102	13	14	0	0	13	14	0.16	0.14	100.00	0	0	7
10	07	83	LOW	45	48	15	17	0	0	15	17	0.33	0.35	100.00	0	4	3
17	07	83	MED	115	135	89	97	0	0	89	97	0.77	0.72	100.00	0	2	5
24	07	83	MED	153	171	119	132	1	2	120	134	0.78	0.78	98.51	0	0	7
31	07	83	HI	128	141	62	70	0	0	62	70	0.48	0.50	100.00	0	0	7
07	08	83	HI	69	81	21	21	0	0	21	21	0.30	0.26	100.00	0	0	7
14	08	83	HI	76	85	19	21	0	1	19	22	0.25	0.26	95.45	0	0	7
21	08	83	HI	41	44	8	9	0	0	8	9	0.20	0.20	100.00	0	0	7
28	08	83	HI	22	24	4	5	0	0	4	5	0.18	0.21	100.00	0	0	7
04	09	83	HI	0	5	0	0	0	0	0	0	0.00	0.00	0.00	0	0	3
TOTAL			MED	775	887	350	387	1	3	351	390	0.45	0.44	99.23	0	6	69

4905170
ST. GENEVIEVE RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NO FISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	MED	42	54	0	0	0	0	0	0	0.00	0.00	0.00	0	0	6
26 06 83	MED	149	197	16	16	1	1	17	17	0.11	0.09	94.12	0	0	21
03 07 83	LOW	209	260	43	50	1	1	44	51	0.21	0.20	98.04	0	0	21
10 07 83	LOW	417	492	206	242	2	2	208	244	0.50	0.50	99.18	0	0	21
17 07 83	LOW	332	383	198	225	0	0	198	225	0.60	0.59	100.00	0	0	21
24 07 83	MED	319	363	144	176	0	0	144	176	0.45	0.48	100.00	0	0	21
31 07 83	HI	237	283	105	131	0	0	105	131	0.44	0.46	100.00	0	0	21
07 08 83	HI	194	224	124	150	0	0	124	150	0.64	0.67	100.00	0	0	21
14 08 83	HI	146	180	64	83	0	0	64	83	0.44	0.46	100.00	0	0	21
21 08 83	MED	73	96	34	55	0	0	34	55	0.47	0.57	100.00	0	0	21
28 08 83	MED	23	34	9	19	0	0	9	19	0.39	0.56	100.00	0	0	21
04 09 83	LOW	14	16	11	13	0	0	11	13	0.79	0.81	100.00	0	0	9
TOTAL	MED	2155	2582	954	1160	4	4	958	1164	0.44	0.45	99.66	0	0	225

4905190
WEST RIVER (WESTERN ARM BROOK)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NOFISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	MED	15	15	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	3	4
17 07 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	7	0
24 07 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	7	0
31 07 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	7	0
07 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	7	0
14 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	7	0
21 08 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	7	0
28 08 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	7	0
04 09 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	3	0
TOTAL	MED	15	15	0	0	0	0	0	0	0.00	0.00	0.00	0	55	20

4905200
EAST RIVER (EASTERN ARM BROOK)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	MED	0	7	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83	LOW	1	1	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
17 07 83	LOW	8	13	4	4	0	0	4	4	0.50	0.31	100.00	0	0	7
24 07 83	MED	16	17	7	7	0	0	7	7	0.44	0.41	100.00	0	0	7
31 07 83	HI	9	13	3	3	0	0	3	3	0.33	0.23	100.00	0	0	7
07 08 83	HI	18	27	5	8	0	0	5	8	0.28	0.30	100.00	0	0	7
14 08 83	HI	14	17	7	9	0	0	7	9	0.50	0.53	100.00	0	0	7
21 08 83	MED	4	5	1	1	0	0	1	1	0.25	0.20	100.00	0	0	7
28 08 83	MED	0	3	0	3	0	0	0	3	0.00	1.00	100.00	0	0	7
04 09 83	LOW	4	6	3	5	0	0	3	5	0.75	0.83	100.00	0	0	3
TOTAL	MED	74	109	30	40	0	0	30	40	0.41	0.37	100.00	0	0	75

4905460
BIG BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	MED	2	2	0	0	0	0	0	0	0.00	0.00	0.00	0	0	4
26 06 83	MED	16	19	5	5	0	0	5	5	0.31	0.26	100.00	2	0	12
03 07 83	LOW	26	36	12	17	0	0	12	17	0.46	0.47	100.00	2	0	12
10 07 83	LOW	15	23	7	12	0	0	7	12	0.47	0.52	100.00	2	0	12
17 07 83	MED	84	92	35	40	4	4	39	44	0.46	0.48	90.91	2	0	12
24 07 83	HI	91	110	59	67	0	0	59	67	0.65	0.61	100.00	2	0	12
31 07 83	HI	88	105	36	42	2	2	38	44	0.43	0.42	95.45	2	0	12
07 08 83	HI	96	109	47	55	1	1	48	56	0.50	0.51	98.21	2	0	12
14 08 83	HI	88	107	39	44	1	1	40	45	0.45	0.42	97.78	2	0	12
21 08 83	MED	57	78	40	54	1	1	41	55	0.72	0.71	98.18	3	0	11
28 08 83	MED	18	29	3	7	0	0	3	7	0.17	0.24	100.00	0	0	14
04 09 83	MED	9	17	10	17	0	0	10	17	1.11	1.00	100.00	0	0	6
TOTAL	MED	590	727	293	360	9	9	302	369	0.51	0.51	97.56	19	0	131

5000120
FORTEAU BROOK (RIVER)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DATA
19 06 83		17	19	2	2	0	0	2	2	0.12	0.11	100.00	0	0	2
26 06 83	LOW	75	89	5	6	1	1	6	7	0.08	0.08	85.71	0	0	7
03 07 83	LOW	67	78	5	5	3	3	8	8	0.12	0.10	62.50	0	0	7
10 07 83	MED	139	159	46	59	3	3	49	62	0.35	0.39	95.16	0	0	7
17 07 83	MED	167	193	97	116	1	1	98	117	0.59	0.61	99.15	0	0	7
24 07 83	HI	198	240	161	208	1	1	162	209	0.82	0.87	99.52	0	0	7
31 07 83	HI	194	242	99	121	2	2	101	123	0.52	0.51	98.37	0	0	7
07 08 83	MED	145	169	61	76	1	1	62	77	0.43	0.46	98.70	0	0	7
14 08 83	HI	107	128	33	47	0	0	33	47	0.31	0.37	100.00	0	0	7
21 08 83	MED	80	100	43	52	0	0	43	52	0.54	0.52	100.00	0	0	7
28 08 83	MED	48	59	25	31	2	2	27	33	0.56	0.56	93.94	0	0	7
04 09 83	MED	24	34	12	14	0	0	12	14	0.50	0.41	100.00	0	0	7
11 09 83	MED	10	11	10	11	0	0	10	11	1.00	1.00	100.00	0	0	7
18 09 83	MED	0	8	0	0	0	0	0	0	0.00	0.00	0.00	0	0	4
TOTAL	MED	1271	1529	599	748	14	14	613	762	0.48	0.50	98.16	0	0	90

5000360
PINWARE RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DATA
19 06 83	LOW	34	40	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	HI	91	109	0	0	8	9	8	9	0.09	0.08	0.00	0	0	7
03 07 83	LOW	218	218	3	4	26	27	29	31	0.13	0.14	12.90	0	0	7
10 07 83	MED	265	277	42	44	34	37	76	81	0.29	0.29	54.32	0	0	7
17 07 83	MED	246	267	217	235	6	11	223	246	0.91	0.92	95.53	0	0	7
24 07 83	MED	250	270	251	270	6	8	257	278	1.03	1.03	97.12	0	0	7
31 07 83	HI	243	268	247	272	4	6	251	278	1.03	1.04	97.84	0	0	7
07 08 83	MED	155	179	173	195	7	9	180	204	1.16	1.14	95.59	0	0	7
14 08 83	HI	128	142	100	114	4	6	104	120	0.81	0.85	95.00	0	0	7
21 08 83	MED	91	106	73	82	2	3	75	85	0.82	0.80	96.47	0	0	7
28 08 83	MED	70	84	20	22	0	0	20	22	0.29	0.26	100.00	0	0	7
04 09 83	MED	22	27	11	14	0	0	11	14	0.50	0.52	100.00	0	0	7
11 09 83	MED	5	5	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
18 09 83	MED	0	8	0	0	0	0	0	0	0.00	0.00	0.00	0	0	4
TOTAL	MED	1818	2000	1137	1252	97	116	1234	1368	0.68	0.68	91.52	0	0	90

5101520
TROUT RIVER (ST.MARY'S RIVER)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NO FISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	DAYS NP	CL	DATA
19 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	HI	26	26	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83	MED	29	29	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83	MED	26	26	2	2	0	0	2	2	0.08	0.08	100.00	0	0	7
17 07 83	HI	45	45	12	12	0	0	12	12	0.27	0.27	100.00	0	0	7
24 07 83	HI	51	51	22	22	0	0	22	22	0.43	0.43	100.00	0	0	7
31 07 83	HI	35	35	9	9	0	0	9	9	0.26	0.26	100.00	0	0	7
07 08 83	HI	32	32	20	20	0	0	20	20	0.63	0.63	100.00	0	0	7
14 08 83	HI	27	27	5	5	0	0	5	5	0.19	0.19	100.00	0	0	7
21 08 83	HI	10	10	3	3	0	0	3	3	0.30	0.30	100.00	0	0	7
28 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
11 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
18 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
TOTAL	HI	281	281	73	73	0	0	73	73	0.26	0.26	100.00	0	0	88

5101720
ST LEWIS RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NOFISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	DAYS NP	CL	DATA
19 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83	MED	6	6	4	4	8	8	12	12	2.00	2.00	33.33	0	0	7
17 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
24 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
31 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
07 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
14 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
21 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
11 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
18 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
TOTAL	MED	6	6	4	4	8	8	12	12	2.00	2.00	33.33	0	0	88

5102500
ALEXIS RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	MED	5	5	2	2	0	0	2	2	0.40	0.40	100.00	0	0	7
03 07 83	MED	8	8	4	4	0	0	4	4	0.50	0.50	100.00	0	0	7
10 07 83	MED	9	9	5	5	0	0	5	5	0.56	0.56	100.00	0	0	7
17 07 83	MED	9	9	5	5	0	0	5	5	0.56	0.56	100.00	0	0	7
24 07 83	MED	11	11	9	9	0	0	9	9	0.82	0.82	100.00	0	0	7
31 07 83	MED	8	8	4	4	0	0	4	4	0.50	0.50	100.00	0	0	7
07 08 83	MED	11	11	9	9	0	0	9	9	0.82	0.82	100.00	0	0	7
14 08 83	MED	7	7	5	5	0	0	5	5	0.71	0.71	100.00	0	0	7
21 08 83	MED	10	10	8	8	0	0	8	8	0.80	0.80	100.00	0	0	7
28 08 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
11 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
18 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
TOTAL	MED	78	78	51	51	0	0	51	51	0.65	0.65	100.00	0	0	88

5102680
SHINNEYS WATERS

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	MED	10	10	8	8	0	0	8	8	0.80	0.80	100.00	0	0	7
03 07 83	MED	10	10	8	8	0	0	8	8	0.80	0.80	100.00	0	0	7
10 07 83	MED	10	10	8	8	0	0	8	8	0.80	0.80	100.00	0	0	7
17 07 83	MED	8	8	5	5	0	0	5	5	0.63	0.63	100.00	0	0	7
24 07 83	MED	12	12	8	8	0	0	8	8	0.67	0.67	100.00	0	0	7
31 07 83	MED	7	7	5	5	0	0	5	5	0.71	0.71	100.00	0	0	7
07 08 83	MED	10	10	8	8	0	0	8	8	0.80	0.80	100.00	0	0	7
14 08 83	MED	11	11	10	10	3	3	13	13	1.18	1.18	76.92	0	0	7
21 08 83	MED	14	14	10	10	3	3	13	13	0.93	0.93	76.92	0	0	7
28 08 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
11 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
18 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
TOTAL	MED	92	92	70	70	6	6	76	76	0.83	0.83	92.11	0	0	88

5102820
GILBERT RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DATA
19 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	MED	7	7	4	4	0	0	4	4	0.57	0.57	100.00	0	0	7
03 07 83	MED	9	9	7	7	0	0	7	7	0.78	0.78	100.00	0	0	7
10 07 83	MED	10	10	8	8	0	0	8	8	0.80	0.80	100.00	0	0	7
17 07 83	MED	13	13	10	10	0	0	10	10	0.77	0.77	100.00	0	0	7
24 07 83	MED	18	18	13	13	0	0	13	13	0.72	0.72	100.00	0	0	7
31 07 83	MED	15	15	12	12	0	0	12	12	0.80	0.80	100.00	0	0	7
07 08 83	MED	10	10	9	9	0	0	9	9	0.90	0.90	100.00	0	0	7
14 08 83	MED	8	8	5	5	0	0	5	5	0.63	0.63	100.00	0	0	7
21 08 83	MED	7	7	5	5	0	0	5	5	0.71	0.71	100.00	0	0	7
28 08 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
11 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
18 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
TOTAL	MED	97	97	73	73	0	0	73	73	0.75	0.75	100.00	0	0	88

5104500
HAWKE RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DATA
19 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	MED	6	6	4	4	0	0	4	4	0.67	0.67	100.00	0	0	7
03 07 83	MED	4	4	3	3	0	0	3	3	0.75	0.75	100.00	0	0	7
10 07 83	MED	8	8	5	5	0	0	5	5	0.63	0.63	100.00	0	0	7
17 07 83	MED	7	7	6	6	0	0	6	6	0.86	0.86	100.00	0	0	7
24 07 83	MED	8	8	7	7	1	1	8	8	1.00	1.00	87.50	0	0	7
31 07 83	MED	11	11	8	8	0	0	8	8	0.73	0.73	100.00	0	0	7
07 08 83	MED	10	10	10	10	2	2	12	12	1.20	1.20	83.33	0	0	7
14 08 83	MED	11	11	7	7	1	1	8	8	0.73	0.73	87.50	0	0	7
21 08 83	MED	8	8	5	5	0	0	5	5	0.63	0.63	100.00	0	0	7
28 08 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
11 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
18 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
TOTAL	MED	73	73	55	55	4	4	59	59	0.81	0.81	93.22	0	0	88

5205820
SANDHILL RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83	MED	9	9	1	1	3	3	4	4	0.44	0.44	25.00	0	0	7
17 07 83	HI	63	63	72	72	2	2	74	74	1.17	1.17	97.30	0	0	7
24 07 83	HI	21	21	34	34	1	1	35	35	1.67	1.67	97.14	0	0	7
31 07 83	HI	36	36	41	41	0	0	41	41	1.14	1.14	100.00	0	0	7
07 08 83	HI	35	35	58	58	0	0	58	58	1.66	1.66	100.00	0	0	7
14 08 83	MED	24	24	9	9	1	1	10	10	0.42	0.42	90.00	0	0	7
21 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
11 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
18 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
TOTAL	HI	188	188	215	215	7	7	222	222	1.18	1.18	96.85	0	0	88

5206820
EAGLE RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83	MED	38	38	0	0	1	1	1	1	0.03	0.03	0.00	0	0	7
10 07 83	MED	125	125	5	5	11	11	16	16	0.13	0.13	31.25	0	0	7
17 07 83	MED	203	203	111	111	18	18	129	129	0.64	0.64	86.05	0	0	7
24 07 83	MED	255	255	307	307	31	31	338	338	1.33	1.33	90.83	0	0	7
31 07 83	MED	238	238	278	278	22	22	300	300	1.26	1.26	92.67	0	0	7
07 08 83	MED	162	162	183	183	12	12	195	195	1.20	1.20	93.85	0	0	7
14 08 83	MED	179	179	222	222	14	14	236	236	1.32	1.32	94.07	0	0	7
21 08 83	MED	136	136	120	120	15	15	135	135	0.99	0.99	88.89	0	0	7
28 08 83	LOW	79	79	67	67	7	7	74	74	0.94	0.94	90.54	0	0	7
04 09 83	HI	32	32	24	24	2	2	26	26	0.81	0.81	92.31	0	0	7
11 09 83	HI	26	26	19	19	3	3	22	22	0.85	0.85	86.36	0	0	7
18 09 83		6	6	7	7	0	0	7	7	1.17	1.17	100.00	0	0	2
TOTAL	MED	1479	1479	1343	1343	136	136	1479	1479	1.00	1.00	90.80	0	0	88

5212880
DOUBLE MER BROOK

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END	WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE	DAYS		
DA MO YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
17 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
24 07 83	HI	8	8	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
31 07 83	HI	31	31	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
07 08 83	HI	20	20	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
14 08 83	LOW	12	12	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
21 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
11 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
18 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
TOTAL	MED	71	71	0	0	0	0	0	0	0.00	0.00	0.00	0	0	88

5214280
ST MICHAEL'S RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END	WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE	DAYS		
DA MO YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
17 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
24 07 83	LOW	10	10	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
31 07 83	LOW	28	28	13	13	1	1	14	14	0.50	0.50	92.86	0	0	7
07 08 83	MED	31	31	7	7	0	0	7	7	0.23	0.23	100.00	0	0	7
14 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
21 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
11 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
18 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
TOTAL	LOW	69	69	20	20	1	1	21	21	0.30	0.30	95.24	0	0	88

5315040
BIG RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NO FISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
17 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
24 07 83	HI	63	63	18	18	18	18	36	36	0.57	0.57	50.00	0	0	7
31 07 83	LOW	70	70	60	60	17	17	77	77	1.10	1.10	77.92	0	0	7
07 08 83	LOW	42	42	44	44	4	4	48	48	1.14	1.14	91.67	0	0	7
14 08 83	LOW	57	57	51	51	3	3	54	54	0.95	0.95	94.44	0	0	7
21 08 83	MED	21	21	26	26	2	2	28	28	1.33	1.33	92.86	0	0	7
28 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
11 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
18 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
TOTAL	MED	253	253	199	199	44	44	243	243	0.96	0.96	81.89	0	0	88

5319220
HUNT RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NOFISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83		30	30	0	0	9	9	9	9	0.30	0.30	0.00	0	0	7
17 07 83		34	34	4	4	32	32	36	36	1.06	1.06	11.11	0	0	7
24 07 83		35	35	9	9	26	26	35	35	1.00	1.00	25.71	0	0	7
31 07 83		47	47	64	64	9	9	73	73	1.55	1.55	87.67	0	0	7
07 08 83		39	39	57	57	4	4	61	61	1.56	1.56	93.44	0	0	7
14 08 83		18	18	22	22	3	3	25	25	1.39	1.39	88.00	0	0	7
21 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28 08 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
11 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
18 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
TOTAL		203	203	156	156	83	83	239	239	1.18	1.18	65.27	0	0	88

5319480
FLOWERS RIVER

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA	MO	YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DATA
19	06	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26	06	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03	07	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10	07	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
17	07	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
24	07	83	LOW	2	2	0	0	1	1	1	1	0.50	0.50	0.00	0	0	7
31	07	83	LOW	17	17	1	1	0	0	1	1	0.06	0.06	100.00	0	0	7
07	08	83	LOW	66	66	58	58	4	4	62	62	0.94	0.94	93.55	0	0	7
14	08	83	LOW	51	51	21	21	1	1	22	22	0.43	0.43	95.45	0	0	7
21	08	83	LOW	58	58	31	31	1	1	32	32	0.55	0.55	96.88	0	0	7
28	08	83	LOW	32	32	1	1	1	1	2	2	0.06	0.06	50.00	0	0	7
04	09	83	LOW	12	12	1	1	1	1	2	2	0.17	0.17	50.00	0	0	7
11	09	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
18	09	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
TOTAL			LOW	238	238	113	113	9	9	122	122	0.51	0.51	92.62	0	0	88

Appendix 12 -- 1983 Atlantic Salmon Recreational Catch and Effort - Statistical Section

STATISTICAL SECTION 01

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	HI	23	36	0	0	0	0	0	0	0.00	0.00	0.00	0	0	6
26 06 83	MED	59	80	1	1	0	0	1	1	0.02	0.01	100.00	2	0	19
03 07 83	LOW	111	139	0	0	1	1	1	1	0.01	0.01	0.00	0	0	21
10 07 83	LOW	66	104	4	5	0	0	4	5	0.06	0.05	100.00	0	0	18
17 07 83	LOW	79	117	17	22	1	1	18	23	0.23	0.20	95.65	2	3	16
24 07 83	HI	93	129	15	17	0	0	15	17	0.16	0.13	100.00	4	3	17
31 07 83	HI	80	113	27	38	0	0	27	38	0.34	0.34	100.00	4	0	17
07 08 83	HI	31	54	18	26	0	0	18	26	0.58	0.48	100.00	0	0	21
14 08 83	HI	25	38	5	7	0	0	5	7	0.20	0.18	100.00	0	0	21
21 08 83	HI	25	36	6	10	0	0	6	10	0.24	0.28	100.00	0	0	21
28 08 83	MED	11	19	3	4	0	0	3	4	0.27	0.21	100.00	0	0	21
04 09 83	MED	2	3	1	2	0	0	1	2	0.50	0.67	100.00	0	0	9
TOTAL	MED	605	868	97	132	2	2	99	134	0.16	0.15	98.51	12	6	207

STATISTICAL SECTION 03

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	2
26 06 83	MED	5	14	0	0	0	0	0	0	0.00	0.00	0.00	0	0	14
03 07 83	MED	10	15	5	8	0	0	5	8	0.50	0.53	100.00	7	0	7
10 07 83	LOW	16	22	4	10	0	0	4	10	0.25	0.45	100.00	6	0	8
17 07 83	LOW	48	68	80	110	0	0	80	110	1.67	1.62	100.00	7	0	7
24 07 83	MED	64	74	51	63	0	0	51	63	0.80	0.85	100.00	7	0	7
31 07 83	HI	30	38	33	48	0	0	33	48	1.10	1.26	100.00	0	0	14
07 08 83	HI	23	31	27	37	0	0	27	37	1.17	1.19	100.00	0	0	14
14 08 83	HI	19	37	20	38	0	0	20	38	1.05	1.03	100.00	7	0	7
21 08 83	HI	14	22	18	22	0	0	18	22	1.29	1.00	100.00	7	0	7
28 08 83	HI	12	18	4	6	0	0	4	6	0.33	0.33	100.00	7	0	7
04 09 83	HI	2	3	0	0	0	0	0	0	0.00	0.00	0.00	1	0	1
TOTAL	MED	243	342	242	342	0	0	242	342	1.00	1.00	100.00	51	0	95

STATISTICAL SECTION 04

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA	MO	YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NO FISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19	06	83	MED	61	93	2	2	1	1	3	3	0.05	0.03	66.67	4	0	20
26	06	83	MED	291	424	31	41	0	0	31	41	0.11	0.10	100.00	7	0	77
03	07	83	LOW	367	479	90	119	0	0	90	119	0.25	0.25	100.00	7	0	77
10	07	83	LOW	271	391	69	101	0	0	69	101	0.25	0.26	100.00	7	0	77
17	07	83	LOW	495	641	145	217	0	0	145	217	0.29	0.34	100.00	7	0	77
24	07	83	LOW	294	424	174	262	0	0	174	262	0.59	0.62	100.00	7	0	77
31	07	83	MED	332	447	132	201	0	0	132	201	0.40	0.45	100.00	7	0	77
07	08	83	HI	201	287	87	145	1	1	88	146	0.44	0.51	99.32	7	0	77
14	08	83	MED	86	110	41	51	0	0	41	51	0.48	0.46	100.00	7	0	77
21	08	83	MED	62	90	21	33	0	0	21	33	0.34	0.37	100.00	7	0	77
28	08	83	MED	38	58	12	20	0	0	12	20	0.32	0.34	100.00	7	0	77
04	09	83	MED	9	15	4	7	0	0	4	7	0.44	0.47	100.00	1	0	11
TOTAL			MED	2507	3459	808	1199	2	2	810	1201	0.32	0.35	99.83	75	0	801

STATISTICAL SECTION 05

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA	MO	YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NOFISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19	06	83	MED	2	8	0	0	0	0	0	0	0.00	0.00	0.00	0	0	4
26	06	83	MED	7	37	1	6	0	0	1	6	0.14	0.16	100.00	0	0	14
03	07	83	LOW	21	32	5	7	0	0	5	7	0.24	0.22	100.00	5	0	9
10	07	83	LOW	16	29	0	4	0	0	0	4	0.00	0.14	100.00	5	0	9
17	07	83	LOW	3	28	0	10	0	0	0	10	0.00	0.36	100.00	4	0	10
24	07	83	LOW	24	48	2	19	0	0	2	19	0.08	0.40	100.00	0	0	14
31	07	83	MED	14	30	0	6	0	0	0	6	0.00	0.20	100.00	0	0	14
07	08	83	HI	3	19	2	7	0	0	2	7	0.67	0.37	100.00	0	0	14
14	08	83	MED	10	16	3	9	0	0	3	9	0.30	0.56	100.00	0	0	14
21	08	83	MED	6	13	2	6	0	0	2	6	0.33	0.46	100.00	0	0	14
28	08	83	MED	4	14	1	2	0	0	1	2	0.25	0.14	100.00	0	0	14
04	09	83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
TOTAL			MED	110	274	16	76	0	0	16	76	0.15	0.28	100.00	14	0	132

STATISTICAL SECTION 06

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	MED	59	137	8	8	0	0	8	8	0.14	0.06	100.00	2	0	15
26 06 83	MED	404	603	117	162	2	3	119	165	0.29	0.27	98.18	2	0	62
03 07 83	MED	675	882	222	289	14	28	236	317	0.35	0.36	91.17	2	0	61
10 07 83	MED	702	899	246	359	1	1	247	360	0.35	0.40	99.72	2	0	61
17 07 83	MED	967	1236	351	493	0	0	351	493	0.36	0.40	100.00	2	0	61
24 07 83	MED	960	1219	417	573	3	3	420	576	0.44	0.47	99.48	2	0	61
31 07 83	MED	756	1022	283	428	6	16	289	444	0.38	0.43	96.40	2	0	61
07 08 83	HI	556	736	194	294	5	5	199	299	0.36	0.41	98.33	2	0	61
14 08 83	HI	307	449	100	186	0	0	100	186	0.33	0.41	100.00	2	0	61
21 08 83	HI	175	269	84	126	0	0	84	126	0.48	0.47	100.00	2	0	61
28 08 83	HI	142	207	43	62	0	0	43	62	0.30	0.30	100.00	2	0	61
04 09 83	HI	14	18	3	5	0	0	3	5	0.21	0.28	100.00	0	0	9
TOTAL	MED	5717	7677	2068	2985	31	56	2099	3041	0.37	0.40	98.16	22	0	635

STATISTICAL SECTION 07

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	MED	52	52	0	0	0	0	0	0	0.00	0.00	0.00	2	0	18
26 06 83	MED	166	255	24	33	0	0	24	33	0.14	0.13	100.00	4	0	66
03 07 83	LOW	1188	1515	229	278	0	0	229	278	0.19	0.18	100.00	2	0	68
10 07 83	MED	917	1359	262	348	0	0	262	348	0.29	0.26	100.00	0	0	70
17 07 83	MED	1768	2042	722	824	0	0	722	824	0.41	0.40	100.00	2	0	68
24 07 83	LOW	1023	1232	493	578	0	0	493	578	0.48	0.47	100.00	0	0	70
31 07 83	MED	1301	1602	567	667	0	0	567	667	0.44	0.42	100.00	2	0	68
07 08 83	HI	632	853	268	373	0	0	268	373	0.42	0.44	100.00	2	0	68
14 08 83	HI	310	451	40	106	0	0	40	106	0.13	0.24	100.00	2	0	68
21 08 83	HI	146	227	22	47	0	0	22	47	0.15	0.21	100.00	3	0	67
28 08 83	HI	49	98	14	37	0	0	14	37	0.29	0.38	100.00	10	0	60
04 09 83	HI	3	5	3	3	0	0	3	3	1.00	0.60	100.00	4	0	6
TOTAL	MED	7555	9691	2644	3294	0	0	2644	3294	0.35	0.34	100.00	33	0	697

STATISTICAL SECTION 09

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	39	106	0	0	0	0	0	0	0.00	0.00	0.00	6	0	12
26	06	83	MED	104	237	2	5	1	1	3	6	0.03	0.03	83.33	17	0	46
03	07	83	MED	363	652	40	84	0	0	40	84	0.11	0.13	100.00	12	0	51
10	07	83	LOW	896	1160	174	226	75	75	249	301	0.28	0.26	75.08	8	0	59
17	07	83	MED	1465	1837	351	451	10	10	361	461	0.25	0.25	97.83	8	0	69
24	07	83	MED	1549	1810	448	593	15	25	463	618	0.30	0.34	95.95	8	0	65
31	07	83	MED	1065	1318	366	488	13	25	379	513	0.36	0.39	95.13	6	0	57
07	08	83	MED	615	839	223	316	17	36	240	352	0.39	0.42	89.77	8	0	55
14	08	83	HI	365	482	156	187	19	23	175	210	0.48	0.44	89.05	4	0	59
21	08	83	HI	394	517	111	144	26	31	137	175	0.35	0.34	82.29	7	0	56
28	08	83	HI	230	309	129	168	11	14	140	182	0.61	0.59	92.31	11	0	52
04	09	83	HI	10	14	9	13	1	1	10	14	1.00	1.00	92.86	5	0	4
TOTAL			MED	7095	9281	2009	2675	188	241	2197	2916	0.31	0.31	91.74	100	0	585

STATISTICAL SECTION 11

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	91	117	1	1	0	0	1	1	0.01	0.01	100.00	20	0	8
26	06	83	MED	236	289	21	27	1	1	22	28	0.09	0.10	96.43	53	0	45
03	07	83	LOW	427	561	91	127	8	8	99	135	0.23	0.24	94.07	47	0	51
10	07	83	LOW	542	714	158	217	0	20	158	237	0.29	0.33	91.56	39	0	59
17	07	83	LOW	1107	1448	254	452	6	15	260	467	0.23	0.32	96.79	23	0	75
24	07	83	LOW	982	1361	271	376	2	7	273	383	0.28	0.28	98.17	20	0	78
31	07	83	LOW	799	1104	216	310	10	18	226	328	0.28	0.30	94.51	20	0	78
07	08	83	LOW	837	1117	213	306	6	19	219	325	0.26	0.29	94.15	24	0	74
14	08	83	MED	637	817	110	174	1	7	111	181	0.17	0.22	96.13	10	0	88
21	08	83	MED	297	451	70	134	2	6	72	140	0.24	0.31	95.71	8	0	90
28	08	83	HI	68	154	18	46	0	1	18	47	0.26	0.31	97.87	51	0	47
04	09	83	HI	5	7	0	0	0	0	0	0	0.00	0.00	0.00	11	0	3
TOTAL			MED	6028	8140	1423	2170	36	102	1459	2272	0.24	0.28	95.51	326	0	696

STATISTICAL SECTION 12

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA	MO	YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19	06	83	MED	29	34	3	4	0	0	3	4	0.10	0.12	100.00	0	0	6
26	06	83	MED	97	121	4	4	1	1	5	5	0.05	0.04	80.00	0	0	21
03	07	83	MED	192	238	14	17	0	0	14	17	0.07	0.07	100.00	0	0	21
10	07	83	MED	217	249	7	7	2	2	9	9	0.04	0.04	77.78	0	0	21
17	07	83	LOW	202	241	24	29	9	10	33	39	0.16	0.16	74.36	0	0	21
24	07	83	MED	266	302	35	41	14	16	49	57	0.18	0.19	71.93	0	0	21
31	07	83	MED	293	343	38	48	14	17	52	65	0.18	0.19	73.85	0	0	21
07	08	83	MED	242	284	24	25	16	18	40	43	0.17	0.15	58.14	0	0	21
14	08	83	HI	111	134	5	5	2	2	7	7	0.06	0.05	71.43	0	0	21
21	08	83	HI	72	79	5	5	0	0	5	5	0.07	0.06	100.00	0	0	21
28	08	83	HI	12	15	1	1	1	1	2	2	0.17	0.13	50.00	0	0	21
04	09	83	HI	12	15	1	1	1	1	2	2	0.17	0.13	50.00	0	0	3
TOTAL			MED	1745	2055	161	187	60	68	221	255	0.13	0.12	73.33	0	0	219

STATISTICAL SECTION 15

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA	MO	YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19	06	83	LOW	3	21	1	3	0	0	1	3	0.33	0.14	100.00	0	0	4
26	06	83	LOW	31	93	2	3	0	0	2	3	0.06	0.03	100.00	1	0	13
03	07	83	LOW	38	106	1	5	0	0	1	5	0.03	0.05	100.00	1	0	13
10	07	83	LOW	40	109	4	10	0	0	4	10	0.10	0.09	100.00	2	0	12
17	07	83	LOW	73	197	10	27	0	0	10	27	0.14	0.14	100.00	0	0	14
24	07	83	LOW	24	159	8	23	0	0	8	23	0.33	0.14	100.00	0	0	14
31	07	83	LOW	32	146	7	22	0	0	7	22	0.22	0.15	100.00	0	0	14
07	08	83	LOW	22	120	3	12	0	0	3	12	0.14	0.10	100.00	0	0	14
14	08	83	LOW	22	109	4	8	0	0	4	8	0.18	0.07	100.00	0	0	14
21	08	83	MED	16	74	2	5	0	0	2	5	0.13	0.07	100.00	0	0	14
28	08	83	HI	6	32	0	0	0	0	0	0	0.00	0.00	0.00	0	0	14
04	09	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	1
TOTAL			LOW	307	1166	42	118	0	0	42	118	0.14	0.10	100.00	5	0	141

STATISTICAL SECTION 16

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	16	22	0	0	0	0	0	0	0.00	0.00	0.00	0	0	4
26	06	83	LOW	55	72	0	0	0	0	0	0	0.00	0.00	0.00	2	0	12
03	07	83	LOW	105	138	1	2	0	0	1	2	0.01	0.01	100.00	2	0	12
10	07	83	MED	108	145	12	15	0	2	12	17	0.11	0.12	88.24	2	0	12
17	07	83	MED	77	97	10	12	0	0	10	12	0.13	0.12	100.00	2	0	12
24	07	83	LOW	131	157	10	12	1	1	11	13	0.08	0.08	92.31	3	0	11
31	07	83	MED	95	121	11	13	3	3	14	16	0.15	0.13	81.25	2	0	12
07	08	83	MED	91	103	4	7	0	0	4	7	0.04	0.07	100.00	2	0	12
14	08	83	MED	55	65	6	8	0	0	6	8	0.11	0.12	100.00	2	0	12
21	08	83	MED	31	40	6	6	0	0	6	6	0.19	0.15	100.00	3	0	11
28	08	83	HI	38	49	7	8	4	4	11	12	0.29	0.24	66.67	2	0	12
04	09	83	MED	5	7	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
TOTAL			MED	807	1016	67	83	8	10	75	93	0.09	0.09	89.25	22	0	124

STATISTICAL SECTION 17

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	33	53	0	0	0	0	0	0	0.00	0.00	0.00	2	0	6
26	06	83	MED	66	123	0	0	0	0	0	0	0.00	0.00	0.00	13	0	15
03	07	83	LOW	62	105	0	0	0	0	0	0	0.00	0.00	0.00	13	0	15
10	07	83	MED	50	94	0	0	0	0	0	0	0.00	0.00	0.00	13	0	15
17	07	83	MED	100	156	3	8	0	0	3	8	0.03	0.05	100.00	11	0	17
24	07	83	MED	97	155	3	6	0	0	3	6	0.03	0.04	100.00	10	0	18
31	07	83	MED	212	293	12	23	0	0	12	23	0.06	0.08	100.00	13	0	15
07	08	83	MED	124	174	10	21	0	0	10	21	0.08	0.12	100.00	11	0	17
14	08	83	MED	108	154	14	24	0	0	14	24	0.13	0.16	100.00	11	0	17
21	08	83	MED	74	120	5	7	0	0	5	7	0.07	0.06	100.00	13	0	15
28	08	83	HI	45	68	4	6	0	0	4	6	0.09	0.09	100.00	23	0	5
04	09	83	HI	6	7	0	0	0	0	0	0	0.00	0.00	0.00	3	0	1
TOTAL			MED	977	1502	51	95	0	0	51	95	0.05	0.06	100.00	136	0	156

STATISTICAL SECTION 21

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	 TOT.	NO GRILSE OBS.	 TOT.	NO SALMON OBS.	 TOT.	NO FISH OBS.	 TOT.	C/E OBS.	 TOT.	%GRILSE TOT.	 NP	DAYS CL	 DATA
19 06 83	MED	14	14	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	LOW	16	23	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
03 07 83	LOW	24	32	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
10 07 83	LOW	24	31	2	2	0	0	2	2	0.08	0.06	100.00	0	0	7
17 07 83	MED	18	29	3	7	0	0	3	7	0.17	0.24	100.00	0	0	7
24 07 83	MED	30	37	4	5	0	0	4	5	0.13	0.14	100.00	0	0	7
31 07 83	MED	22	33	3	7	0	0	3	7	0.14	0.21	100.00	0	0	7
07 08 83	LOW	28	37	3	5	0	0	3	5	0.11	0.14	100.00	0	0	7
14 08 83	LOW	29	36	2	4	0	0	2	4	0.07	0.11	100.00	0	0	7
21 08 83	MED	23	32	2	3	0	0	2	3	0.09	0.09	100.00	0	0	7
28 08 83	MED	5	33	1	1	0	0	1	1	0.20	0.03	100.00	0	0	7
04 09 83	MED	0	5	0	0	0	0	0	0	0.00	0.00	0.00	1	0	0
TOTAL	LOW	233	342	20	34	0	0	20	34	0.09	0.10	100.00	1	0	72

STATISTICAL SECTION 22

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	 TOT.	NO GRILSE OBS.	 TOT.	NO SALMON OBS.	 TOT.	NOFISH OBS.	 TOT.	C/E OBS.	 TOT.	%GRILSE TOT.	 NP	DAYS CL	 DATA
19 06 83	MED	41	59	0	0	0	0	0	0	0.00	0.00	0.00	0	0	6
26 06 83	MED	99	129	1	1	0	0	1	1	0.01	0.01	100.00	0	0	21
03 07 83	LOW	114	151	4	6	1	5	5	11	0.04	0.07	54.55	0	0	21
10 07 83	MED	144	191	8	13	1	4	9	17	0.06	0.09	76.47	0	0	21
17 07 83	MED	132	177	9	17	0	3	9	20	0.07	0.11	85.00	0	0	21
24 07 83	MED	175	225	20	28	3	9	23	37	0.13	0.16	75.68	0	0	21
31 07 83	HI	126	174	13	20	1	7	14	27	0.11	0.16	74.07	0	0	21
07 08 83	MED	85	120	6	9	0	3	6	12	0.07	0.10	75.00	0	0	21
14 08 83	MED	62	89	3	8	0	2	3	10	0.05	0.11	80.00	0	0	21
21 08 83	MED	35	49	0	3	0	1	0	4	0.00	0.08	75.00	0	0	21
28 08 83	MED	59	84	0	0	0	0	0	0	0.00	0.00	0.00	0	0	21
04 09 83	HI	10	14	0	0	0	0	0	0	0.00	0.00	0.00	0	0	3
TOTAL	MED	1082	1462	64	105	6	34	70	139	0.06	0.10	75.54	0	0	219

STATISTICAL SECTION 25

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DATA
19 06 83	MED	0	4	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	MED	5	7	0	1	0	0	0	1	0.00	0.14	100.00	0	0	7
03 07 83	LOW	4	7	0	1	0	0	0	1	0.00	0.14	100.00	0	0	7
10 07 83	MED	4	5	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
17 07 83	MED	2	7	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
24 07 83	MED	2	6	0	1	0	0	0	1	0.00	0.17	100.00	0	0	7
31 07 83	MED	2	7	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
07 08 83	MED	3	5	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
14 08 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
21 08 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
28 08 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	7
04 09 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL	MED	22	48	0	3	0	0	0	3	0.00	0.06	100.00	0	0	73

STATISTICAL SECTION 26

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DATA
19 06 83	MED	9	12	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	LOW	23	32	2	2	1	1	3	3	0.13	0.09	66.67	0	0	7
03 07 83	LOW	28	36	3	4	0	0	3	4	0.11	0.11	100.00	0	0	7
10 07 83	MED	27	36	5	7	0	1	5	8	0.19	0.22	87.50	0	0	7
17 07 83	MED	38	52	2	4	0	1	2	5	0.05	0.10	80.00	0	0	7
24 07 83	MED	42	63	3	6	1	1	4	7	0.10	0.11	85.71	0	0	7
31 07 83	MED	24	37	2	4	0	0	2	4	0.08	0.11	100.00	0	0	7
07 08 83	MED	24	36	2	3	1	1	3	4	0.13	0.11	75.00	0	0	7
14 08 83	MED	13	23	2	3	0	0	2	3	0.15	0.13	100.00	0	0	7
21 08 83	MED	17	24	2	2	0	0	2	2	0.12	0.08	100.00	0	0	7
28 08 83	HI	10	15	2	3	0	0	2	3	0.20	0.20	100.00	0	0	7
04 09 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	1
TOTAL	MED	255	366	25	38	3	5	28	43	0.11	0.12	88.37	0	0	73

STATISTICAL SECTION 27

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	164	192	1	1	0	0	1	1	0.01	0.01	100.00	0	0	6
26	06	83	MED	351	408	11	14	3	3	14	17	0.04	0.04	82.35	0	0	21
03	07	83	LOW	317	384	55	79	13	14	68	93	0.21	0.24	84.95	0	0	21
10	07	83	MED	503	601	80	114	5	5	85	119	0.17	0.20	95.80	0	0	21
17	07	83	MED	609	717	97	125	9	9	106	134	0.17	0.19	93.28	0	0	21
24	07	83	HI	458	547	67	84	6	6	73	90	0.16	0.16	93.33	0	0	21
31	07	83	HI	227	279	65	90	4	4	69	94	0.30	0.34	95.74	0	0	21
07	08	83	MED	165	208	48	65	2	2	50	67	0.30	0.32	97.01	0	0	21
14	08	83	MED	154	191	27	36	2	2	29	38	0.19	0.20	94.74	0	0	21
21	08	83	MED	100	128	17	19	0	0	17	19	0.17	0.15	100.00	0	0	21
28	08	83	MED	63	93	11	12	0	0	11	12	0.17	0.13	100.00	0	0	21
04	09	83	MED	6	8	0	0	0	0	0	0	0.00	0.00	0.00	0	0	3
TOTAL			MED	3117	3756	479	639	44	45	523	684	0.17	0.18	93.42	0	0	219

STATISTICAL SECTION 28

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	394	444	71	71	0	0	71	71	0.18	0.16	100.00	0	0	16
26	06	83	LOW	1049	1191	327	343	0	0	327	343	0.31	0.29	100.00	0	0	56
03	07	83	LOW	946	1112	290	314	0	0	290	314	0.31	0.28	100.00	0	0	56
10	07	83	MED	969	1099	222	261	0	0	222	261	0.23	0.24	100.00	0	0	56
17	07	83	MED	730	848	176	205	1	1	177	206	0.24	0.24	99.51	0	0	56
24	07	83	MED	592	691	148	178	3	5	151	183	0.26	0.26	97.27	0	0	56
31	07	83	MED	462	563	113	138	7	9	120	147	0.26	0.26	93.88	0	0	56
07	08	83	MED	308	392	43	59	5	5	48	64	0.16	0.16	92.19	0	0	56
14	08	83	MED	229	272	47	57	2	3	49	60	0.21	0.22	95.00	0	0	56
21	08	83	MED	135	163	16	21	2	2	18	23	0.13	0.14	91.30	2	0	54
28	08	83	HI	170	209	13	17	1	1	14	18	0.08	0.09	94.44	0	0	56
04	09	83	MED	10	14	0	0	0	0	0	0	0.00	0.00	0.00	3	0	5
TOTAL			MED	5994	6998	1466	1664	21	26	1487	1690	0.25	0.24	98.46	5	0	579

STATISTICAL SECTION 29

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	189	245	12	14	0	0	12	14	0.06	0.06	100.00	0	0	10
26	06	83	LOW	279	344	11	15	0	0	11	15	0.04	0.04	100.00	6	0	29
03	07	83	LOW	300	352	24	28	0	0	24	28	0.08	0.08	100.00	2	0	33
10	07	83	MED	465	539	39	47	2	2	41	49	0.09	0.09	95.92	0	0	35
17	07	83	MED	455	501	27	41	1	2	28	43	0.06	0.09	95.35	4	0	31
24	07	83	MED	378	458	43	59	0	0	43	59	0.11	0.13	100.00	2	0	33
31	07	83	MED	350	424	40	48	0	0	40	48	0.11	0.11	100.00	2	0	33
07	08	83	MED	290	340	30	34	1	1	31	35	0.11	0.10	97.14	0	0	35
14	08	83	MED	223	268	20	25	0	0	20	25	0.09	0.09	100.00	2	0	33
21	08	83	HI	196	225	12	17	0	0	12	17	0.06	0.08	100.00	2	0	33
28	08	83	MED	118	130	12	14	0	0	12	14	0.10	0.11	100.00	4	0	31
04	09	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	1	0	4
TOTAL			MED	3243	3826	270	342	4	5	274	347	0.08	0.09	98.56	25	0	340

STATISTICAL SECTION 30

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	87	104	0	1	0	0	0	1	0.00	0.01	100.00	0	0	10
26	06	83	MED	212	281	6	6	0	0	6	6	0.03	0.02	100.00	4	0	31
03	07	83	LOW	284	360	11	18	0	0	11	18	0.04	0.05	100.00	2	0	33
10	07	83	LOW	301	397	31	31	6	6	37	37	0.12	0.09	83.78	0	0	35
17	07	83	LOW	254	362	30	41	0	0	30	41	0.12	0.11	100.00	4	0	31
24	07	83	MED	286	401	36	55	2	3	38	58	0.13	0.14	94.83	4	0	31
31	07	83	HI	234	317	28	44	2	3	30	47	0.13	0.15	93.62	4	0	31
07	08	83	HI	179	246	27	39	2	2	29	41	0.16	0.17	95.12	4	0	31
14	08	83	HI	136	180	16	22	2	2	18	24	0.13	0.13	91.67	2	0	33
21	08	83	HI	71	102	9	15	0	0	9	15	0.13	0.15	100.00	4	0	31
28	08	83	HI	42	49	4	5	0	0	4	5	0.10	0.10	100.00	10	0	25
04	09	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	5	0	0
TOTAL			MED	2086	2799	198	277	14	16	212	293	0.10	0.10	94.54	43	0	322

STATISTICAL SECTION 31

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	40	44	33	35	0	0	33	35	0.82	0.80	100.00	2	0	8
26	06	83	LOW	297	339	50	52	40	40	90	92	0.30	0.27	56.52	7	0	28
03	07	83	LOW	122	170	66	75	0	0	66	75	0.54	0.44	100.00	7	0	28
10	07	83	LOW	259	276	100	105	0	0	100	105	0.39	0.38	100.00	10	0	25
17	07	83	LOW	267	295	87	91	0	0	87	91	0.33	0.31	100.00	5	0	30
24	07	83	MED	167	167	42	42	0	0	42	42	0.25	0.25	100.00	9	0	26
31	07	83	MED	99	99	37	37	0	0	37	37	0.37	0.37	100.00	7	0	28
07	08	83	MED	74	74	13	13	0	0	13	13	0.18	0.18	100.00	13	0	22
14	08	83	MED	56	56	7	7	0	0	7	7	0.13	0.13	100.00	10	0	25
21	08	83	HI	24	24	2	2	0	0	2	2	0.08	0.08	100.00	14	0	21
28	08	83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	21	0	14
04	09	83	MED	3	3	1	1	0	0	1	1	0.33	0.33	100.00	4	0	1
TOTAL			MED	1408	1547	438	460	40	40	478	500	0.34	0.32	92.00	109	0	256

STATISTICAL SECTION 32

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	HI	17	42	0	0	0	0	0	0	0.00	0.00	0.00	8	0	6
26	06	83	LOW	12	75	2	2	0	0	2	2	0.17	0.03	100.00	28	0	21
03	07	83	LOW	6	57	0	0	0	0	0	0	0.00	0.00	0.00	28	0	21
10	07	83	LOW	111	191	0	4	1	3	1	7	0.01	0.04	57.14	28	0	23
17	07	83	HI	193	405	15	28	3	5	18	33	0.09	0.08	84.85	27	0	29
24	07	83	HI	52	224	8	27	3	10	11	37	0.21	0.17	72.97	30	0	24
31	07	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	49	0	0
07	08	83	MED	4	7	0	0	0	0	0	0	0.00	0.00	0.00	44	0	5
14	08	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	49	0	0
21	08	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	49	0	0
28	08	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	49	0	0
04	09	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
TOTAL			MED	395	1001	25	61	7	18	32	79	0.08	0.08	77.22	396	0	129

STATISTICAL SECTION 33

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA	MO	YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NO FISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
12	06	83	HI	322	407	94	122	0	0	94	122	0.29	0.30	100.00	0	0	6
19	06	83	MED	401	485	87	108	0	0	87	108	0.22	0.22	100.00	4	0	12
26	06	83	LOW	281	372	74	100	0	0	74	100	0.26	0.27	100.00	4	0	17
03	07	83	LOW	203	264	45	59	0	0	45	59	0.22	0.22	100.00	1	0	20
10	07	83	LOW	138	175	22	36	0	0	22	36	0.16	0.21	100.00	2	0	19
17	07	83	MED	362	456	117	142	0	0	117	142	0.32	0.31	100.00	4	0	17
24	07	83	HI	182	254	58	72	0	0	58	72	0.32	0.28	100.00	4	0	17
31	07	83	MED	198	256	50	70	1	1	51	71	0.26	0.28	98.59	4	0	17
07	08	83	MED	98	146	19	24	0	0	19	24	0.19	0.16	100.00	4	0	17
14	08	83	HI	76	109	11	14	0	0	11	14	0.14	0.13	100.00	4	0	17
21	08	83	HI	34	56	10	15	0	0	10	15	0.29	0.27	100.00	11	0	10
28	08	83	HI	10	21	0	0	0	0	0	0	0.00	0.00	0.00	16	0	5
04	09	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	3	0	0
TOTAL			MED	2305	3001	587	762	1	1	588	763	0.26	0.25	99.87	61	0	174

STATISTICAL SECTION 34

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA	MO	YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NOFISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19	06	83	MED	134	175	36	49	1	1	37	50	0.28	0.29	98.00	0	0	8
26	06	83	LOW	328	411	107	144	0	0	107	144	0.33	0.35	100.00	0	0	28
03	07	83	LOW	320	325	68	75	1	1	69	76	0.22	0.23	98.68	0	0	28
10	07	83	MED	315	327	72	79	0	0	72	79	0.23	0.24	100.00	0	0	28
17	07	83	MED	280	301	88	126	0	0	88	126	0.31	0.42	100.00	0	0	28
24	07	83	MED	151	186	23	50	0	0	23	50	0.15	0.27	100.00	0	0	28
31	07	83	MED	96	120	4	14	0	0	4	14	0.04	0.12	100.00	0	0	28
07	08	83	MED	75	81	5	11	0	0	5	11	0.07	0.14	100.00	0	0	28
14	08	83	MED	24	26	3	3	0	0	3	3	0.13	0.12	100.00	0	0	28
21	08	83	MED	22	22	1	1	0	0	1	1	0.05	0.05	100.00	0	0	28
28	08	83	HI	20	23	1	1	0	0	1	1	0.05	0.04	100.00	0	0	28
04	C9	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	4	0	0
TOTAL			MED	1765	1997	408	553	2	2	410	555	0.23	0.28	99.64	4	0	288

STATISTICAL SECTION 35

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	 TOT.	NO GRILSE OBS.	 TOT.	NO SALMON OBS.	 TOT.	NO FISH OBS.	 TOT.	C/E OBS.	 TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	4
26 06 83	LOW	0	0	0	0	0	0	0	0	0.00	0.00	0.00	4	0	10
03 07 83	MED	15	17	0	0	0	0	0	0	0.00	0.00	0.00	4	0	10
10 07 83	MED	47	62	29	31	0	0	29	31	0.62	0.50	100.00	4	0	10
17 07 83	HI	53	63	18	18	0	0	18	18	0.34	0.29	100.00	4	0	10
24 07 83	MED	53	53	5	5	0	0	5	5	0.09	0.09	100.00	4	0	10
31 07 83	MED	20	20	5	5	0	0	5	5	0.25	0.25	100.00	4	0	10
07 08 83	MED	27	29	5	5	0	0	5	5	0.19	0.17	100.00	4	0	10
14 08 83	HI	8	8	3	3	0	0	3	3	0.38	0.38	100.00	4	0	10
21 08 83	HI	14	14	0	0	0	0	0	0	0.00	0.00	0.00	4	0	10
28 08 83	MED	7	7	0	0	0	0	0	0	0.00	0.00	0.00	4	0	10
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	0
TOTAL	MED	244	273	65	67	0	0	65	67	0.27	0.25	100.00	42	0	104

STATISTICAL SECTION 36

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	 TOT.	NO GRILSE OBS.	 TOT.	NO SALMON OBS.	 TOT.	NOFISH OBS.	 TOT.	C/E OBS.	 TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
12 06 83	MED	515	625	178	203	3	3	181	206	0.35	0.33	98.54	0	0	3
19 06 83	LOW	1197	1311	224	270	5	5	229	275	0.19	0.21	98.18	6	0	13
26 06 83	LOW	1461	1611	624	714	2	2	626	716	0.43	0.44	99.72	11	0	38
03 07 83	LOW	1430	1639	354	438	8	8	362	446	0.25	0.27	98.21	6	0	43
10 07 83	MED	864	1022	195	245	1	1	196	246	0.23	0.24	99.59	0	0	49
17 07 83	HI	605	677	114	149	2	2	116	151	0.19	0.22	98.68	9	0	40
24 07 83	MED	416	471	93	115	0	0	93	115	0.22	0.24	100.00	22	0	27
31 07 83	HI	186	206	46	50	0	0	46	50	0.25	0.24	100.00	22	0	27
07 08 83	HI	136	151	33	38	0	0	33	38	0.24	0.25	100.00	22	0	27
14 08 83	HI	48	48	9	9	0	0	9	9	0.19	0.19	100.00	22	0	27
21 08 83	HI	35	35	10	10	0	0	10	10	0.29	0.29	100.00	22	0	27
28 08 83	MED	24	24	6	8	0	0	6	8	0.25	0.33	100.00	22	0	27
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	7	0	0
TOTAL	MED	6917	7820	1886	2249	21	21	1907	2270	0.28	0.29	99.07	171	0	348

STATISTICAL SECTION 37

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	LOW	16	31	0	0	0	0	0	0	0.00	0.00	0.00	4	0	4
26 06 83	LOW	98	102	15	40	0	0	15	40	0.15	0.39	100.00	7	0	21
03 07 83	LOW	158	167	155	155	0	0	155	155	0.98	0.93	100.00	0	0	28
10 07 83	MED	148	170	119	122	1	1	120	123	0.81	0.72	99.19	14	0	14
17 07 83	HI	77	100	74	77	0	0	74	77	0.96	0.77	100.00	14	0	14
24 07 83	HI	35	53	47	47	0	0	47	47	1.34	0.89	100.00	14	0	14
31 07 83	MED	70	85	54	55	0	0	54	55	0.77	0.65	100.00	12	0	16
07 08 83	HI	25	25	29	29	0	0	29	29	1.16	1.16	100.00	14	0	14
14 08 83	HI	2	2	1	1	0	0	1	1	0.50	0.50	100.00	14	0	14
21 08 83	HI	3	6	1	1	0	0	1	1	0.33	0.17	100.00	14	0	14
28 08 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	18	0	10
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	4	0	0
TOTAL	MED	632	741	495	527	1	1	496	528	0.78	0.71	99.81	129	0	163

STATISTICAL SECTION 38

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	LOW	169	169	37	37	0	0	37	37	0.22	0.22	100.00	0	0	12
26 06 83	LOW	343	345	68	68	1	1	69	69	0.20	0.20	98.55	0	0	42
03 07 83	LOW	316	363	89	100	0	0	89	100	0.28	0.28	100.00	2	0	40
10 07 83	LOW	372	372	194	197	1	1	195	198	0.52	0.53	99.49	2	0	40
17 07 83	HI	355	365	157	177	2	2	159	179	0.45	0.49	98.88	2	0	40
24 07 83	HI	245	251	110	115	0	0	110	115	0.45	0.46	100.00	0	0	42
31 07 83	MED	211	216	62	66	0	0	62	66	0.29	0.31	100.00	2	0	40
07 08 83	HI	129	131	17	17	0	0	17	17	0.13	0.13	100.00	2	0	40
14 08 83	HI	88	88	15	15	0	0	15	15	0.17	0.17	100.00	2	0	40
21 08 83	MED	39	42	10	10	0	0	10	10	0.26	0.24	100.00	8	0	34
28 08 83	HI	20	24	5	5	0	0	5	5	0.25	0.21	100.00	2	0	40
04 09 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	12
TOTAL	MED	2287	2366	764	807	4	4	768	811	0.34	0.34	99.51	24	0	422

STATISTICAL SECTION 39

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	LOW	106	139	9	11	0	0	9	11	0.08	0.08	100.00	0	0	6
26	06	83	LOW	200	286	32	47	1	1	33	48	0.16	0.17	97.92	3	0	18
03	07	83	LOW	159	217	25	36	0	0	25	36	0.16	0.17	100.00	2	0	19
10	07	83	LOW	276	344	56	74	2	2	58	76	0.21	0.22	97.37	2	0	19
17	07	83	HI	318	405	138	168	1	2	139	170	0.44	0.42	98.82	1	0	20
24	07	83	HI	174	216	70	84	0	0	70	84	0.40	0.39	100.00	2	0	19
31	07	83	MED	101	123	36	41	1	1	37	42	0.37	0.34	97.62	4	0	17
07	08	83	HI	38	45	8	8	0	0	8	8	0.21	0.18	100.00	4	0	17
14	08	83	HI	37	53	2	2	0	0	2	2	0.05	0.04	100.00	2	0	19
21	08	83	HI	27	41	0	0	0	0	0	0	0.00	0.00	0.00	5	0	16
28	08	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	4	0	17
04	09	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	9
TOTAL			MED	1436	1869	376	471	5	6	381	477	0.27	0.26	98.74	29	0	196

STATISTICAL SECTION 40

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
12	06	83	MED	1375	1483	38	38	234	238	272	276	0.20	0.19	13.77	0	0	12
19	06	83	LOW	1217	1308	109	120	82	85	191	205	0.16	0.16	58.54	0	0	36
26	06	83	LOW	1617	1699	182	189	54	56	236	245	0.15	0.14	77.14	4	0	52
03	07	83	LOW	1247	1403	125	150	26	32	151	182	0.12	0.13	82.42	4	0	55
10	07	83	LOW	864	913	169	174	14	14	183	188	0.21	0.21	92.55	4	9	50
17	07	83	MED	1365	1478	370	396	25	25	395	421	0.29	0.28	94.06	6	3	54
24	07	83	HI	700	745	138	150	13	13	151	163	0.22	0.22	92.02	4	0	59
31	07	83	MED	563	609	117	130	11	11	128	141	0.23	0.23	92.20	4	0	59
07	08	83	HI	286	322	51	57	4	4	55	61	0.19	0.19	93.44	9	0	54
14	08	83	HI	196	202	43	43	4	4	47	47	0.24	0.23	91.49	6	0	57
21	08	83	MED	275	349	56	66	7	7	63	73	0.23	0.21	90.41	3	0	54
28	08	83	HI	45	53	12	15	0	0	12	15	0.27	0.28	100.00	0	0	56
04	09	83	MED	30	32	8	8	2	2	10	10	0.33	0.31	80.00	0	0	24
TOTAL			MED	9780	10596	1418	1536	476	491	1894	2027	0.19	0.19	75.78	44	12	622

STATISTICAL SECTION 41

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	LOW	357	468	62	107	0	0	62	107	0.17	0.23	100.00	0	0	4
26 06 83	LOW	421	508	98	136	3	3	101	139	0.24	0.27	97.84	0	0	14
03 07 83	LOW	698	862	144	221	8	12	152	233	0.22	0.27	94.85	0	0	29
10 07 83	LOW	681	893	174	238	5	17	179	255	0.26	0.29	93.33	0	0	49
17 07 83	MED	699	846	227	289	15	15	242	304	0.35	0.36	95.07	2	0	47
24 07 83	HI	497	587	153	183	4	4	157	187	0.32	0.32	97.86	0	0	49
31 07 83	HI	583	698	100	155	4	4	104	159	0.18	0.23	97.48	0	0	49
07 08 83	HI	327	403	67	78	2	2	69	80	0.21	0.20	97.50	0	0	49
14 08 83	HI	253	286	40	48	2	2	42	50	0.17	0.17	96.00	0	0	49
21 08 83	HI	154	178	29	38	1	1	30	39	0.19	0.22	97.44	0	0	19
28 08 83	HI	40	62	13	20	1	1	14	21	0.35	0.34	95.24	0	0	14
04 09 83	HI	77	93	21	26	2	2	23	28	0.30	0.30	92.86	0	0	6
TOTAL	MED	4787	5884	1128	1539	47	63	1175	1602	0.25	0.27	96.07	2	0	378

STATISTICAL SECTION 43

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
03 07 83	LOW	60	90	6	9	1	1	7	10	0.12	0.11	90.00	0	0	3
10 07 83	LOW	38	53	3	9	0	0	3	9	0.08	0.17	100.00	0	0	7
17 07 83	MED	44	61	11	11	3	3	14	14	0.32	0.23	78.57	0	0	6
TOTAL	LOW	142	204	20	29	4	4	24	33	0.17	0.16	87.88	0	0	16

STATISTICAL SECTION 44

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END	WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE	DAYS		
DA MO YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
12 06 83	MED	105	140	0	0	8	11	8	11	0.08	0.08	0.00	0	0	24
19 06 83	MED	233	298	15	19	12	12	27	31	0.12	0.10	61.29	0	0	58
26 06 83	LOW	613	740	245	304	0	0	245	304	0.40	0.41	100.00	0	0	63
03 07 83	LOW	692	788	218	258	5	5	223	263	0.32	0.33	98.10	0	0	69
10 07 83	LOW	649	838	186	231	4	5	190	236	0.29	0.28	97.88	2	18	57
17 07 83	LOW	956	1161	404	500	3	3	407	503	0.43	0.43	99.40	2	12	63
24 07 83	MED	1069	1290	465	563	3	3	468	566	0.44	0.44	99.47	2	0	76
31 07 83	HI	925	1070	493	566	4	4	497	570	0.54	0.53	99.30	0	0	76
07 08 83	HI	667	761	216	245	2	2	218	247	0.33	0.32	99.19	0	0	77
14 08 83	HI	362	426	60	61	0	0	60	61	0.17	0.14	100.00	0	0	77
21 08 83	MED	429	530	190	210	3	3	193	213	0.45	0.40	98.59	2	0	75
28 08 83	MED	437	518	165	184	3	3	168	187	0.38	0.36	98.40	0	0	77
04 09 83	MED	205	229	88	92	1	1	89	93	0.43	0.41	98.92	0	0	33
TOTAL	MED	7342	8789	2745	3233	48	52	2793	3285	0.38	0.37	98.42	8	30	825

STATISTICAL SECTION 45

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END	WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE	DAYS		
DA MO YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19 06 83	MED	18	28	2	4	0	0	2	4	0.11	0.14	100.00	0	0	4
26 06 83	MED	160	188	32	40	0	0	32	40	0.20	0.21	100.00	0	0	14
03 07 83	MED	221	241	53	60	1	1	54	61	0.24	0.25	98.36	0	0	14
10 07 83	LOW	159	177	19	19	1	1	20	20	0.13	0.11	95.00	0	3	11
17 07 83	LOW	185	207	34	39	0	0	34	39	0.18	0.19	100.00	0	2	12
24 07 83	MED	148	167	17	22	1	1	18	23	0.12	0.14	95.65	0	0	14
31 07 83	MED	115	130	11	14	0	0	11	14	0.10	0.11	100.00	0	0	14
07 08 83	HI	75	82	12	15	0	0	12	15	0.16	0.18	100.00	0	0	14
14 08 83	HI	46	53	5	8	0	0	5	8	0.11	0.15	100.00	0	0	14
21 08 83	MED	57	67	10	16	0	0	10	16	0.18	0.24	100.00	0	0	14
28 08 83	MED	50	57	11	15	0	0	11	15	0.22	0.26	100.00	0	0	14
04 09 83	MED	19	23	4	5	1	1	5	6	0.26	0.26	83.33	0	0	6
TOTAL	MED	1253	1420	210	257	4	4	214	261	0.17	0.18	98.47	0	5	145

STATISTICAL SECTION 46

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA	MO	YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NO FISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	DAYS NP	CL	DATA
19	06	83	MED	115	182	0	0	0	0	0	0	0.00	0.00	0.00	0	0	8
26	06	83	MED	376	568	8	9	1	2	9	11	0.02	0.02	81.82	0	0	28
03	07	83	LOW	414	573	12	16	1	1	13	17	0.03	0.03	94.12	0	0	28
10	07	83	LOW	405	559	16	22	1	2	17	24	0.04	0.04	91.67	0	0	28
17	07	83	LOW	412	533	51	64	2	3	53	67	0.13	0.13	95.52	0	0	28
24	07	83	HI	322	430	47	62	3	5	50	67	0.16	0.16	92.54	0	0	28
31	07	83	HI	294	411	32	40	1	1	33	41	0.11	0.10	97.56	0	0	28
07	08	83	HI	301	393	43	58	4	4	47	62	0.16	0.16	93.55	0	0	28
14	08	83	HI	276	345	39	47	4	4	43	51	0.16	0.15	92.16	0	0	28
21	08	83	MED	197	271	18	23	0	0	18	23	0.09	0.08	100.00	0	0	28
28	08	83	MED	208	276	35	40	3	3	38	43	0.18	0.16	93.02	0	0	28
04	09	83	MED	101	134	17	20	0	0	17	20	0.17	0.15	100.00	0	0	12
TOTAL			MED	3421	4675	318	401	20	25	338	426	0.10	0.09	94.13	0	0	300

STATISTICAL SECTION 47

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA	MO	YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NOFISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	DAYS NP	CL	DATA
19	06	83	MED	39	57	0	0	0	0	0	0	0.00	0.00	0.00	0	0	10
26	06	83	MED	117	168	0	0	0	0	0	0	0.00	0.00	0.00	4	0	31
03	07	83	LOW	272	376	20	20	2	3	22	23	0.08	0.06	86.96	3	0	32
10	07	83	LOW	296	376	35	37	6	6	41	43	0.14	0.11	86.05	1	12	22
17	07	83	LOW	490	602	90	116	1	1	91	117	0.19	0.19	99.15	0	6	29
24	07	83	MED	649	803	190	249	9	9	199	258	0.31	0.32	96.51	2	0	33
31	07	83	HI	506	646	175	234	1	1	176	235	0.35	0.36	99.57	2	0	33
07	08	83	HI	548	670	134	175	0	0	134	175	0.24	0.26	100.00	0	0	40
14	08	83	HI	354	423	93	114	1	1	94	115	0.27	0.27	99.13	2	0	40
21	08	83	MED	275	333	75	83	1	1	76	84	0.28	0.25	98.81	0	0	42
28	08	83	MED	186	211	26	26	0	0	26	26	0.14	0.12	100.00	0	0	42
04	09	83	MED	62	72	8	9	0	0	8	9	0.13	0.13	100.00	0	0	18
TOTAL			MED	3794	4737	846	1063	21	22	867	1085	0.23	0.23	97.97	14	18	372

STATISTICAL SECTION 48

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	MED	7	9	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
26 06 83	MED	37	42	0	1	0	0	0	1	0.00	0.02	100.00	0	0	7
03 07 83	MED	82	102	13	14	0	0	13	14	0.16	0.14	100.00	0	0	7
10 07 83	LOW	45	48	15	17	0	0	15	17	0.33	0.35	100.00	0	4	3
17 07 83	MED	115	135	89	97	0	0	89	97	0.77	0.72	100.00	0	2	5
24 07 83	MED	153	171	119	132	1	2	120	134	0.78	0.78	98.51	0	0	7
31 07 83	HI	128	141	62	70	0	0	62	70	0.48	0.50	100.00	0	0	7
07 08 83	HI	69	81	21	21	0	0	21	21	0.30	0.26	100.00	0	0	7
14 08 83	HI	76	85	19	21	0	1	19	22	0.25	0.26	95.45	0	0	7
21 08 83	HI	41	44	8	9	0	0	8	9	0.20	0.20	100.00	0	0	7
28 08 83	HI	22	24	4	5	0	0	4	5	0.18	0.21	100.00	0	0	7
04 09 83	HI	0	5	0	0	0	0	0	0	0.00	0.00	0.00	0	0	3
TOTAL	MED	775	887	350	387	1	3	351	390	0.45	0.44	99.23	0	6	69

STATISTICAL SECTION 49

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	MED	44	56	0	0	0	0	0	0	0.00	0.00	0.00	0	0	14
26 06 83	MED	180	238	21	21	1	1	22	22	0.12	0.09	95.45	2	0	47
03 07 83	LOW	235	296	55	67	1	1	56	68	0.24	0.23	98.53	2	0	47
10 07 83	LOW	433	516	213	254	2	2	215	256	0.50	0.50	99.22	2	3	44
17 07 83	LOW	424	488	237	269	4	4	241	273	0.57	0.56	98.53	2	7	40
24 07 83	MED	426	490	210	250	0	0	210	250	0.49	0.51	100.00	2	7	40
31 07 83	HI	334	401	144	176	2	2	146	178	0.44	0.44	98.88	2	7	40
07 08 83	HI	308	360	176	213	1	1	177	214	0.57	0.59	99.53	2	7	40
14 08 83	HI	248	304	110	136	1	1	111	137	0.45	0.45	99.27	2	7	40
21 08 83	MED	134	179	75	110	1	1	76	111	0.57	0.62	99.10	3	7	39
28 08 83	MED	41	66	12	29	0	0	12	29	0.29	0.44	100.00	0	7	42
04 09 83	LOW	27	39	24	35	0	0	24	35	0.89	0.90	100.00	0	3	18
TOTAL	MED	2834	3433	1277	1560	13	13	1290	1573	0.46	0.46	99.17	19	55	451

STATISTICAL SECTION 50

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83	LOW	51	59	2	2	0	0	2	2	0.04	0.03	100.00	0	0	4
26 06 83	MED	166	198	5	6	9	10	14	16	0.08	0.08	37.50	0	0	14
03 07 83	LOW	285	296	8	9	29	30	37	39	0.13	0.13	23.08	0	0	14
10 07 83	MED	404	436	88	103	37	40	125	143	0.31	0.33	72.03	0	0	14
17 07 83	MED	413	460	314	351	7	12	321	363	0.78	0.79	96.69	0	0	14
24 07 83	HI	448	510	412	478	7	9	419	487	0.94	0.95	98.15	0	0	14
31 07 83	HI	437	510	346	393	6	8	352	401	0.81	0.79	98.00	0	0	14
07 08 83	MED	300	348	234	271	8	10	242	281	0.81	0.81	96.44	0	0	14
14 08 83	HI	235	270	133	161	4	6	137	167	0.58	0.62	96.41	0	0	14
21 08 83	MED	171	206	116	134	2	3	118	137	0.69	0.67	97.81	0	0	14
28 08 83	MED	118	143	45	53	2	2	47	55	0.40	0.38	96.36	0	0	14
04 09 83	MED	46	61	23	28	0	0	23	28	0.50	0.46	100.00	0	0	14
11 09 83	MED	15	16	10	11	0	0	10	11	0.67	0.69	100.00	0	0	14
18 09 83	MED	0	16	0	0	0	0	0	0	0.00	0.00	0.00	0	0	8
TOTAL	MED	3089	3529	1736	2000	111	130	1847	2130	0.60	0.60	93.90	0	0	180

STATISTICAL SECTION 51

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	12
26 06 83	MED	54	54	18	18	0	0	18	18	0.33	0.33	100.00	0	0	42
03 07 83	MED	60	60	22	22	0	0	22	22	0.37	0.37	100.00	0	0	42
10 07 83	MED	69	69	32	32	8	8	40	40	0.58	0.58	80.00	0	0	42
17 07 83	MED	82	82	38	38	0	0	38	38	0.46	0.46	100.00	0	0	42
24 07 83	MED	100	100	59	59	1	1	60	60	0.60	0.60	98.33	0	0	42
31 07 83	MED	76	76	38	38	0	0	38	38	0.50	0.50	100.00	0	0	42
07 08 83	MED	73	73	56	56	2	2	58	58	0.79	0.79	96.55	0	0	42
14 08 83	MED	64	64	32	32	4	4	36	36	0.56	0.56	88.89	0	0	42
21 08 83	MED	49	49	31	31	3	3	34	34	0.69	0.69	91.18	0	0	42
28 08 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	42
04 09 83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	42
11 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	42
18 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	12
TOTAL	MED	627	627	326	326	18	18	344	344	0.55	0.55	94.77	0	0	528

STATISTICAL SECTION 52

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	8
26 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	28
03 07 83	MED	38	38	0	0	1	1	1	1	0.03	0.03	0.00	0	0	28
10 07 83	MED	134	134	6	6	14	14	20	20	0.15	0.15	30.00	0	0	28
17 07 83	HI	266	266	183	183	20	20	203	203	0.76	0.76	90.15	0	0	28
24 07 83	MED	294	294	341	341	32	32	373	373	1.27	1.27	91.42	0	0	28
31 07 83	MED	333	333	332	332	23	23	355	355	1.07	1.07	93.52	0	0	28
07 08 83	MED	248	248	248	248	12	12	260	260	1.05	1.05	95.38	0	0	28
14 08 83	MED	215	215	231	231	15	15	246	246	1.14	1.14	93.90	0	0	28
21 08 83	MED	136	136	120	120	15	15	135	135	0.99	0.99	88.89	0	0	28
28 08 83	LOW	79	79	67	67	7	7	74	74	0.94	0.94	90.54	0	0	28
04 09 83	HI	32	32	24	24	2	2	26	26	0.81	0.81	92.31	0	0	28
11 09 83	HI	26	26	19	19	3	3	22	22	0.85	0.85	86.36	0	0	28
18 09 83		6	6	7	7	0	0	7	7	1.17	1.17	100.00	0	0	8
TOTAL	MED	1807	1807	1578	1578	144	144	1722	1722	0.95	0.95	91.64	0	0	352

STATISTICAL SECTION 53

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	6
26 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	21
03 07 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	21
10 07 83		30	30	0	0	9	9	9	9	0.30	0.30	0.00	0	0	21
17 07 83		34	34	4	4	32	32	36	36	1.06	1.06	11.11	0	0	21
24 07 83	MED	100	100	27	27	45	45	72	72	0.72	0.72	37.50	0	0	21
31 07 83	LOW	134	134	125	125	26	26	151	151	1.13	1.13	82.78	0	0	21
07 08 83	LOW	147	147	159	159	12	12	171	171	1.16	1.16	92.98	0	0	21
14 08 83	LOW	126	126	94	94	7	7	101	101	0.80	0.80	93.07	0	0	21
21 08 83	MED	79	79	57	57	3	3	60	60	0.76	0.76	95.00	0	0	21
28 08 83	LOW	32	32	1	1	1	1	2	2	0.06	0.06	50.00	0	0	21
04 09 83	LOW	12	12	1	1	1	1	2	2	0.17	0.17	50.00	0	0	21
11 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	21
18 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	6
TOTAL	LOW	694	694	468	468	136	136	604	604	0.87	0.87	77.48	0	0	264

Appendix 13 -- 1983 Atlantic Salmon Recreational Catch and Effort - Statistical Area

3

STATISTICAL AREA A

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	86	137	2	2	1	1	3	3	0.03	0.02	66.67	6	0	32
26	06	83	MED	362	555	33	48	0	0	33	48	0.09	0.09	100.00	9	0	124
03	07	83	LOW	509	665	100	134	1	1	101	135	0.20	0.20	99.26	19	0	114
10	07	83	LOW	369	546	77	120	0	0	77	120	0.21	0.22	100.00	18	3	112
17	07	83	LOW	625	854	242	359	1	1	243	360	0.39	0.42	99.72	20	3	110
24	07	83	MED	475	675	242	361	0	0	242	361	0.51	0.53	100.00	18	0	115
31	07	83	MED	456	628	192	293	0	0	192	293	0.42	0.47	100.00	11	0	122
07	08	83	HI	258	391	134	215	1	1	135	216	0.52	0.55	99.54	7	0	126
14	08	83	HI	140	201	69	105	0	0	69	105	0.49	0.52	100.00	14	0	119
21	08	83	MED	107	161	47	71	0	0	47	71	0.44	0.44	100.00	14	0	119
28	08	83	MED	65	109	20	32	0	0	20	32	0.31	0.29	100.00	14	0	119
04	09	83	MED	13	21	5	9	0	0	5	9	0.38	0.43	100.00	2	0	23
TOTAL			MED	3465	4943	1163	1749	4	4	1167	1753	0.34	0.35	99.77	152	6	1235

STATISTICAL AREA B

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	150	295	8	8	0	0	8	8	0.05	0.03	100.00	10	0	45
26	06	83	MED	674	1095	143	200	3	4	146	204	0.22	0.19	98.04	23	0	174
03	07	83	MED	2226	3049	491	651	14	28	505	679	0.23	0.22	95.88	16	0	180
10	07	83	MED	2515	3418	682	933	76	76	758	1009	0.30	0.30	92.47	10	0	190
17	07	83	MED	4200	5115	1424	1768	10	10	1434	1778	0.34	0.35	99.44	12	0	198
24	07	83	MED	3532	4261	1358	1744	18	28	1376	1772	0.39	0.42	98.42	10	0	196
31	07	83	MED	3122	3942	1216	1583	19	41	1235	1624	0.40	0.41	97.48	10	0	186
07	08	83	HI	1803	2428	685	983	22	41	707	1024	0.39	0.42	96.00	12	0	184
14	08	83	HI	982	1382	296	479	19	23	315	502	0.32	0.36	95.42	8	0	188
21	08	83	HI	715	1013	217	317	26	31	243	348	0.34	0.34	91.09	12	0	184
28	08	83	HI	421	614	186	267	11	14	197	281	0.47	0.46	95.02	23	0	173
04	09	83	HI	27	37	15	21	1	1	16	22	0.59	0.59	95.45	9	0	19
TOTAL			MED	20367	26649	6721	8954	219	297	6940	9251	0.34	0.35	96.79	155	0	1917

STATISTICAL AREA C

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	120	151	4	5	0	0	4	5	0.03	0.03	100.00	20	0	14
26	06	83	MED	333	410	25	31	2	2	27	33	0.08	0.08	93.94	53	0	66
03	07	83	LOW	619	799	105	144	8	8	113	152	0.18	0.19	94.74	47	0	72
10	07	83	LOW	759	963	165	224	2	22	167	246	0.22	0.26	91.06	39	0	80
17	07	83	LOW	1309	1689	278	481	15	25	293	506	0.22	0.30	95.06	23	0	96
24	07	83	LOW	1248	1663	306	417	16	23	322	440	0.26	0.26	94.77	20	0	99
31	07	83	MED	1092	1447	254	358	24	35	278	393	0.25	0.27	91.09	20	0	99
07	08	83	MED	1079	1401	237	331	22	37	259	368	0.24	0.26	89.95	24	0	95
14	08	83	MED	748	951	115	179	3	9	118	188	0.16	0.20	95.21	10	0	109
21	08	83	HI	369	530	75	139	2	6	77	145	0.21	0.27	95.86	8	0	111
28	08	83	HI	80	169	19	47	1	2	20	49	0.25	0.29	95.92	51	0	68
04	09	83	HI	17	22	1	1	1	1	2	2	0.12	0.09	50.00	11	0	6
TOTAL			MED	7773	10195	1584	2357	96	170	1680	2527	0.22	0.25	93.27	326	0	915

STATISTICAL AREA D

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	52	96	1	3	0	0	1	3	0.02	0.03	100.00	2	0	14
26	06	83	LOW	152	288	2	3	0	0	2	3	0.01	0.01	100.00	16	0	40
03	07	83	LOW	205	349	2	7	0	0	2	7	0.01	0.02	100.00	16	0	40
10	07	83	MED	198	348	16	25	0	2	16	27	0.08	0.08	92.59	17	0	39
17	07	83	MED	250	450	23	47	0	0	23	47	0.09	0.10	100.00	13	0	43
24	07	83	LOW	252	471	21	41	1	1	22	42	0.09	0.09	97.62	13	0	43
31	07	83	MED	339	560	30	58	3	3	33	61	0.10	0.11	95.08	15	0	41
07	08	83	MED	237	397	17	40	0	0	17	40	0.07	0.10	100.00	13	0	43
14	08	83	MED	185	328	24	40	0	0	24	40	0.13	0.12	100.00	13	0	43
21	08	83	MED	121	234	13	18	0	0	13	18	0.11	0.08	100.00	16	0	40
28	08	83	HI	89	149	11	14	4	4	15	18	0.17	0.12	77.78	25	0	31
04	09	83	HI	11	14	0	0	0	0	0	0	0.00	0.00	0.00	4	0	4
TOTAL			MED	2091	3684	160	296	8	10	168	306	0.08	0.08	96.73	163	0	421

STATISTICAL AREA E

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	55	73	0	0	0	0	0	0	0.00	0.00	0.00	0	0	8
26	06	83	MED	115	152	1	1	0	0	1	1	0.01	0.01	100.00	0	0	28
03	07	83	LOW	138	183	4	6	1	5	5	11	0.04	0.06	54.55	0	0	28
10	07	83	MED	168	222	10	15	1	4	11	19	0.07	0.09	78.95	0	0	28
17	07	83	MED	150	206	12	24	0	3	12	27	0.08	0.13	88.89	0	0	28
24	07	83	MED	205	262	24	33	3	9	27	42	0.13	0.16	78.57	0	0	28
31	07	83	MED	148	207	16	27	1	7	17	34	0.11	0.16	79.41	0	0	28
07	08	83	MED	113	157	9	14	0	3	9	17	0.08	0.11	82.35	0	0	28
14	08	83	MED	91	125	5	12	0	2	5	14	0.05	0.11	85.71	0	0	28
21	08	83	MED	58	81	2	6	0	1	2	7	0.03	0.09	85.71	0	0	28
28	08	83	MED	64	117	1	1	0	0	1	1	0.02	0.01	100.00	0	0	28
04	09	83	HI	10	19	0	0	0	0	0	0	0.00	0.00	0.00	1	0	3
TOTAL			MED	1315	1804	84	139	6	34	90	173	0.07	0.10	80.35	1	0	291

STATISTICAL AREA F

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	9	16	0	0	0	0	0	0	0.00	0.00	0.00	0	0	4
26	06	83	MED	28	39	2	3	1	1	3	4	0.11	0.10	75.00	0	0	14
03	07	83	LOW	32	43	3	5	0	0	3	5	0.09	0.12	100.00	0	0	14
10	07	83	MED	31	41	5	7	0	1	5	8	0.16	0.20	87.50	0	0	14
17	07	83	MED	40	59	2	4	0	1	2	5	0.05	0.08	80.00	0	0	14
24	07	83	MED	44	69	3	7	1	1	4	8	0.09	0.12	87.50	0	0	14
31	07	83	MED	26	44	2	4	0	0	2	4	0.08	0.09	100.00	0	0	14
07	08	83	MED	27	41	2	3	1	1	3	4	0.11	0.10	75.00	0	0	14
14	08	83	MED	13	23	2	3	0	0	2	3	0.15	0.13	100.00	0	0	14
21	08	83	MED	17	24	2	2	0	0	2	2	0.12	0.08	100.00	0	0	14
28	08	83	HI	10	15	2	3	0	0	2	3	0.20	0.20	100.00	0	0	14
04	09	83	MED	0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	2
TOTAL			MED	277	414	25	41	3	5	28	46	0.10	0.11	89.13	0	0	146

STATISTICAL AREA G

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	558	636	72	72	0	0	72	72	0.13	0.11	100.00	0	0	22
26	06	83	MED	1400	1599	338	357	3	3	341	360	0.24	0.23	99.17	0	0	77
03	07	83	LOW	1263	1496	345	393	13	14	358	407	0.28	0.27	96.56	0	0	77
10	07	83	MED	1472	1700	302	375	5	5	307	380	0.21	0.22	98.68	0	0	77
17	07	83	MED	1339	1565	273	330	10	10	283	340	0.21	0.22	97.06	0	0	77
24	07	83	MED	1050	1238	215	262	9	11	224	273	0.21	0.22	95.97	0	0	77
31	07	83	MED	689	842	178	228	11	13	189	241	0.27	0.29	94.61	0	0	77
07	08	83	MED	473	600	91	124	7	7	98	131	0.21	0.22	94.66	0	0	77
14	08	83	MED	383	463	74	93	4	5	78	98	0.20	0.21	94.90	0	0	77
21	08	83	MED	235	291	33	40	2	2	35	42	0.15	0.14	95.24	2	0	75
28	08	83	MED	233	302	24	29	1	1	25	30	0.11	0.10	96.67	0	0	77
04	09	83	MED	16	22	0	0	0	0	0	0	0.00	0.00	0.00	3	0	8
TOTAL			MED	9111	10754	1945	2303	65	71	2010	2374	0.22	0.22	97.01	5	0	798

STATISTICAL AREA H

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	333	435	45	50	0	0	45	50	0.14	0.11	100.00	10	0	34
26	06	83	LOW	800	1039	69	75	40	40	109	115	0.14	0.11	65.22	45	0	109
03	07	83	LOW	712	939	101	121	0	0	101	121	0.14	0.13	100.00	39	0	115
10	07	83	LOW	1136	1403	170	187	9	11	179	198	0.16	0.14	94.44	38	0	118
17	07	83	MED	1169	1563	159	201	4	7	163	208	0.14	0.13	96.63	40	0	121
24	07	83	MED	883	1250	129	183	5	13	134	196	0.15	0.16	93.37	45	0	114
31	07	83	MED	683	840	105	129	2	3	107	132	0.16	0.16	97.73	62	0	92
07	08	83	MED	547	667	70	86	3	3	73	89	0.13	0.13	96.63	61	0	93
14	08	83	MED	415	504	43	54	2	2	45	56	0.11	0.11	96.43	63	0	91
21	08	83	HI	291	351	23	34	0	0	23	34	0.08	0.10	100.00	69	0	85
28	08	83	MED	160	179	16	19	0	0	16	19	0.10	0.11	100.00	84	0	70
04	09	83	MED	3	3	1	1	0	0	1	1	0.33	0.33	100.00	17	0	5
TOTAL			MED	7132	9173	931	1140	65	79	996	1219	0.14	0.13	93.52	573	0	1047

STATISTICAL AREA I

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END	WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE	DAYS		
DA MO YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
12 06 83	HI	322	407	94	122	0	0	94	122	0.29	0.30	100.00	0	0	6
19 06 83	LOW	535	660	123	157	1	1	124	158	0.23	0.24	99.37	4	0	24
26 06 83	LOW	609	783	181	244	0	0	181	244	0.30	0.31	100.00	8	0	55
03 07 83	LOW	538	606	113	134	1	1	114	135	0.21	0.22	99.26	5	0	58
10 07 83	MED	500	564	123	146	0	0	123	146	0.25	0.26	100.00	6	0	57
17 07 83	MED	695	820	223	286	0	0	223	286	0.32	0.35	100.00	8	0	55
24 07 83	MED	386	493	86	127	0	0	86	127	0.22	0.26	100.00	8	0	55
31 07 83	MED	314	396	59	89	1	1	60	90	0.19	0.23	98.89	8	0	55
07 08 83	MED	200	256	29	40	0	0	29	40	0.14	0.16	100.00	8	0	55
14 08 83	MED	108	143	17	20	0	0	17	20	0.16	0.14	100.00	8	0	55
21 08 83	HI	70	92	11	16	0	0	11	16	0.16	0.17	100.00	15	0	48
28 08 83	HI	37	51	1	1	0	0	1	1	0.03	0.02	100.00	20	0	43
04 09 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	9	0	0
TOTAL	MED	4314	5271	1060	1382	3	3	1063	1385	0.25	0.26	99.78	107	0	566

STATISTICAL AREA J

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END	WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE	DAYS		
DA MO YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
12 06 83	MED	515	625	178	203	3	3	181	206	0.35	0.33	98.54	0	0	3
19 06 83	LOW	1488	1650	270	318	5	5	275	323	0.18	0.20	98.45	10	0	35
26 06 83	LOW	2102	2344	739	869	4	4	743	873	0.35	0.37	99.54	21	0	119
03 07 83	LOW	2063	2386	623	729	8	8	631	737	0.31	0.31	98.91	10	0	130
10 07 83	MED	1660	1908	564	638	5	5	569	643	0.34	0.34	99.22	18	0	122
17 07 83	HI	1355	1547	483	571	5	6	488	577	0.36	0.37	98.96	26	0	114
24 07 83	HI	870	991	320	361	0	0	320	361	0.37	0.36	100.00	38	0	102
31 07 83	MED	568	630	198	212	1	1	199	213	0.35	0.34	99.53	40	0	100
07 08 83	HI	328	352	87	92	0	0	87	92	0.27	0.26	100.00	42	0	98
14 08 83	HI	175	191	27	27	0	0	27	27	0.15	0.14	100.00	40	0	100
21 08 83	HI	104	124	21	21	0	0	21	21	0.20	0.17	100.00	49	0	91
28 08 83	HI	44	48	11	13	0	0	11	13	0.25	0.27	100.00	46	0	94
04 09 83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	13	0	21
TOTAL	MED	11272	12796	3521	4054	31	32	3552	4086	0.32	0.32	99.22	353	0	1129

STATISTICAL AREA J1

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA	MO	YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NO FISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
12	06	83	MED	515	625	178	203	3	3	181	206	0.35	0.33	98.54	0	0	3
19	06	83	LOW	1213	1342	224	270	5	5	229	275	0.19	0.20	98.18	10	0	17
26	06	83	LOW	1559	1713	639	754	2	2	641	756	0.41	0.44	99.74	18	0	59
03	07	83	LOW	1588	1806	509	593	8	8	517	601	0.33	0.33	98.67	6	0	71
10	07	83	MED	1012	1192	314	367	2	2	316	369	0.31	0.31	99.46	14	0	63
17	07	83	HI	682	777	188	226	2	2	190	228	0.28	0.29	99.12	23	0	54
24	07	83	HI	451	524	140	162	0	0	140	162	0.31	0.31	100.00	36	0	41
31	07	83	HI	256	291	100	105	0	0	100	105	0.39	0.36	100.00	34	0	43
07	08	83	HI	161	176	62	67	0	0	62	67	0.39	0.38	100.00	36	0	41
14	08	83	HI	50	50	10	10	0	0	10	10	0.20	0.20	100.00	36	0	41
21	08	83	HI	38	41	11	11	0	0	11	11	0.29	0.27	100.00	36	0	41
28	08	83	MED	24	24	6	8	0	0	6	8	0.25	0.33	100.00	40	0	37
04	09	83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	11	0	0
TOTAL			MED	7549	8561	2381	2776	22	22	2403	2798	0.32	0.33	99.21	300	0	511

STATISTICAL AREA J2

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA	MO	YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NOFISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
19	06	83	LOW	275	308	46	48	0	0	46	48	0.17	0.16	100.00	0	0	18
26	06	83	LOW	543	631	100	115	2	2	102	117	0.19	0.19	98.29	3	0	60
03	07	83	LOW	475	580	114	136	0	0	114	136	0.24	0.23	100.00	4	0	59
10	07	83	LOW	648	716	250	271	3	3	253	274	0.39	0.38	98.91	4	0	59
17	07	83	HI	673	770	295	345	3	4	298	349	0.44	0.45	98.85	3	0	60
24	07	83	HI	419	467	180	199	0	0	180	199	0.43	0.43	100.00	2	0	61
31	07	83	MED	312	339	98	107	1	1	99	108	0.32	0.32	99.07	6	0	57
07	08	83	HI	167	176	25	25	0	0	25	25	0.15	0.14	100.00	6	0	57
14	08	83	HI	125	141	17	17	0	0	17	17	0.14	0.12	100.00	4	0	59
21	08	83	HI	66	83	10	10	0	0	10	10	0.15	0.12	100.00	13	0	50
28	08	83	HI	20	24	5	5	0	0	5	5	0.25	0.21	100.00	6	0	57
04	09	83	HI	0	0	0	0	0	0	0	0	0.00	0.00	0.00	2	0	21
TOTAL			MED	3723	4235	1140	1278	9	10	1149	1288	0.31	0.30	99.22	53	0	618

STATISTICAL AREA K

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
12	06	83	MED	1375	1483	38	38	234	238	272	276	0.20	0.19	13.77	0	0	12
19	06	83	LOW	1574	1776	171	227	82	85	253	312	0.16	0.18	72.76	0	0	40
26	06	83	LOW	2038	2207	280	325	57	59	337	384	0.17	0.17	84.64	4	0	66
03	07	83	LOW	1945	2265	269	371	34	44	303	415	0.16	0.18	89.40	4	0	84
10	07	83	LOW	1545	1806	343	412	19	31	362	443	0.23	0.25	93.00	4	9	99
17	07	83	MED	2064	2324	597	685	40	40	637	725	0.31	0.31	94.48	8	3	101
24	07	83	HI	1197	1332	291	333	17	17	308	350	0.26	0.26	95.14	4	0	108
31	07	83	HI	1146	1307	217	285	15	15	232	300	0.20	0.23	95.00	4	0	108
07	08	83	HI	613	725	118	135	6	6	124	141	0.20	0.19	95.74	9	0	103
14	08	83	HI	449	488	83	91	6	6	89	97	0.20	0.20	93.81	6	0	106
21	08	83	HI	429	527	85	104	8	8	93	112	0.22	0.21	92.86	3	0	73
28	08	83	HI	85	115	25	35	1	1	26	36	0.31	0.31	97.22	0	0	70
04	09	83	MED	107	125	29	34	4	4	33	38	0.31	0.30	89.47	0	0	30
TOTAL			MED	14567	16480	2546	3075	523	554	3069	3629	0.21	0.22	84.73	46	12	1000

STATISTICAL AREA L

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE	DAYS		
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
12	06	83	MED	105	140	0	0	8	11	8	11	0.08	0.08	0.00	0	0	24
19	06	83	MED	233	298	15	19	12	12	27	31	0.12	0.10	61.29	0	0	58
26	06	83	LOW	613	740	245	304	0	0	245	304	0.40	0.41	100.00	0	0	63
03	07	83	LOW	752	878	224	267	6	6	230	273	0.31	0.31	97.80	0	0	72
10	07	83	LOW	687	891	189	240	4	5	193	245	0.28	0.27	97.96	2	18	64
17	07	83	LOW	1000	1222	415	511	6	6	421	517	0.42	0.42	98.84	2	12	69
24	07	83	MED	1069	1290	465	563	3	3	468	566	0.44	0.44	99.47	2	0	76
31	07	83	HI	925	1070	493	566	4	4	497	570	0.54	0.53	99.30	0	0	76
07	08	83	HI	667	761	216	245	2	2	218	247	0.33	0.32	99.19	0	0	77
14	08	83	HI	362	426	60	61	0	0	60	61	0.17	0.14	100.00	0	0	77
21	08	83	MED	429	530	190	210	3	3	193	213	0.45	0.40	98.59	2	0	75
28	08	83	MED	437	518	165	184	3	3	168	187	0.38	0.36	98.40	0	0	77
04	09	83	MED	205	229	88	92	1	1	89	93	0.43	0.41	98.92	0	0	33
TOTAL			MED	7484	8993	2765	3262	52	56	2817	3318	0.38	0.37	98.31	8	30	841

STATISTICAL AREA M

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	172	267	2	4	0	0	2	4	0.01	0.01	100.00	0	0	22
26	06	83	MED	653	924	40	49	1	2	41	51	0.06	0.06	96.08	4	0	73
03	07	83	LOW	907	1190	85	96	4	5	89	101	0.10	0.08	95.05	3	0	74
10	07	83	LOW	860	1112	70	78	8	9	78	87	0.09	0.08	89.66	1	15	61
17	07	83	LOW	1087	1342	175	219	3	4	178	223	0.16	0.17	98.21	0	8	69
24	07	83	MED	1119	1400	254	333	13	15	267	348	0.24	0.25	95.69	2	0	75
31	07	83	HI	915	1187	218	288	2	2	220	290	0.24	0.24	99.31	2	0	75
07	08	83	HI	924	1145	189	248	4	4	193	252	0.21	0.22	98.41	0	0	82
14	08	83	HI	676	821	137	169	5	5	142	174	0.21	0.21	97.13	2	0	82
21	08	83	MED	529	671	103	122	1	1	104	123	0.20	0.18	99.19	0	0	84
28	08	83	MED	444	544	72	81	3	3	75	84	0.17	0.15	96.43	0	0	84
04	09	83	MED	182	229	29	34	1	1	30	35	0.16	0.15	97.14	0	0	36
TOTAL			MED	8468	10832	1374	1721	45	51	1419	1772	0.17	0.16	97.12	14	23	817

STATISTICAL AREA N

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	MED	51	65	0	0	0	0	0	0	0.00	0.00	0.00	0	0	16
26	06	83	MED	217	280	21	22	1	1	22	23	0.10	0.08	95.65	2	0	54
03	07	83	LOW	317	398	68	81	1	1	69	82	0.22	0.21	98.78	2	0	54
10	07	83	LOW	478	564	228	271	2	2	230	273	0.48	0.48	99.27	2	7	47
17	07	83	LOW	539	623	326	366	4	4	330	370	0.61	0.59	98.92	2	9	45
24	07	83	MED	579	661	329	382	1	2	330	384	0.57	0.58	99.48	2	7	47
31	07	83	HI	462	542	206	246	2	2	208	248	0.45	0.46	99.19	2	7	47
07	08	83	HI	377	441	197	234	1	1	198	235	0.53	0.53	99.57	2	7	47
14	08	83	HI	324	389	129	157	1	2	130	159	0.40	0.41	98.74	2	7	47
21	08	83	MED	175	223	83	119	1	1	84	120	0.48	0.54	99.17	3	7	46
28	08	83	MED	63	90	16	34	0	0	16	34	0.25	0.38	100.00	0	7	49
04	09	83	LOW	27	44	24	35	0	0	24	35	0.89	0.80	100.00	0	3	21
TOTAL			MED	3609	4320	1627	1947	14	16	1641	1963	0.45	0.45	99.18	19	61	520

STATISTICAL AREA O

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA	MO	YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NO FISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	DAYS NP	CL	DATA
19	06	83	LOW	51	59	2	2	0	0	2	2	0.04	0.03	100.00	0	0	30
26	06	83	MED	220	252	23	24	9	10	32	34	0.15	0.13	70.59	0	0	105
03	07	83	MED	383	394	30	31	30	31	60	62	0.16	0.16	50.00	0	0	105
10	07	83	MED	637	669	126	141	68	71	194	212	0.30	0.32	66.51	0	0	105
17	07	83	MED	795	842	539	576	59	64	598	640	0.75	0.76	90.00	0	0	105
24	07	83	MED	942	1004	839	905	85	87	924	992	0.98	0.99	91.23	0	0	105
31	07	83	MED	980	1053	841	888	55	57	896	945	0.91	0.90	93.97	0	0	105
07	08	83	MED	768	816	697	734	34	36	731	770	0.95	0.94	95.32	0	0	105
14	08	83	MED	640	675	490	518	30	32	520	550	0.81	0.81	94.18	0	0	105
21	08	83	MED	435	470	324	342	23	24	347	366	0.80	0.78	93.44	0	0	105
28	08	83	MED	229	254	113	121	10	10	123	131	0.54	0.52	92.37	0	0	105
04	09	83	MED	90	105	48	53	3	3	51	56	0.57	0.53	94.64	0	0	105
11	09	83	MED	41	42	29	30	3	3	32	33	0.78	0.79	90.91	0	0	105
18	09	83	MED	6	22	7	7	0	0	7	7	1.17	0.32	100.00	0	0	34
TOTAL			MED	6217	6657	4108	4372	409	428	4517	4800	0.73	0.72	91.08	0	0	1324

Appendix 14 -- 1983 Atlantic Salmon Recreational Catch and Effort - Regional Totals

GULF REGION

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NO FISH OBS.	NO FISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	DAYS NP	DAYS CL	DATA
12 06 83	MED	1480	1623	38	38	242	249	280	287	0.19	0.18	13.24	0	0	36
19 06 83	MED	2243	2673	199	263	94	97	293	360	0.13	0.13	73.06	0	0	160
26 06 83	LOW	4020	4791	630	760	69	73	699	833	0.17	0.17	91.24	15	0	335
03 07 83	LOW	4522	5431	679	860	75	87	754	947	0.17	0.17	90.81	11	0	366
10 07 83	LOW	4396	5337	996	1201	72	89	1068	1290	0.24	0.24	93.10	11	52	350
17 07 83	MED	5621	6614	2035	2377	64	71	2099	2448	0.37	0.37	97.10	15	35	362
24 07 83	MED	4829	5693	1904	2262	41	46	1945	2308	0.40	0.41	98.01	16	7	384
31 07 83	HI	4174	4962	1568	1884	30	32	1598	1916	0.38	0.39	98.33	16	7	382
07 08 83	HI	3015	3586	988	1175	21	23	1009	1198	0.33	0.33	98.08	15	7	389
14 08 83	HI	2165	2542	557	656	16	19	573	675	0.26	0.27	97.19	12	7	394
21 08 83	MED	1814	2263	585	701	15	16	600	717	0.33	0.32	97.77	19	7	351
28 08 83	MED	1161	1432	326	391	9	9	335	400	0.29	0.28	97.75	4	7	360
04 09 83	MED	569	691	194	225	6	6	200	231	0.35	0.33	97.40	0	3	164
11 09 83	MED	15	16	10	11	0	0	10	11	0.67	0.69	100.00	0	0	14
18 09 83	MED	0	16	0	0	0	0	0	0	0.00	0.00	0.00	0	0	8
TOTAL	MED	40024	47670	10709	12804	754	817	11463	13621	0.29	0.29	94.00	134	132	4055

NEWFOUNDLAND REGION (INSULAR)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA MO YR	WATER LEVEL	ROD DAYS OBS.	ROD DAYS TOT.	NO GRILSE OBS.	NO GRILSE TOT.	NO SALMON OBS.	NO SALMON TOT.	NOFISH OBS.	NOFISH TOT.	C/E OBS.	C/E TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
12 06 83	HI	837	1032	272	325	3	3	275	328	0.33	0.32	99.09	0	0	9
19 06 83	MED	3224	3941	516	604	7	7	523	611	0.16	0.16	98.85	62	0	212
26 06 83	MED	6242	7862	1494	1777	52	53	1546	1830	0.25	0.23	97.10	170	0	741
03 07 83	LOW	7989	10111	1862	2288	45	64	1907	2352	0.24	0.23	97.28	150	0	760
10 07 83	MED	8386	10585	2036	2573	96	124	2132	2697	0.25	0.25	95.40	144	0	772
17 07 83	MED	10614	13225	2911	3826	41	58	2952	3884	0.28	0.29	98.51	139	0	792
24 07 83	MED	8528	10873	2551	3363	53	86	2604	3449	0.31	0.32	97.51	146	0	779
31 07 83	MED	7148	9190	2162	2875	61	103	2223	2978	0.31	0.32	96.54	158	0	752
07 08 83	MED	4931	6524	1327	1886	56	93	1383	1979	0.28	0.30	95.30	163	0	747
14 08 83	MED	3121	4163	657	995	28	41	685	1036	0.22	0.25	96.04	154	0	756
21 08 83	HI	2006	2795	436	652	30	40	466	692	0.23	0.25	94.22	174	0	736
28 08 83	HI	1189	1731	288	422	17	21	305	443	0.26	0.26	95.26	259	0	651
04 09 83	HI	95	135	21	30	2	2	23	32	0.24	0.24	93.75	69	0	61
TOTAL	MED	64310	82167	16533	21616	491	695	17024	22311	0.26	0.27	96.88	1788	0	7768

NEWFOUNDLAND REGION (LABRADOR)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END	WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE		DAYS	
DA MO YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19 06 83		0	0	0	0	0	0	0	0	0.00	0.00	0.00	0	0	26
26 06 83	MED	54	54	18	18	0	0	18	18	0.33	0.33	100.00	0	0	91
03 07 83	MED	98	98	22	22	1	1	23	23	0.23	0.23	95.65	0	0	91
10 07 83	MED	233	233	38	38	31	31	69	69	0.30	0.30	55.07	0	0	91
17 07 83	MED	382	382	225	225	52	52	277	277	0.73	0.73	81.23	0	0	91
24 07 83	MED	494	494	427	427	78	78	505	505	1.02	1.02	84.55	0	0	91
31 07 83	MED	543	543	495	495	49	49	544	544	1.00	1.00	90.99	0	0	91
07 08 83	MED	468	468	463	463	26	26	489	489	1.04	1.04	94.68	0	0	91
14 08 83	MED	405	405	357	357	26	26	383	383	0.95	0.95	93.21	0	0	91
21 08 83	MED	264	264	208	208	21	21	229	229	0.87	0.87	90.83	0	0	91
28 08 83	MED	111	111	68	68	8	8	76	76	0.68	0.68	89.47	0	0	91
04 09 83	MED	44	44	25	25	3	3	28	28	0.64	0.64	89.29	0	0	91
11 09 83	HI	26	26	19	19	3	3	22	22	0.85	0.85	86.36	0	0	91
18 09 83		6	6	7	7	0	0	7	7	1.17	1.17	100.00	0	0	26
TOTAL	MED	3128	3128	2372	2372	298	298	2670	2670	0.85	0.85	88.84	0	0	1144

NEWFOUNDLAND REGION (TOTAL)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END	WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE		DAYS	
DA MO YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
12 06 83	HI	837	1032	272	325	3	3	275	328	0.33	0.32	99.09	0	0	9
19 06 83	MED	3224	3941	516	604	7	7	523	611	0.16	0.16	98.85	62	0	238
26 06 83	MED	6296	7916	1512	1795	52	53	1564	1848	0.25	0.23	97.13	170	0	832
03 07 83	LOW	8087	10209	1884	2310	46	65	1930	2375	0.24	0.23	97.26	150	0	851
10 07 83	MED	8619	10818	2074	2611	127	155	2201	2766	0.26	0.26	94.40	144	0	863
17 07 83	MED	10996	13607	3136	4051	93	110	3229	4161	0.29	0.31	97.36	139	0	883
24 07 83	MED	9022	11367	2978	3790	131	164	3109	3954	0.34	0.35	95.85	146	0	870
31 07 83	MED	7691	9733	2657	3370	110	152	2767	3522	0.36	0.36	95.68	158	0	843
07 08 83	MED	5399	6992	1790	2349	82	119	1872	2468	0.35	0.35	95.18	163	0	838
14 08 83	MED	3526	4568	1014	1352	54	67	1068	1419	0.30	0.31	95.28	154	0	847
21 08 83	HI	2270	3059	644	860	51	61	695	921	0.31	0.30	93.38	174	0	827
28 08 83	MED	1300	1842	356	490	25	29	381	519	0.29	0.28	94.41	259	0	742
04 09 83	MED	139	179	46	55	5	5	51	60	0.37	0.34	91.67	69	0	152
11 09 83	HI	26	26	19	19	3	3	22	22	0.85	0.85	86.36	0	0	91
18 09 83		6	6	7	7	0	0	7	7	1.17	1.17	100.00	0	0	26
TOTAL	MED	67438	85295	18905	23988	789	993	19694	24981	0.29	0.29	96.02	1788	0	8912

Appendix 15 -- 1983 Atlantic Salmon Recreational Catch and Effort - Provincial Totals

PROVINCIAL SUMMARY (INSULAR)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NO FISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
12	06	83	MED	2317	2655	310	363	245	252	555	615	0.24	0.23	59.02	0	0	45
19	06	83	MED	5416	6555	713	865	101	104	814	969	0.15	0.15	89.27	62	0	368
26	06	83	MED	10096	12455	2119	2531	112	116	2231	2647	0.22	0.21	95.62	185	0	1062
03	07	83	LOW	12226	15246	2533	3139	91	121	2624	3260	0.21	0.21	96.29	161	0	1112
10	07	83	LOW	12378	15486	2944	3671	131	173	3075	3844	0.25	0.25	95.50	155	52	1108
17	07	83	MED	15822	19379	4632	5852	98	117	4730	5969	0.30	0.31	98.04	154	35	1140
24	07	83	MED	12909	16056	4043	5147	87	123	4130	5270	0.32	0.33	97.67	162	7	1149
31	07	83	MED	10885	13642	3384	4366	85	127	3469	4493	0.32	0.33	97.17	174	7	1120
07	08	83	MED	7646	9762	2081	2790	69	106	2150	2896	0.28	0.30	96.34	178	7	1122
14	08	83	HI	5051	6435	1081	1490	40	54	1121	1544	0.22	0.24	96.50	166	7	1136
21	08	83	HI	3649	4852	905	1219	43	53	948	1272	0.26	0.26	95.83	193	7	1073
28	08	83	MED	2232	3020	569	760	24	28	593	788	0.27	0.26	96.45	263	7	997
04	09	83	MED	618	765	192	227	8	8	200	235	0.32	0.31	96.60	69	3	211
TOTAL			MED	101245	126308	25506	32420	1134	1382	26640	33802	0.26	0.27	95.91	1922	132	11643

PROVINCIAL SUMMARY (LABRADOR)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END			WATER	ROD DAYS		NO GRILSE		NO SALMON		NOFISH		C/E		%GRILSE		DAYS	
DA	MO	YR	LEVEL	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	OBS.	TOT.	TOT.	NP	CL	DATA
19	06	83	LOW	51	59	2	2	0	0	2	2	0.04	0.03	100.00	0	0	30
26	06	83	MED	220	252	23	24	9	10	32	34	0.15	0.13	70.59	0	0	105
03	07	83	MED	383	394	30	31	30	31	60	62	0.16	0.16	50.00	0	0	105
10	07	83	MED	637	669	126	141	68	71	194	212	0.30	0.32	66.51	0	0	105
17	07	83	MED	795	842	539	576	59	64	598	640	0.75	0.76	90.00	0	0	105
24	07	83	MED	942	1004	839	905	85	87	924	992	0.98	0.99	91.23	0	0	105
31	07	83	MED	980	1053	841	888	55	57	896	945	0.91	0.90	93.97	0	0	105
07	08	83	MED	768	816	697	734	34	36	731	770	0.95	0.94	95.32	0	0	105
14	08	83	MED	640	675	490	518	30	32	520	550	0.81	0.81	94.18	0	0	105
21	08	83	MED	435	470	324	342	23	24	347	366	0.80	0.78	93.44	0	0	105
28	08	83	MED	229	254	113	121	10	10	123	131	0.54	0.52	92.37	0	0	105
04	09	83	MED	90	105	48	53	3	3	51	56	0.57	0.53	94.64	0	0	105
11	09	83	MED	41	42	29	30	3	3	32	33	0.78	0.79	90.91	0	0	105
18	09	83	MED	6	22	7	7	0	0	7	7	1.17	0.32	100.00	0	0	34
TOTAL			MED	6217	6657	4108	4372	409	428	4517	4800	0.73	0.72	91.08	0	0	1324

PROVINCIAL SUMMARY (TOTAL)

OBSERVED AND TOTAL(ESTIMATED+OBSERVED) ANGLING CATCH 1983

WEEK END DA	MO	YR	WATER LEVEL	ROD DAYS OBS.	TOT.	NO GRILSE OBS.	TOT.	NO SALMON OBS.	TOT.	NO FISH OBS.	TOT.	C/E OBS.	TOT.	%GRILSE TOT.	NP	DAYS CL	DATA
12	06	83	MED	2317	2655	310	363	245	252	555	615	0.24	0.23	59.02	0	0	45
19	06	83	MED	5467	6614	715	867	101	104	816	971	0.15	0.15	89.29	62	0	398
26	06	83	MED	10316	12707	2142	2555	121	126	2263	2681	0.22	0.21	95.30	185	0	1167
03	07	83	LOW	12609	15640	2563	3170	121	152	2684	3322	0.21	0.21	95.42	161	0	1217
10	07	83	LOW	13015	16155	3070	3812	199	244	3269	4056	0.25	0.25	93.98	155	52	1213
17	07	83	MED	16617	20221	5171	6428	157	181	5328	6609	0.32	0.33	97.26	154	35	1245
24	07	83	MED	13851	17060	4882	6052	172	210	5054	6262	0.36	0.37	96.65	162	7	1254
31	07	83	MED	11865	14695	4225	5254	140	184	4365	5438	0.37	0.37	96.62	174	7	1225
07	08	83	MED	8414	10578	2778	3524	103	142	2881	3666	0.34	0.35	96.13	178	7	1227
14	08	83	HI	5691	7110	1571	2008	70	86	1641	2094	0.29	0.29	95.89	166	7	1241
21	08	83	MED	4084	5322	1229	1561	66	77	1295	1638	0.32	0.31	95.30	193	7	1178
28	08	83	MED	2461	3274	682	881	34	38	716	919	0.29	0.28	95.87	263	7	1102
04	09	83	MED	708	870	240	280	11	11	251	291	0.35	0.33	96.22	69	3	316
11	09	83	MED	41	42	29	30	3	3	32	33	0.78	0.79	90.91	0	0	105
18	09	83	MED	6	22	7	7	0	0	7	7	1.17	0.32	100.00	0	0	34
TOTAL			MED	107462	132965	29614	36792	1543	1810	31157	38602	0.29	0.29	95.31	1922	132	12967